

NORTH PROVIDENCE FIRE DEPARTMENT
Fire Department
Company Run Report

Centredale Company No. 71 Report No. 384
 District F.H.
 Date 4-1 19 72 Time alarm was received 7:05 A. M.
 Alarm from: Box No. _____ Headquarters by phone ☒ Other (described) _____
 Reported to cover Company No. _____ at _____ M., on authority of _____
 Ordered Home by _____ at _____ M. In quarters at 8:10 A. M. Miles traveled 4

CLASSI- FICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH
	☐ Fire in brush or grass		Pumper <u>1250</u> GPM
	☐ Fire in rubbish near building	☐ Rescue or emergency	Booster tank <u>500</u> gals.
	☐ Fire in rubbish in vacant lot	☐ Needless call	Ladder truck <u>#1</u>
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☐ False alarm	
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) 23 Link St.
 Cause of fire _____
 General description of building or occupancy 1 story wooden structure; dwelling
 Owner of building Anthony Grandet
 Owner's address Same

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>50'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
		<u>2</u>	Short ladders	<u>38'</u>		

Hose lines laid _____ ft. _____ line, _____ in hose. _____
 _____ ft. _____ line, _____ in hose. _____

Working time of pumper _____ hrs. 30 min.

Equipment lost or found _____

Equipment damaged or destroyed _____

Companies responding Eng 1, 2, Ladder 1, Res 2

Estimated loss _____

MEN RESPONDING TO ALARM:

J. Mallo
W. Roy
E. Pelland
R. Paquet
K. Middleton
F. Bursie
J. Borek
J. Lane
T. Russo
T. Perna
F. Rotella
A. Lemma

Chief Di Giulio
Capt. Murphy
Capt. Salisbury
Lt. Di Giulio
Lt. Salisbury

REMARKS: Fire in kitchen under sink & counter area. Some water damage in kitchen (broken water lines) and smoke throughout house.

Chief Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 72

Report No. 388

District GENAUA

Date 4/11 1972

Time alarm was received 8:15 P M.

Alarm from: Box No. 6214 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 8:20 P M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
---	--	---

Location of fire, or origin of alarm (street and number) BIRCHWOOD SCHOOL

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-3-4-5 LADDER 1-2 RES-3

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT MURPHY

CAPT SALISBURY

LT Di Giulio

LT SALISBURY

J. Mahlo

W. ROY

C. HARRINGTON

F. PRILAND

K. MIDDLETON

W. LUKOWSKI

R. MARWEAL

D. MARCIANO

F. BURSIE

J. LANE

B. Di Giulio

T. RUSSO

T. PERNA

F. POTERHA

REMARKS:

CAPT MURPHY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

CENTERDALE Company No. 73 Report No. 393
 District ~~4134~~ CENTERDALE
 Date 4/31 1972 Time alarm was received 10:00 A. M.
 Alarm from: Box No. 6122 Headquarters by phone Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at 10:40 A. M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) MORGAN AVE
 Cause of fire
 General description of building or occupancy GREYSTONE SCHOOL
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding ENG 1-2-6 LADDER 1-2 RES 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT SALISBURY

LT. DIGIULIO

J. MOHKO

C. HARRINGTON

H. MIDDLETON

B. D. G. ULIO

F. ROTELLA

A. JEMMA

REMARKS:

STATION PULLED INSIDE SCHOOL REAR
ENTRANCE BY SMALL BOY.

CAPT SALISBURY
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 74

Report No. 394

District Geneva

Date 4/3 1972

Time alarm was received 10:25 A M.

Alarm from: Box No. 5835 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:35 A M. Miles traveled 1

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>500</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
--	---	--	--

Location of fire, or origin of alarm (street and number) Geneva Mill

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	No.	Type	Total Feet		
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1, 2, 4, 5 Ladder 1, 2 Rescue 3

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. C. Salisbury
Lt. E. Di Giulio

J. Mollo
C. Harrington
B. Di Giulio
K. Middleton
J. Lane
V. Di Orio
J. Marwell
F. Rotella

REMARKS:

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 75

Report No. 397

District Centredale

Date 4/3 1972

Time alarm was received 3:00 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 3:27 P.M. Miles traveled 1

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
	☒ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) Rear 64 Jacksona Drive

Cause of fire Det

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>3</u>	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>Broom</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo

C. Harrington

B. Di Giulio

J. Lane

REMARKS:

Small area in woods

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 76

Report No. 398

District Centredale

Date 4/3 1972

Time alarm was received 4:25 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 5:00 P.M. Miles traveled 8

CLASSIFICATION OF ALARM Check the proper square	☐	Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>540</u> gals. Ladder truck
	☒	Fire in brush or grass	☐ Rescue or emergency	
	☐	Fire in rubbish near building	☐ Needless call	
	☐	Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐	Fire in a dump	☐ False alarm	
	☐	Other fire outdoors		
	☐	Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) Sunset Ave

Cause of fire unknown

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>3</u>	Pump Tanks	<u>1</u>	1-inch	<u>300</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 30 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. M. Giulio
Capt. C. Salisbury
Lt. E. M. Giulio
Lt. R. Salisbury

J. Mollo
R. Cranshaw
B. M. Giulio
P. Ruggiano
J. Borek
J. Lane
F. Rotella

REMARKS: wooded area at end of Sunset Ave.

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. 77 Report No. 399
 District Centredale
 Date 4/3 1972 Time alarm was received 5:10 P.M.
 Alarm from: Box No. Headquarters by phone still Other (described)
 Reported to cover Company No. atM., on authority of
 Ordered Home by atM. In quarters at 5:00 P.M. Miles traveled 2

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
--	--	---	--

Location of fire, or origin of alarm (street and number) South Brookside Ave.
 Cause of fire unknown
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>50</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.
 Working time of pumper hrs. 5 min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding Eng. 1

 Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Lt. Ernest Di Giulio
Lt. R. Salisbury

J. Mollo

R. Cranshaw

B. Di Giulio

P. Ruggiano

J. Lane

F. Bursie

E. Pelland

F. Rotella

REMARKS:

Small Area

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT
Fire Department
Company Run Report

Centredale Company No. 78

Report No. 400

District Fruit Hill

Date 19.....

Time alarm was received 7:20 P.M.

Alarm from: Box No. Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 7:35 P.M. Miles traveled 2

CLASSI- FICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>275'</u>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) 38 Merchant Ave.

Cause of fire stove

General description of building or occupancy

Owner of building Charles Hunt

Owner's address Same

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1, 2, Ladder 1, Resc. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt J. Murphy
Lt. R. Salisbury

R. Cranshaw
E. Pelland
R. Paguet
K. Middleton
R. Marwell
D. Marciano
P. Ruggiano
F. Bursic
J. Borek
J. Lane
T. Russo
T. Perna
F. Rotella
A. Imma

REMARKS:

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. *79* Report No. *415*
 District *Cent.*
 Date *4-7* 19 *72* Time alarm was received *2:50 P.* M.
 Alarm from: Box No. *6122* Headquarters by phone Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at *3:00 P.* M. Miles traveled *1*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#1</i>
---	---	---	--

Location of fire, or origin of alarm (street and number) *Morgan Ave*
 Cause of fire
 General description of building or occupancy *GreyStone School*
 Owner of building *Town of N. P.*
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng. 1, 2, 6 Ladder 1, 2 Res 2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. Salisbury
Lt. Di Giulio
Lt. Salisbury

B. Di Giulio
F. Rotella
A. Lemma

REMARKS:

Capt. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. *80*

Report No. *416*

District *General*

Date *4-7* 19 *72*

Time alarm was received *6:58 P.M.*

Alarm from: Box No. *6214* Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at *7:05 P.M.* Miles traveled *6*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#1</i>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☒ False alarm	
	☐ Other fire outdoors		
☐ Fire in vehicle in street			

Location of fire, or origin of alarm (street and number) *Brook Farm Rd.*

Cause of fire

General description of building or occupancy *Birchwood School*

Owner of building *Town of N.P.*

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng. 1, 3, 4, 5 Ladder 1, 2 Res 3*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

W. Lukowski
J. Borek
J. Lane
H. Darby
T. Russ
F. Petella

Chief DiStasio
Lt. DiStasio

REMARKS:

Chief DiStasio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *81* Report No. *419*
 District *Cent.*
 Date *4-8* 19 *72* Time alarm was received *10:50 A.M.*
 Alarm from: Box No. Headquarters by phone ☒ Other (described) _____
 Reported to cover Company No. _____ at _____ M., on authority of _____
 Ordered Home by _____ at _____ M. In quarters at *11:20 A.M.* Miles traveled *3*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#1</i>
---	--	--	--

Location of fire, or origin of alarm (street and number) *Municipal Spring Ave*
 Cause of fire *set*
 General description of building or occupancy *Small shack in woods*
 Owner of building _____
 Owner's address *Rear of Almace & Bargamians junk yard.*

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<i>1</i>	1-inch	<i>150'</i>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders		<i>2</i>	<i>pike poles</i>

Hose lines laid ft. line, in hose.
 ft. line, in hose.
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding *Eng 1, Ladder 1*

 Estimated loss *none*

(over)

MEN RESPONDING TO ALARM:

J. Mello
C. Harrington
E. Pelland
K. Middleton
H. Darby
B. Di Giulio
J. Inaione
J. Borek
P. Ruggiano
J. Bursia
T. Russo
J. Inarnell Jr.
G. Rotella
A. Lemma
O. Charpentier
W. Hedger

Chief Di Giulio
Capt Salisbury
Lt. Di Giulio

REMARKS:

Chief Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 82

Report No. 422

District F. H.

Date 4/9 1972

Time alarm was received 8:25 A.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 8:50 A.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☒	Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>	
	☐	Fire in brush or grass	☐		Rescue or emergency
	☐	Fire in rubbish near building	☐		Needless call
	☐	Fire in rubbish in vacant lot	☐		Accidental alarm
	☐	Fire in a dump	☐		False alarm
	☐	Other fire outdoors			
	☐	Fire in vehicle in street			

Location of fire, or origin of alarm (street and number) 25 Superior View Ave.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
<u>2</u>	<u>smoke ejectors</u>	No.	Type	Total Feet		
	<u>100' cord</u>		Aerial			
			Over 35 ft.			
		<u>1</u>	Short ladders	<u>14'</u>		

Hose lines laid ft. line, in hose,
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1, 2, Ladder 1, Resc. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo
W. Rony
E. Pelland
R. Paquet
K. Middleton
A. Mariano
H. Darby
B. Di Giulio
P. Ruggiano
J. Maione
F. Burshie
J. Borek
F. Rotella
T. Russo
T. Perna

REMARKS: Table & contents burned,
smoke throughout house.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. 83 Report No. 427
 District Centredale
 Date 4/9 1972 Time alarm was received 7:30 P.M.
 Alarm from: Box No. _____ Headquarters by phone ☒ Other (described) _____
 Reported to cover Company No. _____ at _____ M., on authority of _____
 Ordered Home by _____ at _____ M. In quarters at 8:00 P.M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck _____ _____ _____
	☒ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) Sunset Ave.
 Cause of fire Set
 General description of building or occupancy _____
 Owner of building _____
 Owner's address _____

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>4</u>	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
<u>1</u>	<u>Hand light</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid _____ ft. _____ line, _____ in hose, _____
 _____ ft. _____ line, _____ in hose. _____
 Working time of pumper _____ hrs. _____ min.
 Equipment lost or found _____
 Equipment damaged or destroyed _____
 Companies responding Eng 1

Estimated loss _____

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Lt. E. Di Giulio

C. Harrington

R. Paquet

R. Ruggiano

F. Bursie

J. Borek

F. Rotella

T. Russo

REMARKS: Brush fire rear Maggiano's House.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. 84

Report No. 428

District General

Date 4/9 1972

Time alarm was received 7:45 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8:10 P.M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank <u>152</u> gals. Ladder truck <u>#75</u>

Location of fire, or origin of alarm (street and number) Smithfield Rd.

Cause of fire set

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>1</u>	Pump Tanks	<u>1</u>	<u>3/4</u> -inch	<u>200</u>		
	Foam		<u>1 1/2</u> -inch			
	Loaded Stream		<u>2 1/2</u> -inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	Total Feet				
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. 15 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Ladder 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt J. Murphy
Capt. C. Salisbury
Lt. R. Salisbury

J. Mollo
R. Cronshaw
G. Bulpitt
T. Perna

REMARKS: Small area across from 700 Smithfield Rd.
Hdg. called + gave location as 700 Smithfield Rd.
Eng I act Sunset Ave.

Capt J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. 85 Report No. 430
 District Centredale
 Date 4/19 1972 Time alarm was received 9:33 A.M.
 Alarm from: Box No. _____ Headquarters by phone ☒ Other (described) _____
 Reported to cover Company No. _____ at _____M., on authority of _____
 Ordered Home by _____ at _____M. In quarters at 1:50 A.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☒ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck _____ _____ _____
---	--	--	--

Location of fire, or origin of alarm (street and number) Smithfield Rd. Town Dump
 Cause of fire unknown
 General description of building or occupancy _____
 Owner of building _____
 Owner's address _____

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>200'</u>		
	Foam		1½-inch			
	Loaded Stream	<u>1</u>	2½-inch or larger	<u>200'</u>		
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>2</u>	<u>Scott Pak</u>	No.	Type	Total Feet		
<u>4</u>	<u>Handlights</u>		Aerial			
<u>1</u>	<u>water chief</u>		Over 35 ft.			
<u>1</u>	<u>ate</u>		Short ladders			

Hose lines laid _____ ft. _____ line, _____ in hose. _____
 _____ ft. _____ line, _____ in hose. _____
 Working time of pumper _____ hrs. 20 min.
 Equipment lost or found _____
 Equipment damaged or destroyed 1- 2½" Baker nozzle damaged
 Companies responding Eng. 1, 2, 3, 4 Resp. 1, 2

Estimated loss _____

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo
W. Roy
C. Harrington
E. Pelland
R. Paquet
K. Middleton
W. Laskowski
F. Burskie
B. Di Giulio
J. Borek
J. Ruggiano
T. Russo
T. Perna

REMARKS: Charles Harrington sprained leg transported
to Roger Williams Hosp. by Resc I.
Dumps totally involved. F.H. laid 1200' 2 1/2" hose
from Hyd. near Smithfield dumps.
Genera 3 + 4 Pumped line. D.P.W. was called
to haul fill to cover, also bulldozer was used.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *86*

Report No. *447*

District *Lymansville*

Date *4/12* 19*72*

Time alarm was received *9:10 A* M.

Alarm from: Box No. *6541* Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *9:25 A* M. Miles traveled *3*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#75'</i>
---	--	--	--

Location of fire, or origin of alarm (street and number) *Laurel St. Lymansville School*

Cause of fire

General description of building or occupancy

Owner of building *Town of North Providence*

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1, 2, 6, Ladder 1, 2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt J. Murphy
Capt C. Salisbury
Lt E. Di Giulio

J. Moelo
B. Di Giulio

REMARKS: Bot 6541 pulled for fire drill. Principle forgot to shut off main bot. Dispatcher did not blow siren at station.

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 87

Report No. 450

District Centredale

Date 4/13 1972

Time alarm was received 1:47 A.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 2:55 A.M. Miles traveled 22

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☒ Rescue or emergency ☐ Fire in rubbish in vacant lot ☐ Needless call ☐ Fire in a dump ☐ Accidental alarm ☐ Other fire outdoors ☐ False alarm ☐ Fire in vehicle in street	Alarm Where There Was No Fire EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	---

Location of fire, or origin of alarm (street and number) Smith St.

Cause of fire Accident

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>50</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 30 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1, Resc 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: Chief E. Di Giulio

J. Mollo

D. Ray

E. Pelland

F. Burrie

R. Pagnet

K. Middleton

G. Bulpitt

F. Rotella

T. Russo

T. Perna

REMARKS: Car took pole off at Base. High line down
gasoline in road. Power Company called.

Chief E. Di Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 88

Report No. 468

District General

Date 4/16 1972

Time alarm was received 4:20 P.M.

Alarm from: Box No. 5835 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 4:40 P M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
---	---	---

Location of fire, or origin of alarm (street and number) General Mills

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1, 3, 4 Ladder 1, 2 Rescue 3

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt J. Murphy
Lt E. Di Giulio
Lt R. Salisbury

K. Middleton
T. Russo
T. Perna
F. Rotella
A. Inuma

REMARKS:

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 89

Report No. 469

District Centredale

Date 4/16 1972

Time alarm was received 7:05 P M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 7:32 P M. Miles traveled 7

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) Howard Ave.

Cause of fire let

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>200</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
<u>1</u>	<u>Pike Pole</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. 10 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. R. Salisbury
Lt. E. Di Giulio

F. Bursie
K. Middleton
J. Borek
J. Lane
T. Russo
F. Rotella

REMARKS:

Shack + Grass burning

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 90

Report No. 470

District F. H.

Date 4/16 19 72

Time alarm was received 7:23 P.M.

Alarm from: Box No. Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 7:45 P.M. Miles traveled 7

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) Dunbar Court Smith ST.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1, 2, Res 2 Ladder 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

F. Burris
K. Middleton
J. Borek
J. Lane
T. Russo
F. Rotella

REMARKS: Returning to station received call from
Hwy. Turned out to be Code Blue

Chief E. Di Giulio
Officer in Charge

Centredale Company No. 91 Report No. 492

District Centredale

Date 4-1-6 1972 Time alarm was received 8:29 P.M.

Alarm from: Box No. Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 9:00 P.M. Miles traveled 7

Location of fire, or origin of alarm (street and number) Mineral Spring Ave.
Cause of fire
General description of building or occupancy
Owner of building Subator Army Clothing Box
Owner's address

Hose lines laid ft. line, in hose,
 ft. line, in hose.
 Working time of pumper hrs. 15 min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding Eng. 1

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

R. Marwell
K. Middleton
F. Bursie
J. Lane
T. Russo

REMARKS: Clothing in Salvaton Army storage Box
at Almass parking lot. at Mineral Spring Ave.

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 92

Report No. 476

District LYMANSVILLE

Date 4-17 19 72

Time alarm was received 2:50 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 3:20 P.M. Miles traveled 6

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☒ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	--	--

Location of fire, or origin of alarm (street and number) Fruit Hill Ave.

Cause of fire

General description of building or occupancy P. J. College Campus

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1, 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. Salisbury
Lt. DiStasio
Lt. Salisbury

J. Mollo
B. DiStasio
J. Lane
D. Masciano
V. Di Orio (Sgt.)
J. Marcellino
G. Rotella
A. Lemma

REMARKS: Cng. 2 radioed for help to cover near
radio station on college grounds. Campus police
have names of 3 kids who discouraged fire.

Capt. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centradale Company No. 93

Report No. 479

District Centradale

Date 4/17 1972

Time alarm was received 4:05 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:45 P.M. Miles traveled 10

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☒ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) Town Dump Smithfield Rd.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>150</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>Rike Pole</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 20 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mello
K. Middleton
B. Di Giulio
J. Barek
J. Lane
J. Maxwell
T. Perna
A. Imma
F. Rotella

REMARKS: Small area of dumps to right of
entrance

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 94

Report No. 483

District F. H.

Date 4/18 1972

Time alarm was received 1:50 ^AM.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8:50 ^AM. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u># 7.5'</u>
--	--	--	---

Location of fire, or origin of alarm (street and number) 25 Superior View Blvd.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
<u>2</u>	<u>smoke ejector</u>	No.	Type	Total Feet		
<u>1</u>	<u>levordorger</u>		Aerial			
	<u>Cords</u>		Over 35 ft.			
	<u>Generator 1/2 hr</u>		Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1, 2 Ladder 1, Resc 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. M. Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. M. Giulio
Lt. C. Salisbury

J. Mollo

W. Rony

K. Middleton

F. Bursie

J. Borek

J. Russo

T. Perna

R. Parenteau

REMARKS: Living room couch burned, smoke throughout house

Chief E. M. Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 95

Report No. 486

District Centredale

Date 4/18 1972

Time alarm was received 9:21 ¹⁴ M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 9:37 ^A M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) Rear Greystone School

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt J. Murphy
Lt. E. Di Giulio

J. Mollo

E. Pelland

A. Di Battista

R. Paquet

B. Di Giulio

J. Lane

T. Perna

F. Rotella

REMARKS: Hdg. received call for Brush fire. No fire.

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 96

Report No. 492

District Centredale

Date 4/18 1972

Time alarm was received 5:05 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 5:28 P.M. Miles traveled 11

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
	☒ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) Peach Hill Ave.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	/	1-inch	150		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	Total Feet				
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 10 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury
Lt. E. Di Giulio

J. Mollo
W. Roy
P. Amariaggi
B. Di Giulio
K. Middleton
F. Bursie
J. Borek
E. Pelland
T. Perna
F. Rotella
A. Imma

REMARKS: Small area in cemetery

Chief E. Di Giulio
Officer in Charge

Company Run Report

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury
Lt. E. Di Giulio

J. Moelle

W. Romy

P. Amorizzi

B. Di Giulio

K. Middleton

F. Bursie

J. Borek

E. Pelland

F. Rotella

A. Imma

T. Perna

REMARKS: Shed fire, back left corner involved

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 98

Report No. 495

District F. H.

Date 4/19 1972

Time alarm was received 12:50 A.

Alarm from: Box No. 442 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 1:05 A. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck
---	---	---	---

Location of fire, or origin of alarm (street and number) Washakie + Towanda

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1, 2 Ladder 1 Resc. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: Chief E. Di Giulio
Capt. J. Murphy

J. Mollo

W. Roux

E. Pelland

K. Middleton

D. Marciano

P. Ruggiano

F. Burrie

R. Parenteau

REMARKS:

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 99

Report No. 501

District F. H.

Date 4/19 1972

Time alarm was received 2:20 P M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 2:45 P M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75'</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) 61 High Service Ave.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1, 2. Ladder 1. Resc 2.

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo
E. Pelland
B. Di Giulio
J. Lane
J. Marwell
J. Perna
A. Imma

REMARKS: Fire under outside Porch

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 100

Report No. 503

District Centredale

Date 4/19 1972

Time alarm was received 3:30 PM.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 3:57 PM. Miles traveled 8

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) Waterman Ave.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>2</u>	Pump Tanks	<u>1</u>	1-inch	<u>200'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>Broom</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 15 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. J. Murphy
Lt. E. Di Giulio
Lt. R. Salisbury
Capt. C. Salisbury

J. Mello
E. Pelland
B. Di Giulio
J. Lane
J. Marwell
T. Perna
A. Imma
F. Rotella

REMARKS: Area on hill, across from White Hall
Building.

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 101

Report No. 506

District Centredale

Date 4/19 1972

Time alarm was received 6:50 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 7:40 P.M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck
	☒ Fire in brush or grass		
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☐ False alarm	
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) Smithfield Rd. Randell Res.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>3</u>	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>Flood light</u>	No.	Type	Total Feet		
<u>1</u>	<u>Handlight</u>		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1, 2, 3, 4

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
St. R. Salisbury

J. Mollo
W. Roy
E. Pelland
J. Borek
J. Lane
F. Bursie
T. Russo
F. Rotella

REMARKS: No fire at Randell Res. Fire was near
reservoir at Smithfield & Mineral Spring Ave.
Told to stand by Eng 4. Helped to put out fire.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 102

Report No. 514

District Centredale

Date 4/21 1972

Time alarm was received 3:00 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 3:28 P.M. Miles traveled 7

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) Roswell Ave.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>3</u>	Pump Tanks	<u>2</u>	1-inch	<u>400'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 15 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mello

W. Roy

C. Pelland

R. Pagnet

J. Lane

B. Di Giulio

J. Marwell

A. Imma

REMARKS: one acre of land near Jacksonia +
Locust Ave.

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 103

Report No. 517

District Centredale

Date 4/22 1972

Time alarm was received 12:18 A.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 12:55 M. Miles traveled 8

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>Car Accident</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) 925 Smithfield Rd.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>100'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
<u>1</u>	<u>Handfight</u>		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 10 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1 Resc 1, 2, 3

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

W. Roy
E. Pelland
R. Paguet
K. Middleton
F. Bursie
T. Perna
A. Imma

REMARKS: Volkswagen hit Pole, gas leaking
Man + women in car.

Reg. B.S. 822

Alfred Schettini
1349 Douglas Ave. N. P.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 104

Report No. 525

District F. H.

Date 19.....

Time alarm was received 11:41 P M.

Alarm from: Box No. 431 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:50 P M. Miles traveled

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) Taylor + Whipple CT.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1, 2 Ladder 1 Rescue 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury
Lt. R. Salisbury

E. Pelland

R. Paquet

P. Ruggiano

K. Di Giulio

T. Russo

T. Perna

REMARKS: Code Blue

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 105

Report No. 527

District Centredale

Date 4/23 1972

Time alarm was received 10:40 A.M.

Alarm from: Box No. 10122 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:55 M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck
---	---	---	---

Location of fire, or origin of alarm (street and number)

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1-2-6 Ladder 1-2 Resc. 1-2

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

Capt J. Murphy
Capt C. Salisbury
Lt E. DiGiulio

J. Mello
W. Roy
R. Cranshaw
C. Pelland
R. Paquet
K. Middleton
D. Manciano
R. Safrate
H. Darby
P. Palumbo
T. Russo
T. Perna
F. Rotella

REMARKS: Code Blue

Capt J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *106*

Report No. *529*

District *F. H.*

Date 19.....

Time alarm was received *2:55 A.*

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *3:35 A.* Miles traveled *8*

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck
	☐ Fire in brush or grass		
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☐ False alarm	
	☐ Fire in vehicle in street	<i>shack</i>	

Location of fire, or origin of alarm (street and number) *577 Fruit Hill Ave.*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<i>1</i>	1-inch	<i>150'</i>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
	No.	Type	Total Feet			
		Aerial				
		Over 35 ft.				
		Short ladders				

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. *15* min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-2-6 Ladder 1 Resc 1-2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt R. Salisbury

W. Rong

R. Cranshaw

R. Paquet

K. Middleton

D. Marciano

F. Bursie

T. Perna

REMARKS: Shack fire - Eng 1-2 could handle.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 107

Report No. 533

District Centredale

Date 4/25 1972

Time alarm was received 12:28 PM.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 12:38 PM. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☒ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) 38 Barbara Anne Ave.

Cause of fire Burning

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>50'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 5 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio

J. Muelo
K. Middleton
J. Lane
B. Di Giulio
A. Duma

REMARKS: Burning rubbish near woods.

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 108

Report No. 535

District Centredale

Date 4/25 1972

Time alarm was received 2:55 P.M.

Alarm from: Box No. Headquarters by phone Still Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 3:25 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☒ Needless call ☐ Accidental alarm ☐ False alarm <u>Bomb Scare</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75'</u>
---	---	--	--

Location of fire, or origin of alarm (street and number) Worcester Textile Co.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1 Ladder 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. J. Murphy
Capt. E. Salisbury
Lt. E. McQuillan

J. Moelo
C. Harrington
B. McQuillan
J. Lane
J. Marwell

REMARKS: Call for bombs to go off at 3:15 PM.
Code Blue

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centradale Company No. 109

Report No. 538

District Symonville

Date 4/35 1972

Time alarm was received 7:50 P M.

Alarm from: Box No. Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 8:01 P M. Miles traveled 4

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
--	---	--	---

Location of fire, or origin of alarm (street and number) Symonville School Laurel St.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-2, 6 Ladder 1-2, Resc 1-2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mello
W. Roy
C. Harrington
E. Pelland
K. Middleton
R. Marwell
H. Harby
P. Ruggiano
F. Bursie
J. Borek
J. Lane
F. Latella
T. Russo

REMARKS:

Lt. E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *110*

Report No. *545*

District *Centredale*

Date *4/26* 19*72*

Time alarm was received *3:15 P* M.

Alarm from: Box No. *125* Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *3:35 P* M. Miles traveled *5*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>75'</i>
---	--	--	---

Location of fire, or origin of alarm (street and number) *Sherwood + Brunswick*

Cause of fire *Set in ballfield*

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<i>1</i>	1-inch	<i>100'</i>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. *15* min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-6* *Ladder 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo
B. Di Giulio
K. Middleton
W. Marciano
J. Marwell

REMARKS: Small area in Backfield

Lt R. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *111*

Report No. *548*

District *Lymansville*
Date *4/26* 19*78*

Time alarm was received *5:02 P.*M.

Alarm from: Box No. Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *5:20 P.*M. Miles traveled *3*

CLASSI- FICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#75'</i>
--	--	---	--

Location of fire, or origin of alarm (street and number) *2 Greenville Ave*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-2-6 Ladder 1 Resc. 2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief C. Di Giulio
Capt J. Murphy
Capt. C. Salisbury
Lt. C. Di Giulio
Lt. R. Salisbury

J. Mollo
P. Amorriggi
C. Pelland
K. Middleton
H. Marciano
B. Di Giulio
P. Ruggiano
J. Birk
J. Lane
T. Russo
A. Imma

REMARKS: No fire. Possible smoke bomb
thrown on roof by youths.

Chief C. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *112*

Report No. *555*

District *Centredale*

Date *4/27* 19*72*

Time alarm was received *7:25^P* M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *7:33^P* M. Miles traveled *1*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck
---	--	--	---

Location of fire, or origin of alarm (street and number) *Morgan Ave. Near Graystone School*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mello
C. Harrington
C. Pelland
R. Paquet
K. Middleton
R. Marwell
D. Maricano
C. Ruggiano
F. Bursie
J. Lane
F. Rotella
T. Russo
T. Perna

REMARKS: Fire out on arrival

Lt. E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 113

Report No. 557

District Centredale

Date 4/28 1972

Time alarm was received 1:15 P M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 2:50 P M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) Rear Greystone School

Cause of fire Set

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>4</u>	Pump Tanks	<u>2</u>	1-inch	<u>600'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper 1 hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-2-4

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo
C. Harrington
K. Middleton
B. Di Giulio

REMARKS: Large area rear of school called Eng 2-4
to assist.
(Bernard Di Giulio injured right leg)

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. 114

Report No. 562

District Centredale

Date 4/28 1972

Time alarm was received 10:50 P M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:15 P M. Miles traveled 6

CLASSIFICATION OF ALARM Check the proper square	<table style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> ☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street </td> <td style="width: 50%; vertical-align: top;"> Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm </td> </tr> </table>	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm			

Location of fire, or origin of alarm (street and number) Jacksona Dr. near Graystone School

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>100'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 15 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt J. Murphy

W. Roy
C. Harrington
E. Pelland
R. DeFrato
P. Ruggiano
A. Imma
T. Russo
T. Perna

REMARKS: Small Area near Path not near area that
previously burned

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *115* Report No. *563*
 District *F. H.*
 Date *4/29* 19*72* Time alarm was received *12:50 A* M.
 Alarm from: Box No. *431* Headquarters by phone Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at *1:00 A* M. Miles traveled *2*

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#751</i>
--	---	--	--

Location of fire, or origin of alarm (street and number) *Taylor + Wipple Ct.*
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,
 ft. line, in hose,
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding *Eng 1 - 2 Ladder 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio

Capt. J. Murphy

Lt. R. Salisbury

W. Roy

C. Harrington

R. Paquet

K. Middleton

R. Maxwell

P. Ruggiano

F. Bursian

J. Lane

A. Inna

T. Russo

REMARKS:

Chief E. Di Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centerville Company No. 116

Report No. 566

District F.H.

Date 4/29 1972

Time alarm was received 2:37 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 3:20 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>25'</u>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors	☐ Fire in vehicle in street	
	<u>clothes dryer</u>		

Location of fire, or origin of alarm (street and number) 4 Pine St.

Cause of fire overheating

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
<u>2</u>	<u>Snipe injectors</u>	No.	Type	Total Feet		
<u>1</u>	<u>Reducers</u>		Aerial			
<u>1</u>	<u>Scott</u>		Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-2 Ladder 1 Rescue 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio

Capt. J. Murphy

Capt. C. Salisbury

W. Roy

K. Middleton

H. Darby Jr.

J. Moirone

B. Di Giulio

F. Bursia

P. Polombo

T. Russo

A. Imma

REMARKS:

Clothes in dryer

Chief E. Di Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centradale Company No. 117

Report No. 567

District Centradale

Date 4/29, 1972

Time alarm was received 3:50 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:08 P.M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>Shack</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) Central Ave

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>200'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>Pike Pole</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 10 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief C. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. C. Di Giulio
Lt. R. Salisbury

J. Mollo
B. Di Giulio
P. Palumbo
H. Harby
J. Maione
T. Russo
T. Perna
J. Marwell

REMARKS:

Small shack

Chief C. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 118

Report No. 570

District Centredale

Date 4/29 19 72

Time alarm was received 8:25 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8:45 P.M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck
---	--	--	---

Location of fire, or origin of alarm (street and number) Ram Graystone School

Cause of fire Set

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>50</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
	No.	Type	Total Feet			
		Aerial				
		Over 35 ft.				
		Short ladders				

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 15 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo
R. Paquet
J. Lane
P. Ruggins
T. Russo

REMARKS:
lot,

Brush Pile at entrance to parking

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *119*

Report No. *571*

District *Lymansville*
Date *4/29* 19*72*

Time alarm was received *8:26 P*.M.

Alarm from: Box No. *6541* Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at *8:40 P*.M. Miles traveled *3*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <i># 75'</i>
---	---	---	--

Location of fire, or origin of alarm (street and number) *Laurel St. Lymansville School*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Ladder 1 Eng 6-2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo
E. Harrington
R. Paguet
J. Lane
P. Ruggino
D. Mariciano
T. Russo
C. Marwell

REMARKS:

Capt. J. Murphy
Officer in Charge