

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE..... Company No. **358**.....

Report No. **1809**.....

District **LYMAN**.....

Date **12/1/**..... 19**72**.....

Time alarm was received **2.43 P.M.**.....

Alarm from: Box No. Headquarters by phone **XX**..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **3.15 P.M.** Miles traveled **3**.....

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE RED	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	--	--	---

Location of fire, or origin of alarm (street and number) **WOONASQUCKET AVE**.....

Cause of fire

General description of building or occupancy **RONCI HEAT TREATING PLANT**.....

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
2	SMOKE EJECTORS	No.	Type	Total Feet		
	CORD		Aerial			
	4 WAY BOX		Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG 1 2 6 LADDER 1 RES 2**.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GUILIO

J. MOLLO

J. BOREK

P. RUGGIANO

D. BAZZLE

B. DI GUILIO

REMARKS: CLEANING TANK OF TRI CHLORO ETHYLENE FOR CLEANING OF PARTS.

J. MOLLO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE..... Company No. 359.....

Report No. 1815.....

District CENTERDALE..

Date 12/1/..... 1972.....

Time alarm was received 9.22P..M.

Alarm from: Box No. Headquarters by phone xx..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10.21P..M. Miles traveled 1.3.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>WASH DOWN</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> .. gals. Ladder truck
--	---	---	---

Location of fire, or origin of alarm (street and number) 1884 ~~XX~~ SMITH ST......

Cause of fire 2 CAR ACCIDENT.....

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>2</u>	1-inch	<u>200</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
<u>2</u>	<u>HANDLIGHTS</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 45.....min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG I RES I.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO
LT. DI GUILIO

W. ROY

E. PELLAND

R. PAQUET

R. IAFRATE

J. LANE

H. DABBY

D. BAZZLE

D. FORTIN

F. BURSIE

R. BATHIER

T. RUSSO

F. ROTELLA

REMARKS: 2 CAR REAR END COLLISION. 1ST CAR PUSHED INTO TELE. POLE
GASOLINE IN ST.

CHIEF DI GUILIO

Officer in Charge

NO. PROVIDENCE FIRE DEPARTMENT

File No - 1815

- RESCUE REPORTS -

Co. No - 359

DATE: 12-1-72 TIME: ARRIVED 9:22 AM RETURNED 10:21 AM

NAME: 2 females AGE:

ADDRESS: front of 1884 Smith St ALARM BY: Police

LOCATION OF RESCUE Front of 1884 Smith St

EXAMINATION

SKULL *

EYES *

EARS *

NOSE *

MOUTH * Both victims cuts on inside of mouths

CHEST *

ABDOMEN *

UPPER EXTREMITIES *

LOWER EXTREMITIES *

POSITION OF PATIENT WHEN FOUND: sitting in police car

WAS PATIENT CONSCIOUS? yes

WAS PATIENT COOPERATIVE? (IF NOT EXPLAIN) NO - insisted they did

not need medical assistance

PATIENT TRANSPORTED TO:

IF PATIENT WAS NOT TRANSPORTED EXPLAIN: refused

* NORMAL - No visible signs of lacerations, abrasions, discoloration, swelling, bleeding or fractures. No complaints of pain.

REMARKS -- (List First Aid Given, If Any)

refused medical attention (both)

SIGNED: Frank B. Brown OFFICER IN CHARGE: Chief A. J. Brown

RESCUE CO. NO. Eng. I

RECEIVED FROM THE SECRETARY OF THE U.S. DEPARTMENT OF AGRICULTURE

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No.360.....

Report No.1816.....

DistrictLYMAN.....

Date12/ 1 /..... 19....72...

Time alarm was received ..10.34P..M.

Alarm from: Box No. Headquarters by phone ...XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at ..10.38P..M. Miles traveled3.....

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE BLUE.....	EQUIPMENT RESPONDED WITH Pumper1250..... GPM Booster tank ..500.... gals. Ladder truck75.....
---	--	---	---

Location of fire, or origin of alarm (street and number)GARIBALDI ST.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies respondingENG 1 2 6 LADDER 1 RES. 1.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

CAPT MURPHY

LT. DI GUILIO

W. ROY

R. PAQUET

R. IAFRATE

F. BURSIE

D. BAZZLE

D. FORTIN

R. RATHIER

T. RUSSO

F. ROTELLA

REMARKS: CALL FOR DWELLING FIRE, CODE BLUE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 361 Report No. 1818
 District F. H.
 Date 12/2/1972 Time alarm was received 6.48A M.
 Alarm from: Box No. 444 Headquarters by phone Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at 6.51A M. Miles traveled 0

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm ...CODE YELLOW...	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
--	--	---	---

Location of fire, or origin of alarm (street and number) SMITH ST.
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding ENG. 1 2 6 LADDER 1 RES. 2

 Estimated loss

MEN RESPONDING TO ALARM: CHIEF DI GULLIO

CAPT MURPHY

CAPT SALISBURY

LT. DI GULLIO

LT. SALISBURY

W. ROY

E. PELLAND

J. BOREK

R. PAQUET

F. BURSIE

W. RUSSO

F. ROTELLA

REMARKS: TRUCKS DID NOT LEAVE STATION. CODE YELLOW

CHIEF DI GULLIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 362

Report No. 1823

District CENTERDALE

Date 12/ 2 / 19 72

Time alarm was received 12.58P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 1.10P.M. Miles traveled 2

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
--	--	---	--

Location of fire, or origin of alarm (street and number) WOON. AVE

Cause of fire SET

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>10</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 5 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG I

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

LT. DI GUILIO

LT. SALISBURY

W. ROY

E. PELLAND

D. MARCIANO

K. MIDDLETON

F. BURSIE

P. RUGGIANO

D. FORTIN

B. DI GUILIO

T. RUSSO

REMARKS: SMALL GRASS ACROSS FROM ALLANDALE CHURCH.

LT. DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No.363.....

Report No.1827.....

DistrictCENTERDALE.....

Date12/2/..... 19...72....

Time alarm was received 10:32 P.M.

Alarm from: Box No. Headquarters by phoneXX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:37 P.M. Miles traveled3.....

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm code blue	EQUIPMENT RESPONDED WITH Pumper 1250..... GPM Booster tank ...500... gals. Ladder truck
---	---	---	---

Location of fire, or origin of alarm (street and number)WOON. & PEACH HILL.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies respondingENG. I.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

E. PELLAND

J. BOREK

R. PAQUET

P. RUGGIANO

D. BAZZLE

F. BURSIE

REMARKS: CHECKED AREA FOR OPEN BURNING, NOTHING VISIBLE.

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

...CENTERDALE Company No.364.....

Report No.1831.....

District ...CENTERDALE..

Date12/4/..... 19.....72

Time alarm was received10:00A.M.

Alarm from: Box No. Headquarters by phone ...XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:20A.M. Miles traveled2.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper1250..... GPM Booster tank500.. gals. Ladder truck75.....
--	--	---	--

Location of fire, or origin of alarm (street and number)79 BROWN AVE.....

Cause of fireSHORT IN WIREING.....

General description of building or occupancy64 DODGE.....

Owner of buildingELIZABETH YOUNG.....

Owner's address79 BROWN AVE N. P.

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies respondingENG. I LADDER I.....

.....

.....

Estimated loss ..\$100.....

.....

.....

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GIULIO

J. MOLLO

B. DI GIULIO

F. ROTELLA

REMARKS: FIRE OUT ON ARRIVAL. SHORT IN WIREING.

ELIZABETH YOUNG 64 DODGE REG. B M 339 FIRE INS. YES.

ENG. I CALLED BY RADIO

LT. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 365

Report No. 1834

District CENTERDALE

Date 12/4/1972

Time alarm was received 7:36 P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 7:48 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	--	--	---

Location of fire, or origin of alarm (street and number) 25 MORGAN AVE

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
2	HANDLIGHTS	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 1A

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

LT. DI GUILIO

W. ROY

E. PELLAND

D. MARCIANO

J. BOREK

F. BURSTE

D. FORTIN

R. IAFRATE

D. BAZZLE

R. RATHIER

H. DARBY

J. LANE

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS: CODE BLUE. RECEIVED CALL FOR HOUSE FIRE PRANK CALL.

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

~~CENTERDALE~~ Company No. 366

Report No. 1836

District CENTERDALE

Date 12/4/ 1972

Time alarm was received 11.42 P M.

Alarm from: Box No. Headquarters by phone xx Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 12.01A M. Miles traveled 1

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
ROAD ACCIDENT			

Location of fire, or origin of alarm (street and number) 104 JACKSONIA DR.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
1	HANDLIGHT	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. I RES. I

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

CHIEF DI GUILIO

CAPT. MURPHY

J. MOLLO

W. ROY

R. PAQUET

T. RUSSO

T. PERNA

R. PARENTEAU

F. ROTELLA

REMARKS: CALL FOR ACCIDENT. NOT NEEDED.

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 367

Report No. 1840

District LYMAN

Date 12/5/ 1972

Time alarm was received 7:44 P.M.

Alarm from: Box No. 512 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 8:00 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <u>75</u>
---	--	--	---

Location of fire, or origin of alarm (street and number) WOON. & OAK ST.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 6 LADDER 1 RES. 1 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: Lt. B1 Guille

W. ROY

D. MARCIANO

R. PAQUET

R. MARWELL

D. BAZZLE

D. FORTIN

R. RATHIER

F. ROTELLA

REMARKS: CODE BLUE ENG I DID NOT RESPOND. NO DRIVER.

W. ROY Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

GENTERDALE Company No. 368

Report No. 1841

District P. H.

Date 12/ 6/ 19 72

Time alarm was received 8.29 A.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 3.50 A.M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE RED	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	--	--	---

Location of fire, or origin of alarm (street and number) SMITH ST.

Cause of fire SHORT

General description of building or occupancy DICK'S OLD LIQUOR STORE

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
1	HYD GATE	No.	Type	Total Feet		
1	HYD WRENCH		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 2 CAR 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GUILIO

J. MOLLO

B. DI GUILIO

E. PELLAND

F. ROTELLA

A. IEMMA

REMARKS: CODE RED. DISPLAY IN WINDOW ON HOMEWARD AVE SIDE OF STORE.

CAPT. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 369

Report No. 1844

District LYMAN

Date 12/ 6/ 19 72

Time alarm was received 8.45 P.M.

Alarm from: Box No. 516 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8.50P.M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) HUMBERT & VICTOR

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

CAPT. MURPHY

LT. DI GUILIO

J. MOLLO

W. ROY

F. ROTELLA

E. PELLAND

D. MARCIANO

J. BOREK

R. MARWELL

R. RATHIER

R. PAQUET

K. MIDDLETON

R. IAFRATE

B. DI GUILIO

P. RUGGIANO

F. BURSIE

H. DARBY

D. BAZZLE

D. FORTIN

P. PALOMBO

J. MURPHY SR.

T. RUSSO

T. PERNA

R. PARENTEAU

REMARKS: CODE BLUE

CAPT. MURPHY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE... Company No.370.....

Report No.1853.....

District ..CENTERDALE....

Date ...12/ 7/..... 19..72....

Time alarm was received ...4.30 P.M.

Alarm from: Box No. Headquarters by phoneXX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at ...4.45P.M. Miles traveled1.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper ...1250..... GPM Booster tank ...500... gals. Ladder truck ...75.....
--	--	---	---

Location of fire, or origin of alarm (street and number)SAVOY ST.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies respondingENG. 1 2 6 LADDER 1 RES. 2 CAR 1.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GUILIO

LT. SALISBURY

J. MOLLO

B. DI GUILIO

E. PELAND

K. MIDDLETON

P. RUGGIANO

D. BAZZLE

D. FORTIN

F. ROTELLA

REMARKS: CODE BLUE. CHECKED ALL HOUSE,S ON SAVOY ST. NO ONE
ANY FIRE.

CAPT. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE... Company No.371.....

Report No. ...1861.....

District ..CENTERDALE....

Date12/ 8/..... 19.72.....

Time alarm was received8.55P.....M.

Alarm from: Box No. ...153..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at ...9.05P.M. Miles traveled ...2.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper ...1250..... GPM Booster tank ...500..... gals. Ladder truck ...75.....
--	---	--	---

Location of fire, or origin of alarm (street and number)WOON. & CHANDLER.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 1 6 LADDER 1 RES, 1 2**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

CAPT. SALISBURY

W. ROY

R. IAFRATE

D. BAZZLE

D. FORTIN

R. RATHIER

W. LUKOWSKI

T. RUSSO

F. ROTELLA

REMARKS: CODE BLUE

W. ROY

Officer in Charge

Fire Department Company Run Report

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILLIO

CAPT. SALISBURY

LT. SALISBURY

W. ROY

E. PELLAND

H. DARBW

F. BURSIE

D. BAZZLE

D. FORTIN

T. RUSSO

R. PARENTEAU

T. PERNA

A. IEMMA

REMARKS: NO FIRE, CAR WAS STEAMING OVER, BLACK VOLVO REG. M U 818

LT. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE... Company No. 373

Report No. 1868

District LYMAN

Date 12/9/ 1972

Time alarm was received 6:55 P.M.

Alarm from: Box No. 516 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 7:03 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>XX</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
<u>CODE BLUE</u>			

Location of fire, or origin of alarm (street and number) HUMBERT & VICTOR

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

CAPT. SALISBURY

LT. DI GUILIO

LT. SALISBURY

E. PELLAND

D. MARCIANO

J. BOREM

K. MIDDLETON

R. IAFRATE

P. RUGGIANO

F. BURSIE

D. BAZZLE

F. ROTELLA

REMARKS: CODE BLUE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 374

Report No. 1870

District F. H.

Date 12/9/ 1972

Time alarm was received 10:27P M.

Alarm from: Box No. 4234 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:34P Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	--	--

Location of fire, or origin of alarm (street and number) SMITH ST.

Cause of fire

General description of building or occupancy STOP & SHOP

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

CAPT. MURPHY

CAPT. SALISBURY

J. MOLLO

J. BOREK

R. PAQUET

R. IAFRATE

B. DI GUILIO

P. RUGGIANO

D. BAZZLE

D. FORTI N

F. BURSIE

V. DI ORIO (LYMAN)

F. ROTELLA

REMARKS: CODE BLUE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE... Company No.375.....

Report No.1874.....

DistrictCENTERDALE.....

Date 12/ 10/ 19. 72

Time alarm was received 8.14 P M.

Alarm from: Box No. Headquarters by phoneXX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8.,23P.M. Miles traveled2.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper ...1250..... GPM Booster tank500. gals. Ladder truck
.....ROAD ACCIDENT.....			

Location of fire, or origin of alarm (street and number)1951 MINERAL SP.

Cause of fireROAD ACCIDENT.....

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies respondingENG. I RES. I.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CAPT. MURPHY

W. ROY

J. BOREK

J. LANE

D. BAZZLE

T. RUSSO

T. PERNA

F. ROTELLA

A. IEMMA

REMARKS: ROAD ACCIDENT NO ASSISTANCE NEEDED.

CAPT MURPHY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 376

Report No. 1886

District F. H.

Date 12/13/1972

Time alarm was received 9.29 P.M.

Alarm from: Box No. 442 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 9.35 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	---	--	---

Location of fire, or origin of alarm (street and number) WASHAKI & TOWANDA

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 LADDER 1 RES. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILLIO

CAPT. MURPHY

J. MOLLO

W. ROY

E. PELLAND

J. BOREK

R. IAFRATE

P. RUGGIANO

D. BAZZLE

D. FORTIN

R. RATHIER

T. RUSSO

R. PARENTEAU

REMARKS: CODE BLUE

CHIEF DI GUILLIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 377

Report No. 1887

District CENTERDALE

Date 12/14/ 1972

Time alarm was received 10.17AM.

Alarm from: Box No. _____ Headquarters by phone XX Other (described) _____

Reported to cover Company No. _____ at _____ M., on authority of _____

Ordered Home by _____ at _____ M. In quarters at 11.10AM. Miles traveled 12

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☒ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck _____
---	--	--

Location of fire, or origin of alarm (street and number) SMITHFIELD RD.

Cause of fire REFUSE

General description of building or occupancy TOWN DUMP

Owner of building TOWN OF N. PROV.

Owner's address _____

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>2</u>	1-inch	<u>200</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
<u>1</u>	<u>PIKE POLE</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid _____ ft. _____ line, _____ in hose.

_____ ft. _____ line, _____ in hose.

Working time of pumper _____ hrs. 30 min.

Equipment lost or found _____

Equipment damaged or destroyed _____

Companies responding ENG. I

Estimated loss _____

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GUILIO

LT. SALISBURY

J. MOLLO

E. DI GUILIO

F. ROTELLA

A. IERMA

REMARKS: CODE YELLOW. TRUCK LOAD OF REFUSE FROM WORCESTER TEXTILE.
LOAD DUMPED ON HOT SPOT JUST TO RIGHT OF ENTRANCE TO DUMP.

B. DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

~~CENTERDALE~~ Company No. 378

Report No. 1889

District CENTERDALE

Date 12/14/ 1972

Time alarm was received 2:05 P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 2:25 P.M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) SMITHFIELD RD.

Cause of fire

General description of building or occupancy TOWN DUMP

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG I

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GUILIO

J. MOLLO

B. DI GUILIO

D. MARCIANO

REMARKS: CALL FOR SMOKE IN AREA OF DUMP. CHECKED AREA FOUND NOTHING.
CODE BLUE

B. DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

~~CENTERDALE~~ Company No.379.....

Report No.1894.....

District LYMAN

Date12/14/..... 19...72...

Time alarm was received 11:31P..M.

Alarm from: Box No. 525..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 11:45P..M. Miles traveled3.....

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> ... gals. Ladder truck <u>75</u>
CODE <u>YELLOW</u>			

Location of fire, or origin of alarm (street and number) WOON. & EMMANUEL ST......

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO
CAPT. MURPHY

W. ROY
E. PELLAND
D. MARCIANO
J. BORTH
R. MARVELL
R. PAQUET
T. RUSSO
T. PERNA
F. ROTELLA

REMARKS: CODE YELLOW CAR FIRE.

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 380

Report No. 1896

District CENTERDALE

Date 1 2 / 15 / 19 72

Time alarm was received 1.05 A M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 5.40 A.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors	CODE RED	
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) MINERAL SPRING AVE

Cause of fire

General description of building or occupancy SPRINGDALE APTS.

Owner of building DONATELLI

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch		<u>3</u>	<u>SCOTT PAKS</u>
	Foam	<u>3</u>	1½-inch	<u>450</u>		<u>LADDER PIPE</u>
	Loaded Stream	<u>5</u>	2½-inch or larger	<u>750</u>		<u>ROPE</u>
	Carbon Dioxide	<u>1</u>	<u>3 "</u>	<u>100</u>	<u>8</u>	<u>HANDLIGHTS</u>
	Dry Chemical	LADDERS USED			<u>2½</u>	<u>HES USED GENERATOR</u>
<u>3</u>	<u>FLOODLIGHTS</u>	No.	Type	Total Feet		
<u>1</u>	<u>4 WAY BOX</u>	<u>1</u>	Aerial	<u>50</u>		
	<u>CORD</u>	<u>2</u>	Over 35 ft.	<u>70</u>		
<u>5</u>	<u>AXES</u>	<u>2</u>	Short ladders	<u>44</u>		

Hose lines laid 300 ft. 2 line, 2½ in hose.

..... ft. line, in hose.

Working time of pumper 2 hrs. 30 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 3 4 5 6 LADDER 1 2 RES. 1 2 3 CAR 1

JOHNSTON & SMITHFIELD STANDBY

Estimated loss \$ 72,000 STRUCTURE

60,000 CONTENTS

Total \$ 132,000

(over)

MEN RESPONDING TO ALARM: ~~CHIEF DI GIULIO~~

~~CAPT. MURPHY~~

~~CAPT. SALISBURY~~

~~LT. SALISBURY~~

~~W. ROY~~

~~E. PELLAND~~

~~J. BOREK~~

~~J. MURPHY SR.~~

~~G. BULPITT~~

~~JEFF MURPHY~~

~~R. PAQUET~~

~~K. MIDDLETON~~

~~C. HARRINGTON~~

~~R. IAFRATE~~

~~J. LANE~~

~~H. DARBY~~

~~B. DI GIULIO~~

~~D. BAZZLE~~

~~D. FORTIN~~

~~F. BURSIE~~

~~T. RUSSO~~

~~T. PERNA~~

~~R. PARENTEAU~~

~~C. MARWELL~~

REMARKS:

HEAVY FIRE AND SMOKE AND WATER DAMAGE THROUGHOUT.

ONE RESIDENT INJURED JUMPING FROM WINDOW. FIRE MARSHALL INVESTIGATING.

CHIEF DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 381

Report No. 1903

District CENTERDALE

Date 12/15/ 1972

Time alarm was received 8:40P. M.

Alarm from: Box No. Headquarters by phone X Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 8:40PM. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	--	---	--

Location of fire, or origin of alarm (street and number) 23 JACKSONIA DR.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

LT. DI GUILIO

J. MOLLO

W. ROY

J. DOREK

R. PAQUET

R. MALLWELL

D. FORTIN

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS: CALL FOR HOUSE FIRE AT 23 JACKSONIA DR. PEPOLE AT
THIS ADDRESS DID NOT CALL. NO FIRE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

~~CENTRAL~~ Company No. 382

Report No. 1905

District F. H.

Date 12/16/ 1972

Time alarm was received 10.58A M.

Alarm from: Box No. 7433 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11.10A Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) HIGH SERVICE AVE

Cause of fire

General description of building or occupancy LADY OF FATIMA HOSP.

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 3 4 5 6 LADDER 1 2 RES. 1 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

CAPT. SALISBURY

LT. DI GUILIO

J. MOLLO

P. PAQUET

A. DI BATTISTA

F. BURSIE

P. RUGGIANO

D. BAZZLE

A. IEMMA

REMARKS: CODE BLUE.

CAPT. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE. Company No. 383

Report No. 1908

District CENTERDALE

Date 12/17/1972

Time alarm was received 12.27 A.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 12.35A M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1-2-50</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	--	--

Location of fire, or origin of alarm (street and number) 45 ATLANTIC BLVD

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILLIO

J. MOLLO

W. ROY

E. PELLAND

D. MARCIANO

H. PAQUET

C. HARRINGTON

D. RATHIER

T. PERNA

A. IEMMA

REMARKS: NO SUCH ADDRESS.

CHIEF DI GUILLIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 384

Report No. 1910

District CENTERDALE

Date 12/17/ 1972

Time alarm was received 11.12A M.

Alarm from: Box No. Headquarters by phone STILL Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11.30A M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm LOCKOUT	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <u>75</u>
---	--	---	---

Location of fire, or origin of alarm (street and number) 1868 SMITH ST.

Cause of fire

General description of building or occupancy

Owner of building LOU CEDRONE

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding LADDER I

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

CAPT. SALISBURY

W. ROY

V. DI ORIO

T. BUSO

T. PERNA

F. BOTELLA

REMARKS: ENTERED HALLWAY THROUGH CELLAR. OWNERS HELPER JOE BICARDI
BROKE LOCK ON APT. DOOR.

CAPT. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE. Company No. 385

Report No. 1017

District CENTERDALE

Date 12/18/ 1972

Time alarm was received 12.40P M.

Alarm from: Box No. Headquarters by phone STATION. Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 1.50PM. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <u>75</u>
WATER EMERG.			

Location of fire, or origin of alarm (street and number) SMITH ST.

Cause of fire

General description of building or occupancy BOYS CLUB

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
<u>2</u>	<u>HANDLIGHTS</u>	No.	Type	Total Feet		
<u>1</u>	<u>SQUEEGE</u>		Aerial			
<u>100'</u>	<u>ELEC CORD</u>		Over 35 ft.			
<u>1</u>	<u>SUMP PUMP</u>		Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding LADDER 1 RES. 2

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GULLIO

J. MOLDO

E. PELLAND

B. DI GULLIO

REMARKS: WATER PIPE BROKE ON SECOND FLOOR. FLOODED 1 ST FLOOR AND
CELLAR. SHUT OFF WATER AND ELEC. POWER. MR. KELLEY SENT TWO BOYSOVER
FOR US TO TAKE A LOOK AT IT.

LT. DI GULLIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 386

Report No. 1924

District LYMAN

Date 12/19/1972

Time alarm was received 5.10 PM.

Alarm from: Box No. 517 Headquarters by phone _____ Other (described) _____

Reported to cover Company No. _____ at _____ M., on authority of _____

Ordered Home by _____ at _____ M. In quarters at 5.25 PM. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) ZAMBARANO AVE

Cause of fire _____

General description of building or occupancy _____

Owner of building _____

Owner's address _____

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid _____ ft. _____ line, _____ in hose.

_____ ft. _____ line, _____ in hose.

Working time of pumper _____ hrs. _____ min.

Equipment lost or found _____

Equipment damaged or destroyed _____

Companies responding ENG. 1 6 LADDER 1 RES. 1

Estimated loss _____

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO
CAPT SALISBURY

J. MOLLO

W. ROY

E. PELLAND

B. DI GUILIO

C. HARRINGTON

F. BURSIE

D. BAZZLE

D. FORTIN

H. DARBY

F. ROTELLA

REMARKS: CODE BLUE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 387

Report No. 1926

District CENTERDALE

Date 12/20/ 1972

Time alarm was received 8:37 P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8:50 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) SAVOY ST.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

CAPT. MURPHY

LT. DI GUILIO

J. MOLLO

W. ROY

R. PAQUET

C. HARRINGTON

D. BAZZLE

D. FORTIN

T. RUSSO

F. ROTELLA

REMARKS: CALL FOR PANTRY FIRE. CODE BLUE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

~~CENTERDALE~~ Company No.338.....

Report No.1930.....

DistrictCENTERDALE

Date12/21/..... 19..72..

Time alarm was received ..7.02 P.M.

Alarm from: Box No.134..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at ..7.17 P.M. Miles traveled4.....

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>GAS PUMP</u>	EQUIPMENT RESPONDED WITH Pumper .. <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	--	---	--

Location of fire, or origin of alarm (street and number)MINERAL SPRING AVE.....

Cause of fireHit & Run.....

General description of building or occupancyGETTY GAS STATION.....

Owner of buildingBILL MC. WEENEY.....

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies respondingENC. 1 2 3 4 LADDER 1 RES 1 CAR 1.....

Estimated loss \$1,000.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO
CAPT. MURPHY
CAPT. SALISBURY
LT. DI GUILIO

J. MOLLO

W. ROY

E. PELLAND

D. MARCIANO

R. IAFRATE

D. BAZZLE

D. FORTIN

P. RUGGIANO

F. ROTELLA

REMARKS: CAR SKIDDED ON ICE AND SHEARED OFF GAS PUMP AND THEN TOOK
OFF. GENEVA EXTINGUISHED FIRE.

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 389

Report No. 1939

District LYMAN

Date 12/22/ 1972

Time alarm was received 7:14 P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 7:25 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	--	---	--

Location of fire, or origin of alarm (street and number) 25 SACK ST.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 6 LADDER 1 RES 2

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GULIO

CAPT. SALISBURY

LT. DI GUILIO

R. IAFRATE

J. LANE

D. BAZZLE

D. FORPIN

K. CHILE (LYMAN)

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS: CODE BLUE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 390

Report No. 1950

District LYMAN

Date 12/24/1972

Time alarm was received 6:14P.M.

Alarm from: Box No. 525 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 6:20P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm ...CODE BLUE...	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	---	---	---

Location of fire, or origin of alarm (street and number) WOON. & EMMANUEL ST.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

J. MOLLO

W. ROY

E. PELLAND

K. MIDDLETON

F. BURSIE

D. BAZZLE

D. FORTIN

T. PERNA

R. PARENTEAU

F. ROTELLA

REMARKS: CODE BLUE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 391

Report No. 1954

District CENTERDALE

Date 12/25/ 1972

Time alarm was received 3:14 P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 3:50 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	--	--	--

Location of fire, or origin of alarm (street and number) 25 MORGAN AVE

Cause of fire

General description of building or occupancy VACANT

Owner of building J. RINALDI

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2 1A

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO

CAPT. MURPHY

CAPT. SALISBURY

LT. SALISBURY

K. MIDDLETON

H. DABBY

P. RUGGIANO

F. BURSIE

D. FORTIN

T. RUSSO

T. PERNA

R. PARENTEAU

REMARKS: CODE BLUE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 392

Report No. 1956

District CENTERDALE

Date 12/25/1972

Time alarm was received 10:16 P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:51 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☒ Rescue or emergency ☐ Fire in rubbish in vacant lot ☐ Needless call ☐ Fire in a dump ☐ Accidental alarm ☐ Other fire outdoors ☐ False alarm ☐ Fire in vehicle in street	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
...CAR ACCIDENT...			

Location of fire, or origin of alarm (street and number) CENTERDALE BY PASS

Cause of fire

General description of building or occupancy DANIEL PAQUINA V.W. QH 35

Owner of building CROSS RD. WINSOR RD.

Owner's address JOHNSTON R. I.

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
2	HANDLIGHTS	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. I RES. I IA

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. MURPHY
LT. SALISBURY

W. ROY

J. BOREK

B. PAQUET

K. MIDDLETON

F. BURSIE

P. RUGGIANO

D. FORTIN

T. RUSSO

T. PERNA

R. PARENTEAU

REMARKS: CALL FOR CAR ACCIDENT

LT. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 393

Report No. 1959

District GENEVA

Date 12/26/ 1972

Time alarm was received 3:53 P. M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 4:10 P. M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>CODE RED</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	--	--

Location of fire, or origin of alarm (street and number) 27 WALNUT AVE

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 3 4 LADDER 1 RES. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

J. MOLLO

E. PELLAND

C. HARRINGTON

B. DI GIULIO

J. BORIER

R. IAFRATE

P. RUGGIANO

D. BAZZLE

D. FORTIN

F. ROTELLA

REMARKS: CODE RED

J. MOLLO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CLINTONDALE Company No. 394

Report No. 1960

District C. CLINTONDALE

Date 12/26/ 1972

Time alarm was received 4:17P M.

Alarm from: Box No. 124 Headquarters by phone _____ Other (described) _____

Reported to cover Company No. _____ at _____ M., on authority of _____

Ordered Home by _____ at _____ M. In quarters at 11:25PM Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	--

Location of fire, or origin of alarm (street and number) WATERMAN & ADAMS

Cause of fire _____

General description of building or occupancy _____

Owner of building _____

Owner's address _____

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid _____ ft. _____ line, _____ in hose.

_____ ft. _____ line, _____ in hose.

Working time of pumper _____ hrs. _____ min.

Equipment lost or found _____

Equipment damaged or destroyed _____

Companies responding ENG. 1 6 LADDER 1 RES. 1 2

Estimated loss _____

(over)

MEN RESPONDING TO ALARM: ~~CAPT. SALISBURY~~

~~J. MOLLO~~

~~W. ROY~~

~~E. PELLAND~~

~~J. BOBEN~~

~~B. DI GUILLIO~~

~~C. HARRINGTON~~

~~P. RUGGIANO~~

~~D. BAZZLE~~

~~D. FORTIN~~

~~F. ROTELLA~~

REMARKS: ~~CODE BLUE~~

J. MOLLO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. 395

Report No. 1963

District CENTREDALE

Date 12/26/ 1972

Time alarm was received 7:11 P.M.

Alarm from: Box No. 124 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 7:25 AM. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper 500 GPM Booster tank 1250 gals. Ladder truck #75
CODE BLUE			

Location of fire, or origin of alarm (street and number) WATERMAN & ADAMS ST.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE 1, 6 LADDER 1 RES, 1 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT. C. SALISBURY

LT. E. DI GIULIO

W. ROY

E. PELLAND

D. MARCIANO

J. DOBEK

T. RUSSO

T. PERNA

J. LANE

F. BURSE

D. FORTIN

F. ROTELLA

REMARKS: CODE BLUE

LT. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #396

Report No. #1954

District CENTREDALE

Date 12/26 1972

Time alarm was received 9:18 P.M.

Alarm from: Box No. Headquarters by phone xx Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 9:36 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☒ Rescue or emergency ☐ Fire in rubbish in vacant lot ☐ Needless call ☐ Fire in a dump ☐ Accidental alarm ☐ Other fire outdoors ☐ False alarm ☐ Fire in vehicle in street	Alarm Where There Was No Fire WATER EMERGENCY	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) 22 ANGELL AVE.

Cause of fire BROKEN WATER PIPE

General description of building or occupancy

Owner of building WATERX WALTER BUCKLEY

Owner's address 65 CAMDEN AVE. PROVIDENCE, R. I.

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
1	HANDLIGHT	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

LT. E. DI GIULIO

J. MOLLO

M. ROY

F. BURSIE

D. FORTIN

E. RATHIER

REMARKS:

**BROKEN WATER PIPE 2ND. FLOOR BATHROOM. SHUT OF IN
BASEMENT. WATER DAMAGE TO 1ST. FLOOR CIELING.**

CHIEF E. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

~~CENTERDALE~~ Company No. **#397**

Report No. **#1966**

District **Centerdale**

Date **12/26** 19**72**

Time alarm was received **11:37** p.M.

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **11:48 AM** Miles traveled **2**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
CODE YELLOW			

Location of fire, or origin of alarm (street and number) **2026 SMITH ST.**

Cause of fire **CIGARETTE**

General description of building or occupancy

Owner of building **RAYMOND ARBIGE**

Owner's address **548 PLAINFIELD ST. PROVIDENCE, R. I.**

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide	3/ 1"	BOOSTER	30'		
	Dry Chemical		LADDERS USED			
1	HANDLIGHT	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper **5 min.** hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE 1**

Estimated loss **\$100**

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO
CAPT. J. MURPHY

J. MOLLO
W. ROY
E. PELLAND
T. RUSSO
R. PARENTTEAU
R. PAQUET
C. HARRINGTON
R. IAFATE

REMARKS: 66 MUSTANG, R.I. D0741 , FRONT SEAT, UPHOLSTERY ON
PASSENGER SIDE, HOLE ABOUT 1sq. FOOT BURNED. CAR INURED.

CHIEF E. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. **398**

Report No. **#1970**

District **CENTREDALE**

Date **12/27** 19 **72**

Time alarm was received **6:40 P.M.**

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **7:15 P.M.** Miles traveled **7**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☒ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck #75
---	--	--	---

Location of fire, or origin of alarm (street and number) **2026 SMITH ST.**

Cause of fire **SET RUBBISH CONTAINER**

General description of building or occupancy

Owner of building **GUYOTT & BOYER**

Owner's address **OCCUPIED BY MR. CHRISTMAS**

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	1	1-inch	100'		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide	1*				
	Dry Chemical					
LADDERS USED						
2	PIKE POLES	No.	Type	Total Feet		
2	HANDLIGHTS	1	Aerial	75'		
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper **20min.** hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE 1, LADDER 1**

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CAT. C.SALISBURY
LT. R. SALISBURY

J. MOLLO

W. ROY

E. PELLAND

D. MARCIANO

J. BOREK

W. LUKOSKI

T. RUSSO

R. PARENTEAU

R. PAQUET

R. IAFRATE

J. LANE

C. HARRINGTON

H. DARBY

P. RUGGIANO

D. BAZZLE

D. FORTIN

F. BURSIE

F. ROTELLA

REMARKS: FIRE IN TRASH CONTAINER REAR OF MR. CHRISTMAS
CONTAINER OWNED BY GUYOTT & BOYER ATTLEBORO, MASS.
CHECKED ROFF JET BECAUSE FLAME WERE GOING NEAR JET.

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE... Company No. **#399**.....

Report No. **#1971**.....

District **f. h.**.....

Date **12/ 27**..... 19 **72**.....

Time alarm was received **9:36**.....P.M.

Alarm from: Box No. **442**..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **9:50 P.M.** Miles traveled **3**.....

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper ... 1250 GPM Booster tank 500 gals. Ladder truck #75
...CODE BLUE.....			

Location of fire, or origin of alarm (street and number) **WASHAKIE & TOWANDA DR.**.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ~~XENXER~~ **ENGINE 1/2 LADDER 1 RES. 2**.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT. J. MURPHY

LT. E. DI GIULIO

J. MODLO

W. ROY

E. PELLAND

J. BOREK

T. RUSSO

T. PERNA

R. PAQUET

C. HA RRINGTON

R. IAFRATE

P. RUGGIANO

D. BAZZLE

D. FORTIN

R. RATHIER

REMARKS: CODE BLUE

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. **400**

Report No. **#1973**

District **CENTERDALE**

Date **12/27** 19**72**

Time alarm was received **11:01 P.M.**

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **11:15** Miles traveled **1**

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck #75
--	---	--	---

Location of fire, or origin of alarm (street and number) **17 CRAGIE AVE.**

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE 1/ 2/ 6 LADDER 1 RES. 1/ 2**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT. J. MURPHY

LT. R. SALISBURY

J. MOLLO

W. ROY

E. PELLAND

J. BOREK

T. RUSSO

T. PERNA

R. PAQUET

C. HARRINGTON

R. IAFRATE

D. BAZZLE

W. LUKOUSKI

REMARKS: CODE BLUE

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. **#401**

Report No. **#1975**

District **CENTERDALE**

Date **12/ 28** 19 **72**

Time alarm was received **8:15 P.M.**

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **8:40 P.M.** Miles traveled **3**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
GAS SPILLAGE			

Location of fire, or origin of alarm (street and number) **REAR OF TOWN HALL**

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	1	1-inch	50'		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. **1.5** min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE 1**

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: LT. E. DI GIULIO

J. MOLLO

B. DI GIULIO

REMARKS: GAS SPILLAGE BEHIND POLICE STATION WASH DOWN

J. MOLLO

Officer in Charge

NO. PROVIDENCE FIRE DEPARTMENT

— RESCUE REPORTS —

DATE: 12/29/72 TIME: ARRIVED 9:55 A.M. RETURNED 10:00 A.M.
NAME: LAWRENCE FORQUE AGE: 66
ADDRESS: SMITH ST N. P. ALARM BY: _____

LOCATION OF RESCUE STATION

EXAMINATION

SKULL *

EYES *

EARS *

NOSE *

MOUTH *

CHEST *

ABDOMEN *

UPPER EXTREMITIES * RIGHT HAND SKINNED

LOWER EXTREMITIES * RIGHT KNEE SKINNED

POSITION OF PATIENT WHEN FOUND: WALKED TO STATION

WAS PATIENT CONSCIOUS? YES

WAS PATIENT COOPERATIVE? (IF NOT EXPLAIN) YES

PATIENT TRANSPORTED TO: _____

IF PATIENT WAS NOT TRANSPORTED EXPLAIN: NO NEED TO

* NORMAL — No visible signs of lacerations, abrasions, discoloration, swelling, bleeding or fractures. No complaints of pain.

REMARKS — (List First Aid Given, If Any)

WASHED CUT'S AND TREATED WITH INSTANT
BANDAGE AND COVERED,

SIGNED: Capt. Sabatini
J. Mello

OFFICER IN CHARGE: Capt. Sabatini

RESCUE CO. NO. CENTRALDALE

1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that proper record-keeping is essential for transparency and accountability, particularly in financial matters. The text outlines various methods for organizing and storing data, including digital databases and physical filing systems. It also mentions the need for regular audits and reviews to ensure the integrity of the information.

2. The second section focuses on the role of communication in achieving organizational goals. It highlights the importance of clear and concise communication, both internally and externally. The text provides examples of effective communication strategies, such as regular team meetings, open-door policies, and the use of various communication channels like email, phone, and face-to-face interactions. It also discusses the importance of listening and understanding the needs and concerns of others.

3. The third part of the document addresses the challenges of managing time and resources efficiently. It offers practical advice on how to prioritize tasks, delegate responsibilities, and avoid procrastination. The text also discusses the importance of setting realistic goals and deadlines, and the need for flexibility in the face of changing circumstances. It mentions various time management tools and techniques, such as the Pomodoro technique and the Eisenhower matrix.

4. The fourth section discusses the importance of maintaining a positive and healthy work environment. It emphasizes the role of leadership in fostering a culture of respect, collaboration, and innovation. The text provides tips on how to manage stress, build strong relationships, and create a supportive atmosphere. It also mentions the importance of taking breaks and practicing self-care to maintain overall well-being.

5. The final part of the document provides a summary of the key points discussed and offers some concluding thoughts. It reiterates the importance of maintaining accurate records, effective communication, efficient resource management, and a positive work environment. The text encourages readers to apply these principles in their own work and to seek continuous improvement.

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE..... Company No.402.....

Report No.1981.....

District ...LYMAN.....

Date12/ 29/..... 19...72...

Time alarm was received ..1.00...P..M.

Alarm from: Box No. Headquarters by phoneXX... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at ..1.10...P.M. Miles traveled2.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☒ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper1250..... GPM Booster tank500... gals. Ladder truck
---	--	--

Location of fire, or origin of alarm (street and number)5 GARIBALDI ST.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies respondingENG. 1 2 6 RES. 1.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY
LT. DI GUILIO

J. MOLLO

D. FORTIN

R. RATHIER

J. BOREK

G. KENNAWAY

REMARKS: CODE ~~XXXXXXXX~~ YELLOW

J. MOLLO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

.....**CENTERDALE** Company No. **403**.....

Report No.**1982**.....

District **CENTERDALE**.....

Date**12/ 29/**..... 19**72**.....

Time alarm was received ..**2.03**..P.M.

Alarm from: Box No. Headquarters by phone **XX**..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **2.17**P.M. Miles traveled**2**.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
INVESTIGATION SMOKE			

Location of fire, or origin of alarm (street and number)**JACKSONIA DR.**.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding**ENG. I**.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GUILIO

J. MOLLO

J. BOREK

R. MARWELL

K. MIDDLETON

A. DI BATTISTIA

D. FORTIN

G. KENNAWAY

REMARKS: CODE BLUE

J. MOLLO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

..CENTERDALE Company No. 404.....

Report No. 1983.....

District ..CENTERDALE...

Date12/29/..... 19..72...

Time alarm was received 2.35P.....M.

Alarm from: Box No.6122..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 2.45 PM. Miles traveled1.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1.250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
--	---	--	---

Location of fire, or origin of alarm (street and number) MORGAN AVE

Cause of fire

General description of building or occupancy GREYSTONE SCHOOL

Owner of building TOWN OF N. P.

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 2 RES. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GUILIO

J. MOLLO

E. PELLAND

D. FORTIN

K. MIDDLETON

REMARKS: CODE BLUE

J. MOLLO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE... Company No. 405.....

Report No. 1986.....

District CENTERDALE.....

Date 12/ 29/..... 19 72.....

Time alarm was received 7.30 P M.

Alarm from: Box No. Headquarters by phone XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 7.45 AM Miles traveled 3.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
--	---	--	---

Location of fire, or origin of alarm (street and number) 25 JACKSONIA DR......

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 LADDER 1 RES. 2.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: LT. DI GUILIO
LT. SALISBURY

W. ROY

E. PELLAND

H. DARBY

F. BURSIE

D. BAZZLE

D. FORTIN

W. LUKOWSKI

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS: CODE BLUE

LT. DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE..... Company No. 406.....

Report No. 2001.....

District CENTERDALE.....

Date 12/ 31/..... 1972.....

Time alarm was received 8.33 P.....M.

Alarm from: Box No. Headquarters by phone XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8.39 PM. Miles traveled 2.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1250</u>..... GPM Booster tank <u>500</u>.. gals. Ladder truck <u>75</u>.....
---	--	--	--

Location of fire, or origin of alarm (street and number) 220 WATERMAN AVE.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GU ILO

CAPT. SALISBURY

LT. DI GUILIO

J. MOLLO

W. ROY

E. PELLAND

A. DI BATTISTA

H. DARBY

D. BAZZLE

D. FORTIN

T. PERNA

REMARKS: CODE BLUE

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE..... Company No. 407.....

Report No. 2002.....

District CENTERDALE.....

Date 12/ 31/ 19 72.....

Time alarm was received 10.18PM.....

Alarm from: Box No. Headquarters by phone XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10.22PM. Miles traveled 1.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1-250</u>..... GPM Booster tank <u>500</u>... gals. Ladder truck <u>75</u>.....
---	--	--

Location of fire, or origin of alarm (street and number) 19 SAWIN AVE.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 2 6 LADDER 1 RES. 1 2.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: _____

J. MOLLO

E. PELLAND

J. BOREK

C. MARWELL

D. BAZZLE

D. FORTIN

F. ROTELLA

REMARKS: NO SUCH ADDRESS CODE BLUE

E. PELLAND

Officer in Charge