

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

CENTREDALE Company No. 1

Report No. 40

District F.H.

Date 1-11 19 72

Time alarm was received 8:31 P.M.

Alarm from: Box No. 427 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 8:40 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#1</u>
	☐ Fire in brush or grass	There Was No Fire	
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☒ False alarm	
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) SMITH + SAMPSON

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
	No.	Type	Total Feet			
		Aerial				
		Over 35 ft.				
		Short ladders				

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1, 2, HOSE 1, LADDER 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: Chief DiGiulio
LT. DiGiulio

F. BURSIE

K. MIDDLETON

R. CRANSHAW

T. RUSSO

R. PARENTEAU

T. PERNA

REMARKS:

Chief DiGiulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. 2

Report No. 51

District F.H

Date 1-15 19 72

Time alarm was received 11:00 P.M.

Alarm from: Box No. 423 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 11:06 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#1</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) CENTRAL & Highland

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-2-4 Ladder 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. MURPHY
LT. SALISBURY

John Mollo

FRANK BURSIE

Robert CRANSHAW

Richard PAQUET

PAT Ruggiano

EDWARD Pelland

Thomas Russo

REMARKS:

Capt. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 3

Report No. 55

District LYMANSVILLE

Date 1-16 1972

Time alarm was received 1:02 P.M.

Alarm from: Box No. 513 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 1:11 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>CODE YELLOW</u>	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <u>#1</u>
---	---	--	---

Location of fire, or origin of alarm (street and number) WOONASQUATUCKET & WATER

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding LADDER 1 HOSE 1 ENG 2

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

CHIEF D. GIULIO
CAPT SALISBURY
LT D. GIULIO
LT SALISBURY

J. MORRO
W ROY
F. BURSIE
R CRANSHAW
R PAQUET
E PELLAND
D MARCIANO
P. RUBBIANO

REMARKS:

Capt Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 4

Report No. 61

District CENTERDALE

Date 1/18/72 1972

Time alarm was received 3:31 P.M.

Alarm from: Box No. Headquarters by phone STILL Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 3:41 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>CAR</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) CENTERDALE BY PASS

Cause of fire CARBURATOR

General description of building or occupancy

Owner of ~~building~~ VEHICLE JAMES DUGAN

Owner's address 92 GENERAL ST PROV R.I.

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
<u>1</u>	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss NO DAMAGE

(over)

MEN RESPONDING TO ALARM:

CAPT SALISBURY

J. MOLLO

B. DIGIULIO

F. BURSKE

M. MIDDLETON

J. MARWELL

REMARKS:

ALARM REPORT AT CENTERDALE STATION
BY TONY RATHIER OF CAR FIRE ON
BYPASS.

CAPT SALISBURY
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. 3

Report No. 63

District CENTREDALE

Date 1-18 19 72

Time alarm was received 4:25 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described) STATION PHONE

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 4:50 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☒ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) 46 HOBSON AVE.

Cause of fire UNKNOWN

General description of building or occupancy

Owner of building D. THI BEAU

Owner's address PRANTICE ST. N. P.

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>150</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	Total Feet				
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 15 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT SALISBURY
LT SALISBURY
J MOLLO
B. Di Giulio
K. MIDDLETON

REMARKS:

FIRE IN SMALL RUBBISH PILE APPROX.
50' FROM GARAGE.

CAPT SALISBURY
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. 6 Report No. 64
 District LYMANSVILLE
 Date 1-18 19 72 Time alarm was received 4:27 P.M.
 Alarm from: Box No. 5211 Headquarters by phone Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at 4:45 P.M. Miles traveled 2

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <u>#1</u>
--	---	--	---

Location of fire, or origin of alarm (street and number) FEMIC CORP. WARREN AVE.
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,
 ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 2, HOSE 1, LADDER 1, EMERG. 2, RES. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: C. PELLAND
A. DI BATTISTA
T. RUSSO
F. ROTELLA
E. DI GIULIO SR.

REMARKS: Adg. SENT COMPANIES TO BOX 521 INSTEAD
OF 5211.

Edward Pelland
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. 7

Report No. 65

District LYMANSVILLE

Date 1-18 19 72

Time alarm was received 8:30 P. M.

Alarm from: Box No. 5211 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 8:40 P. M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#1</u>
---	---	--	--

Location of fire, or origin of alarm (street and number) FEMIC CORP. WARREN AVE.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1, 2, Hook 1, Ladder 1, Res 1 & 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief DiStasio
Rt. DiStasio Jr.
W. Roy
F. Bursie
K. Middleton
R. Paquet
H. Dalby Jr.
B. DiStasio
P. Ruggiano
R. Lafrate
C. Pelland
T. Perna
R. Parenteau

REMARKS: Burglar alarm was sounding

Chief DiStasio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 8

Report No. 67

District F. H.

Date 1/19/ 1972

Time alarm was received 10:12 A.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:26 A.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>50</u> gals. Ladder truck <u>#1</u>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) 6 MacARTHUR DR.

Cause of fire UNKNOWN

General description of building or occupancy

Owner of building NICK GIANNOTTI

Owner's address SAME

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-2 LADDER 1 RESCUE 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT Salisbury

J. MOHLO

B. D. GIULIO

W. ROY

F. BURSIE

R. CRANSHAW

C. HARRINGTON

E. PELLAND

R. JAFRATE

J. MARWELL

F. ROTTRELLA

E. DI GIULIO SR.

D. CHARPENTIER

REMARKS:

FIRE IN BREZWAY

CAPT Salisbury

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. 9

Report No. 71

District **CENTREDALE**

Date 1-19 1972

Time alarm was received 3:07 P. M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 3:37 P. M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) Joslin ST.

Cause of fire UNKNOWN

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>150</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 10 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss NONE

(over)

MEN RESPONDING TO ALARM:

CAPT. MURPHY

CAPT. SALISBURY

John Mollo

FRANK Bursie

Bernard Di Giulio

Joe MANWELL

ERNEST Di Giulio Sr.

REMARKS: SMALL AREA IN REAR OF MURPHY'S JUNKYARD
ON JOSLIN ST.

Capt. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 10

Report No. 73

District GENVA

Date 1/19/ 1972

Time alarm was received 4:36 P.M.

Alarm from: Box No. 5835 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 4:39 P.M. Miles traveled ✓

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>CODE YELLOW</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#1</u>
---	--	--

Location of fire, or origin of alarm (street and number) DOUGLAS AVE

Cause of fire UNKNOWN

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-3-4-5 LADDER 1-2 RES-3

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT Salisbury

CAPT MURPHY

LT Salisbury

J Mohko

W Roy

F. Bursie

K MIDDLETON

P AMORIBBI

B Di Giulio

E PRILLANO

T Russo

J MARWEAL

F ROTELLA

REMARKS:

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. 11

Report No. 74

District CENTREDALE

Date 1-19 1972

Time alarm was received 10:25 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:55 P.M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) Brookside Ave

Cause of fire Fuel Pump Leaking

General description of building or occupancy

Owner of building DORIS KIERNAN (Driver Michael Kiernan)

Owner's address 59 Andover St, N.Prou. KM-148 1961 Rambler

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>50'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 20 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss unknown \$150 Insurance Settlement (Chif) 2/4/72

(over)

MEN RESPONDING TO ALARM:

Chief Di Giulio

CAPT MURPHY

LT. Di Giulio

FRANK Bursie

Richard Paquet

PAT Ruggiano

Pete Palumbo

Edward Pelland

ARNOLD Di Battista

THOMAS Russo

RAY Parenteau

THOMAS Perna

FRANK Rotella

REMARKS: Fuel Pump leaking - ignited damage to wiring
& Fire wall

Capt Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 12

Report No. 81

District LYMANSHILLE

Date 1/20/ 1972

Time alarm was received 4:14 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:30 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#1</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) 10 LYMAN AVE

Cause of fire BOILER BACKFIRED

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-2 LADDER 1 HOSE 1 RES 1-2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT Salisbury

LT Salisbury

J. MOHLO

B. D. GIOVINO

W. ROY

F. BURRIS

A. D. BATTISTA

J. MARWEHL

F. ROTELLA

REMARKS:

CAPT Salisbury

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. 13

Report No. 107

District LYMANSVILLE

Date 1-28 1972

Time alarm was received 10:33 P.M.

Alarm from: Box No. 6541 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:40 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#1</u>
---	---	--

Location of fire, or origin of alarm (street and number) LAUREL DRIVE

Cause of fire

General description of building or occupancy

Owner of building Town of No. Prou. (LYMANSVILLE School)

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
	No.	Type	Total Feet			
		Aerial				
		Over 35 ft.				
		Short ladders				

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1-2 - Hose 1 Ladder 1-2 Res 1-2

Estimated loss

(over)

MEN RESPONDING TO ALARM: Chief Di Giulio

CAPT. MURPHY

Frank Bursie

Robert CRANSHAW

Richard PAQUET

PASCO RUGGIANO

DAVID MARCIANO

EDWARD PELLAND

ARNOLD DI BATESTA

THOMAS RUSSO

FRANK ROTELLA

REMARKS:

Code Blue

Chief Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. 14

Report No. 113

District Geneva

Date 1-30 1972

Time alarm was received 9:50 P. M.

Alarm from: Box No. 6214 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:15 P. M. Miles traveled 6

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>BROKEN STEAM PIPE</u>	EQUIPMENT RESPONDED WITH <u>1250</u> Pumper GPM Booster tank <u>560</u> gals. Ladder truck <u>#1</u>
---	--	---

Location of fire, or origin of alarm (street and number) Brookfarm Road

Cause of fire

General description of building or occupancy Birchwood School

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	No.	Size	Total Feet	No.	Floor
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-3-4-5 Ladder 1-2 Res 2-3

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT. MURPHY

CAPT. SALISBURY

LT. Di Giulio

LT. SALISBURY

John Mollo

William Roy

FRANK Bursie

Ken Middleton

Robert Cranshaw

Richard PAQUET

Bernard Di Giulio

PAT Ruggiano

EDWARD Pelland

Arnold Di Battista

Joe MAIONE

Thomas Russo

Thomas Perna

RAY Parenteau

Frank Rutella

REMARKS:

Broken steam pipe set off Alarm.
Water & steam damage to carpet & Books

Capt Murphy

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 16

Report No. 120

District GENEVA

Date 1/30/ 1972

Time alarm was received 6:22 P.M.

Alarm from: Box No. 6214 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 6:34 P.M. Miles traveled 5

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>Code Yellow</u>	EQUIPMENT RESPONDED WITH Pumper <u>1-250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#1</u>
---	--	---

Location of fire, or origin of alarm (street and number) BROOK FARM RD.

Cause of fire

General description of building or occupancy BIRCHWOOD SCHOOL

Owner of building TOWN OF N. P.

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	No.	Size	Total Feet	No.	Floor
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-3-4-5 LADDER 1-2 RES 3

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF Di Giulio

CAPT MURPHY

CAPT SALISBURY

J. MOLLO

W. ROY

K. MIDDLETON

R. CRANSHAW

R. PAQUET

C. HARRINGTON

E. PELLAND

A. DI BATTISTA

J. MAIONE

T. PERNA

F. ROTCHKA

REMARKS:

CODE YELLOW FIRE UNKNOWN TO US.

CHIEF Di Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Cantriedale Company No. *17*

Report No. *122*

District *Rymansville*

Date *11.30* 19*72*

Time alarm was received *9:50* P.M.

Alarm from: Box No. *516* Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at *10:05 P*.M. Miles traveled *4 m.*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <i>1</i>
---	---	--

Location of fire, or origin of alarm (street and number) *Humbert and Victor*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 2 Hose 1 Ladder 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. Murphy

Capt. Salisbury

Lt. Salisbury

W. Ray

F. Bursie

R. Pagnet

E. Pelland

D. Marciano

T. Russo

T. Persia

R. Parenteau

REMARKS:

Code Blue

Capt. Salisbury

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 18

Report No. 123

District LYM.

Date 1/30/ 1992

Time alarm was received 10:10 P. M.

Alarm from: Box No. 522 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:15 P. M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <u>1</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) HUMBERT + RAYMOND

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 2 Hose 1 Ladder 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT SALISBURY

" MURPHY

LT SALISBURY

W. ROY

F. BURSIE

K. D. GIULIO

R. PAQUET

D. MARCIANO

E. PELLAND

T. RUSSO

T. PERNA

R. PARENTEAU

F. ROTEKKA

REMARKS:

CODE BLUE

CAPT SALISBURY

Officer in Charge