

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *190*

Report No. *891*

District *Centredale*

Date *7-1* 19*72*

Time alarm was received *12:56* P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *1:06 P* M. Miles traveled *4*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>25</i>
---	---	---	--

Location of fire, or origin of alarm (street and number) *1903 Mineral Spring Ave.*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-2-6 Ladder 1 Rec 2 Car 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Lt. E. Di Giulio

J. Mollo

W. Ray

E. Polland

R. Paquet

K. Middleton

F. Burrere

B. Di Giulio

J. Borek

G. Kennelway

F. Rotella

T. Russo

REMARKS: Call for block of stores on fire at 1903
Mineral Spring Ave. No Fire.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *191*

Report No. *896*

District *F. H.*

Date *7-1* 19*72*

Time alarm was received *11:10 P.*M.

Alarm from: Box No. Headquarters by phone *✓* Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at *11:21 P.*M. Miles traveled *2*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck
---	--	--	--

Rubbish in Parking Lot.

Location of fire, or origin of alarm (street and number) *Smith St.*

Cause of fire

General description of building or occupancy

Owner of building *Dunkin Donuts*

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	No.	Size	Total Feet	No.	Floor
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng. 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM: Capt J. Murphy
Lt. E. Di Girolis
Lt. R. Salisbury

J. Mollo
W. Ray
C. Harrington
E. Pelland
D. Marciano
P. Ruggiano
J. Borek
G. Kenneway
D. Burhoe
F. Rotella
T. Perna

REMARKS: Call for rubbish fire in parking lot.

Lt. R. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 193

Report No. 910

District Centredale

Date 7/3 1972

Time alarm was received 10:52 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 11:10 P.M. Miles traveled

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
--	---	--	--

Location of fire, or origin of alarm (street and number) Bicentennial Way

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo
W. Roy
E. Pelland
D. Burhoe
R. Paquet
D. Marciano
R. Jafra
R. Palumbo
H. Flarley
G. Kenneway
P. Ruggiano
B. Di Giulio
F. Burrie
R. Beauland
E. Rotella
T. Russo
T. Perna

REMARKS: Call for possible car fire near reservation
- 1 Bicentennial Way No fire found.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *194*

Report No. *915*

District *F.H.*

Date *7/14* 19*72*

Time alarm was received *7:56 P.*M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *8:08 P.*M. Miles traveled *4*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <i>Box fire</i>	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) *Rear Ambassador Inn*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<i>1</i>	1-inch	<i>50'</i>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<i>1</i>	<i>Pike Pole</i>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. *5* min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng. 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. De Giulio
Capt J. Murphy
Lt. E. De Giulio

J. Mello

W. Ray

C. Pelland

K. Middleton

A. Harley

G. Kenneway

R. Beauland

F. Bursie

T. Russ

T. Perna

REMARKS: Small bonfire

Capt. J. Murphy

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 195 Report No. 936
 District Symonsville
 Date 7-7 1972 Time alarm was received 1:43 A.M.
 Alarm from: Box No. Headquarters by phone ☒ Other (described)
 Reported to cover Company No. atM., on authority of
 Ordered Home by atM. In quarters at 2:24 A.M. Miles traveled 8

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>Shed</u>	EQUIPMENT RESPONDED WITH Pumper <u>1-2-50</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>500</u>
--	---	--	---

Location of fire, or origin of alarm (street and number) 55 Riley St.
 Cause of fire Set
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>50'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.
 Working time of pumper hrs. 20 min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding Eng 1-6 Ladder 1

 Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt J. Murphy

J. Mollo

W. Ray

C. Harrington

E. Pelland

R. Paquet

K. Middleton

D. Marciano

F. Currie

J. Lane

D. Burhoe

F. Rotella

T. Russo

T. Terna

REMARKS: Shed completely destroyed

Chief E. Di Giulio
Officer In Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 196

Report No. 940

District F.H.

Date 7/21 1972

Time alarm was received 2:35 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 3:05 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>25'</u>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) 399 FRUIT HILL AVE

Cause of fire

General description of building or occupancy FRANCISCAN CONVENT

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-2-6 LADDER 1 PFS 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY
LT D. GIULIO

J. MOHRO

B. D. GIULIO

P. RUGGIANO

D. BURHOE

J. BOREK

N. MORIN

REMARKS:

REPORT OF SMOKE IN CELLAR

J. MOHRO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 197

Report No. 943

District CENTERDALE

Date 2/21 1972

Time alarm was received 8:12 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8:34 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>SHACK FIRE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	--	--

Location of fire, or origin of alarm (street and number) REAR #29 CRAIGIE ST

Cause of fire SET

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>PINE POLE</u>	No.	Type	Total Feet		
<u>1</u>	<u>AXE</u>		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DiGiulio
LT DiGiulio
LT Salisbury

W. ROY

C HARRINGTON

F. BURSIE

J. LANE

T. RUSSO

T. PERNA

REMARKS:

SMALL CHILDRENS SHACK IN WOODS
FIRE EXTINGUISHED BY GARDEN HOSE FROM 29
CRAIG ST.

Chief DiGiulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 198

Report No. 947

District F. H.

Date 7/9/1972

Time alarm was received 5:16 A.M.

Alarm from: Box No. 4234 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 7:53 A.M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>25'</u>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) SMITH ST

Cause of fire

General description of building or occupancy STOP & SHOP

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Feet
	Pump Tanks		1-inch		<u>3</u>	<u>HAND LIGHTS</u>
	Foam		1½-inch			<u>ALL CORD</u>
	Loaded Stream	<u>1</u>	2½-inch or larger	<u>200'</u>		<u>DEORDERIZER</u>
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
<u>2</u>	<u>SMOKE EJECTOR</u>	No.	Type	Total Feet		
<u>1</u>	<u>RAM BAR</u>	<u>1</u>	Aerial	<u>40'</u>		
<u>1</u>	<u>HALLIGAN TOOL</u>		Over 35 ft.			
<u>4</u>	<u>SQUEEGES</u>	<u>3</u>	Short ladders	<u>38'</u>		

Hose lines laid 200' ft. 1 line, 2 1/2 in hose, FEEDER LINE
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed 1 SMOKE EJECTOR WELD BROKEN

Companies responding ENG 1-2-6 LADDER 1-2 RES 1-2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DiGiulio
CAPT MURPHY
CAPT SAHISBURY
LT DiGiulio
LT SAHISBURY

J. MOHKO
F. PERLAND
R. PAPUET
F. BURSIE
G. KENNAWAY
H. DARBY
D. MARCIANO
J. BOREN
R. FAFRATE
D. BURHOE
J. LANE
T. RUSSO
T. PRANA
F. ROTKHA
W. DIPAPER

REMARKS:

INSIDE RIGHT FRONT CORNER BURR ELECTRICAL
PANELS. 3 SPRINKLER HEADS WENT OFF. SOME
WATER + SMOKE DAMAGE. FORCIBLE ENTRY FRONT
DOOR GLASS.

CHIEF DiGiulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 200

Report No. 959

District CENTERDALE

Date 7/11/1972

Time alarm was received 8:10 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8:25 P.M. Miles traveled 2

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
	☒ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) SAVOY ST

Cause of fire SET

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>50'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>PIKE POLE</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. 5 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DiGiulio
LT DiGiulio

J. MOHRO

W. ROY

R. BEANLAND

H. DARBY

F. RUTHERA

REMARKS: SMALL BRUSH PILE

CHIEF DiGiulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. **201**

Report No. **960**

District **LYNNANS**

Date **7/11/** 19**72**

Time alarm was received **11.50** M.

Alarm from: Box No. **526** Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **11.58** M. Miles traveled **3**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	--	--

Location of fire, or origin of alarm (street and number) **FRUIT HILL & HAWKINS LANE**

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	No.	Type	Total Feet		
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 1 2 6 LADDER 1 RES 1&2**

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF DI GULLIO
CAPT MURPHY

J. MOLLO

W. ROY

C. HARRINGTON

R. PAQUET

D. MARCIANO

R. TAPRATE

P. RUGGIANO

D. BURHOE

F. BURSIE

J. BOREK

J. LANE

F. ROTELLA

T. RUSSO

REMARKS: CODE BLUE

CHIEF DI GULLIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 202

Report No. 966

District CENTERDALE

Date 7/12 19 72

Time alarm was received 2:10 P M.

Alarm from: Box No. Headquarters by phone X Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 3:00 PM Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE RED	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	--	--

Location of fire, or origin of alarm (street and number) SMITH ST

Cause of fire GREASE FIRE

General description of building or occupancy UNCLE TONY'S PIZZA

Owner of building EDWARD CAROSI

Owner's address 10 COTTAGE AVE NO. PROV. TEL. 353 1299

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
<u>2</u>	<u>SMOKE EJECTOR CORD</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
		<u>I</u>	Short ladders	<u>14</u>		

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1 2 6 LADDER 1 RES. 1&2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. MURPHY
CAPT. SALISBURY
LT. DI GUILLIO

J. MOLLO

W. ROY

J. MURPHY

D. MARCIANO

B. DI GIULIO

P. RUGGIANO

D. BURHOE

J. BOREK

J. ROBERTS

J. MURPHY SR.

P. ROTELLA

W. DRAPER

REMARKS: GREASE FIRE ON STOVE SPREAD TO TOP OF STOVE AND
DAMAGED GAS METER. SMOKE THRU OUT BLDG. EMPLOYEE WORKING
AT TIME OF FIRE WAS RICARD 3 SWEET HILL RD. JOHNSTON
TEL. 231 3753

CAPT. MURPHY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. **203** Report No. **968**
 District **CENTERDALE**
 Date **7/12** 19**72** Time alarm was received **6.55** p.....M.
 Alarm from: Box No. Headquarters by phone **X** Other (described)
 Reported to cover Company No. atM., on authority of
 Ordered Home by atM. In quarters at **7.26**PM. Miles traveled **4**

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 ... gals. Ladder truck 75
---	--	---	--

Location of fire, or origin of alarm (street and number) **WRIGHT ST.**
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	I	1-inch	150		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,
 ft. line, in hose,
 Working time of pumper hrs. **10** min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding **ENG I LADDER I**

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF DI GIULO

CAPT. MURPHY

CAPT. SALISBURY

LT. DI GIULIO

J. MOLLO

W. ROY

E. PELLAND

D. MARCIANO

R. R. IAPRATE

F. BURSIE

J. BOREK

T. RUSSO

F. ROTELLA

W. DRAPER

REMARKS: SMALL AREA BETWEEN WATERMAN AND WRIGHT ST.

CHIEF DI GIULO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

..... **CENTERDALE** Company No. **204** Report No. **971**
 District **CENTERDALE**
 Date **7/14** 19 **72** Time alarm was received **2.28 P** M.
 Alarm from: Box No. Headquarters by phone **X** Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at **2.32 P** M. Miles traveled **3**

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
--	---	--	--

Location of fire, or origin of alarm (street and number) **1903 MINERAL SPRING AVE**
 Cause of fire
 General description of building or occupancy **WIG MART**
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG 1 2 3 4 LADDER 1 RES 2**

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GIULO

J. MOLLO

B. DI GIULIO

R. MARWELL

R. GUERITIN

J. BOREK

REMARKS:

CAPT. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

..... **CENTERDALE** Company No. **205** Report No. **975**

District **LYAMNS.**

Date **7/14** 19 **72** Time alarm was received **1211 A**

Alarm from: Box No. Headquarters by phone **X** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **12.19A**

CLASSI- FICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
CODE BLUE			

Location of fire, or origin of alarm (street and number) **WOONASQUATUCKET AVE**

Cause of fire

General description of building or occupancy **FRAT HOUSE**

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 1 2 6 LADDER 1 RES. 1 2**

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: ~~CHIEF DI GUILIO~~

~~LT. SALISBURY~~

W. ROY

C. HARRINGTON

E. PELLAND

K. MIDDLETON

R. IAFRATE

J. BOBEK

R. PAQUET

D. BURHOE

T. PERNA

A. IEMMA

REMARKS: CALL FOR FIRE IN MEN,S ROOMAT FRAT HOUSE.

NO FIRE, CODE BLUE.

~~CHIEF DI GUILIO~~

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. **206**

Report No. **98 978**

District **P. H.**

Date **7/15** 19**72**

Time alarm was received **11.25A** M.

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **11.44a** M. Miles traveled **3**

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	--	--	--

Location of fire, or origin of alarm (street and number) **I637 SMITH ST.**

Cause of fire

General description of building or occupancy **GARAGE**

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	I	1-inch	100		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
I	SMOKE EJECTOR	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. **10** min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. I 2 ladder I RES. 2**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GIULO

CAPT. MURPHY

LT. DI GIULO

LT. SALISBURY

E. PELLAND

R. PAQUET

J. BOREK

G. KENNAWAY

T. RUSSO

F. ROTELLA

A. IEMMA

REMARKS: WOODFRAME I CAR GARAGE EMPTY BROKENI GALLON JUG
OF GASOLINE FOUND INSIDE. FIRE CONFINED TO ONE WALL.
ONE PANE OF GLASS BROKEN IN OVERHEAD DOOR FOR ACCESS.

CHIEF DI GIULO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

.....**CENTERDALE**..... Company No. **207**.....

Report No.**983**.....

District **LYMANS.**.....

Date **7/ 16**..... 19**72**.....

Time alarm was received **10.00A**.....M.

Alarm from: Box No. **517**..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **10.05A**.....M. Miles traveled **3**.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 ... gals. Ladder truck 75
--	--	---	--

Location of fire, or origin of alarm (street and number)**ZAMBARANO AVE**.....

Cause of fire**ELECTRICAL**.....

General description of building or occupancy**SWIMMING POOL FILTER**.....

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding**ENG. 1 6 LADDER 1 RES. 1 2**.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GIULO

CAPT. MURPHY

LT. DI GIULO

LT. SALISBURY

J. MOLLO

W. ROY

G. HARRINGTON

E. PELLAND

R. PAQUET

B. DI GIULO

P. RUGGIANO

J. BOREK

G. KENNAWAY

T. RUSSO

T. PERNA

F. ROTTELA

W. DRAPER

REMARKS: CODE YELLOW ELECTRICAL FIRE REAR OF HOUSE IN
SWIMMING POOL FILTER.

CHIEF DI GIULO Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

.....**CENTERDALE** Company No. **208**.....

Report No. **985**.....

District **GENEVA**.....

Date **7/16**..... 19**72**.....

Time alarm was received **3:12p**.....M.

Alarm from: Box No. **2351**..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **3:16PM**. Miles traveled **2**

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☒ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
--	---	---	--

Location of fire, or origin of alarm (street and number) **MINERAL SPRING AVE**.....

Cause of fire

General description of building or occupancy **BIG G MARKET**.....

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	No.	Type	Total Feet		
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 13, 5 LADDER 12 RES. 3**

Estimated loss

(over)

MEN RESPONDING TO ALARM:

LT. DIGUILO

LT. SALISBURY

J. MOLLO

C. HARRINGTON

R. CRANSHAW

E. PELLAND

R. PAQUET

T. PERNA

W. DRAPER

REMARKS: **CODE BLUE**

LT. DI GUILO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

.....~~CENTERDALE~~ Company No. **209** Report No. ... **988**

District **CENTERDALE**

Date **7/ 17** 19... **72**

Time alarm was received **1.22 P**M.

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **1.32p** Miles traveled ... **1**

CLASSI- FICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper .. 1250 GPM Booster tank .. 500 gals. Ladder truck .. 75
	☐ Fire in brush or grass		
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☐ False alarm	
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) **1 Helen St.**

Cause of fire

General description of building or occupancy **APARTMENT HOUSE**

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 1 2 LADDER 1 RES. 2**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

LT. DI GIULIO

B. DI GIULO

J. MOLLO

K. DI GIULO

B. BEANLAND

J. BORKE

P. RUGGIANO

R. GUERTIN

R. CRANSHAW

C. HARRINGTON

P. ROTELLA

REMARKS: NEW GAS BOILER. GAS CO. STARTED BOILER RAN FOR
HALF HOUR AND LEFT, WORKERS SMELLED SMOKE. NEWNESS OF BOILER
THAT GAVE OFF SMELL. NO FIRE.

B. DI GIULO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

..... **CENTERDALE** Company No. **210** Report No. **998**
 District **CENTERDALE**
 Date **7/18** 19 **72** Time alarm was received **4.45 P.** M.
 Alarm from: Box No. Headquarters by phone **XX** Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at **5.07 P.** M. Miles traveled **3**

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm BOMB SCARE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	---	--	--

Location of fire, or origin of alarm (street and number) **GREYSTONE AVE**
 Cause of fire
 General description of building or occupancy **WORCESTER TEXTILE**
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding **ENG. I LADDER I**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY
LT. DI GIULIO

J. MOLLO

B. DI GIULO

E. PELLAND

J. BOREK

D. MARCIANO

F. ROTELLA

REMARKS: BOMB SCARE

B. DI GIULO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE... Company No. **211**.....

Report No.**1001**.....

District **7/18/72**..... **CENTERDALE**

Date 19.....

Time alarm was received **11:45P**.....M.

Alarm from: Box No. Headquarters by phone **XX**..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **11:25p** M. Miles traveled **2**.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm BOMB SCARE	EQUIPMENT RESPONDED WITH Pumper 1250..... GPM Booster tank 500..... gals. Ladder truck 75.....
---	---	---

Location of fire, or origin of alarm (street and number) **GREYSTONE AVE**.....

Cause of fire

General description of building or occupancy **WORCESTER TEXTILE**.....

Owner of building

Owner's address

EXTINGUISHERS USED			HOSE LINES USED			SALVAGE COVERS USED	
No.	Type		No.	Size	Total Feet	No.	Floor
	Pump Tanks			1-inch			
	Foam			1½-inch			
	Loaded Stream			2½-inch or larger			
	Carbon Dioxide						
	Dry Chemical						
			LADDERS USED				
			No.	Type	Total Feet		
				Aerial			
				Over 35 ft.			
				Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. I LADDER I**.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GIULO
CAPT. MURPHY

J. MOLLO

W. ROY

E. PELLAND

R. PAQUET

R. IAFRATE

P. RUGGIANO

F. BURSIE

J. BOREK

T. RUSSO

T. PERNA

R. PARENTEAU

F. ROTELLA

REMARKS: BOMB SCARE 15 MIN. TIME GIVEN.

CHIEF DI GIULO

Officer in Charge

DUMMY
REPORT

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department
Company Run Report

.....~~CENTERDALE~~ Company No. **212**.....

Report No.**1011**.....

District **CENTERDALE**.....

Date**7/20/**..... 19**72**.....

Time alarm was received **2.26 P.M.**

Alarm from: Box No.**142**..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **7.57 P**.M. Miles traveled **8**

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
	☐ Fire in brush or grass		
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☐ False alarm	
	☐ Fire in vehicle in street	EXPOLISION	

Location of fire, or origin of alarm (street and number)**STEVENS & CENTERDALE ST.**.....

Cause of fire

General description of building or occupancy**STATE CESSPOOL CO.**.....

Owner of building**FRANK SCAMBATO**.....

Owner's address**CENTERDALE ST. NO. PROV.**.....

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch		2	SALVAGE COVERS
	Foam	2	1½-inch	300	2	AXES
	Loaded Stream	1	2½-inch or larger	50	1	SMOKE EJECTORS
	Carbon Dioxide				1	PIKE POLE
	Dry Chemical		LADDERS USED			CORD
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid**50** ft. **1** line, **2½** in hose.

.....**300** ft. **2** line, **1½** in hose.

Working time of pumper**1** hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding**ENG. 1 2 3 4 5 LADDER 1 RES. 1 2 3**.....

Estimated loss **\$25,000**.....

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILO

CAPT. MURPHY

CAPT. SALISBURY

LT. DI GUILO

LT. SALISBURY

J. MOLLO

B. DI GUILO

W. DRAPER

C. HARRINGTON

A. IEMMA

B. CRANSHAW

J.O. CHARPENTER

E. PELLAND

P. RUGGIANO

R. PAQUET

K. MIDDLETON

R. MARWELL

D. MARCIANO

J. LANE

J. BOREK

P. PALUMBO

G. KENNAWAY

JEFF MURPHY

T. RUSSO

J. MARWELL

R. PARENTEAU

F. ROTELLA

REMARKS:

CAPT. SALISBURY CHIEF DI GUILO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. **213**

Report No. **1015**

District **P. A. H.**

Date **7/20** 19**72**

Time alarm was received **9.45 p** M.

Alarm from: Box No. **423** Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **10.00 P** M. Miles traveled **3**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 7.5
WIRES BURNING			

Location of fire, or origin of alarm (street and number) **CENTRAL HIGHLAND**

Cause of fire **WIRES**

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG 1 2 LADDER 1 RES 2**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILIO
CAPT. MURPHY
LT. DI GUILIO
LT. SALISBURY

J. MOLLO
K. MIDDLETON
R. MARWELL

J. BOREK

F. BURSIE

P. PULOMBO

G. KENNAWAY

T. RUSSO

T. PERNA

F. ROTELLA

A. IEMMA

REMARKS: WIRES BURNING N. E. CO. NOTIFIED

CHIEF DI GUILIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

...**CENTERDALE** Company No. **214**.....

Report No. **1017**.....

District **CENTERDALE**.....

Date **7/ 21** 19 **72**.....

Time alarm was received **3.30 P**..M.

Alarm from: Box No. Headquarters by phone **XX**..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **4.15 PM**. Miles traveled **5**.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm WASHDOWN	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 .. gals. Ladder truck
--	---	--	---

Location of fire, or origin of alarm (street and number) **STEVENS ST.**.....

Cause of fire

General description of building or occupancy **TRUCK**.....

Owner of building **FRANK SGUMBATO**.....

Owner's address **CENTERDALE ST.**.....

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	1	1-inch	50		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 1**.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILO

LT. DI GUILO

J. MOLLO

B. DI GUILO

J. MARWELL

REMARKS: STATE FIRE MARSHALL CALLED FOR PUMPER.
TO FLUSH OUT FUEL LINES ON TANK TRUCK OF EXPLOSION.

CHIEF DI GUILO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. **215** Report No. **1026**
 District **CENTERDALE**
 Date **7/ 22** 19**72** Time alarm was received **9:20 A.M.**
 Alarm from: Box No. Headquarters by phone **xx** Other (described)
 Reported to cover Company No. atM., on authority of
 Ordered Home by atM. In quarters at **9:28AM** Miles traveled **3**

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm BOMB SCARE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
--	---	--	--

Location of fire, or origin of alarm (street and number) **1903 MINERAL SPRING**
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,
 ft. line, in hose,
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding **ENG. I**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GIULIO

CAPT. SALISBURY

W. ROY

G. HARRINGTON

R. PAQUET

K. MIDDLETON

F. BURSIE

J. BOREK

G. KENNAWAY

T. PERNA

F. ROTELLA

W. DRAPER

REMARKS: NONE

CHIEF DIGULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Company No. **216** Report No. **1035**
 District **CENTERDALE P. H.**
 Date **7/24** 19**72** Time alarm was received **12.30 A.M.**
 Alarm from: Box No. Headquarters by phone **XX** Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at **12.45A** M. Miles traveled **2**

CLASSI- FICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
CODE YELLOW			

Location of fire, or origin of alarm (street and number) **17 SAMSON AVE**
 Cause of fire **OIL BURNER**
 General description of building or occupancy **HOUSE**
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 1 2 6 LADDER 1 RES. 2**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GIULO

CAPT. MURPHY

LT. DI GIULO

LT. SALISBURY

J. MOLLO

W. ROY

C. HARRINGTON

R. PAQUET

K. MIDDLETON

B. DI GIULO

P. RUGGIANO

D. BURHOE

F. BURSIE

J. BOREK

J. LANE

G. KENNAWAY

T. RUSSO

T. PERNA

R. PARENTEAU

F. ROTELLA

A. IEMMA

REMARKS: CODE YELLOW

CHIEF DI GIULO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

.....~~CENTERDALE~~ Company No. 217.....

Report No.1044.....

District ...~~CENTERDALE~~...

Date 7/ 25 19 72.....

Time alarm was received 4.50 P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 5.13P.M. Miles traveled ...2.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm WATER EMERGENCY	EQUIPMENT RESPONDED WITH Pumper1250..... GPM Booster tank500.. gals. Ladder truck
--	---	---	---

Location of fire, or origin of alarm (street and number)5 SWAN ST.

Cause of fire

General description of building or occupancy

Owner of buildingMRS. FRATATARO.....

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies respondingENG. I.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY

~~XXXXXXXXXX~~

J. MOLLO

B. DI GIULIO

G. KENNAWAY

F. ROTELLA

REMARKS: CALL FOR WATER COMING IN CELLAR BY WOMAN.
RESPONDED TO FIND WATER HAD RESEED AND SHE WAS O.K.

CAPT. SALISBURY
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

.....~~CENTERDALE~~ Company No. **218** Report No. **1049**

District **F.H.**

Date **7/26** 19 **72**

Time alarm was received **8.31 P.M.**

Alarm from: Box No. Headquarters by phone **RADIO** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **9.00 P.M.** Miles traveled **2**

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
POLE FIRE			

Location of fire, or origin of alarm (street and number) **8 MILES AVE**

Cause of fire **TREE LIMBS ON WIRES**

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. I LADDER I**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GUILO

CAPT. MURPHY

CAPT. SALISBURY

LT. DI GUILO

LT. SALISBURY

J. MOLLO

W. ROY

E. PELLAND

A. DI BATTISTA

J. MAIONE

R. PAQUET

D. MARCIANO

R. IAFRATE

H. DARBY

B. DI GUILO

B. DEANLAND

J. BOREK

J. LANE

T. RUSSO

T. PERNA

A. IEMMA

REMARKS: TREE LIMBS NEAR WIRES CAUSING THEM TO ARC.

NARR. ELECTR IC NOTIFED.

CHIEF DI GUILO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT
Fire Department
Company Run Report

.....**CENTERDALE** Company No. **219**.....

Report No. **1061**.....

District **CENTERDALE**.....

Date **7/ 28** 19**72**.....

Time alarm was received **7.41 P.M.**

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **8.40PM**. Miles traveled **10**.....

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	--	--	--

Location of fire, or origin of alarm (street and number) **1903 MINERAL SPRING AVE**.....

Cause of fire **RUBBISH**.....

General description of building or occupancy **L K KNITS (HENERY PITI)**.....

Owner of building **ANTHONY CEPRANO**.....

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	2	1-inch	200		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
2	SMOKE EJECTORS	No.	Type	Total Feet		
2	PIKE POLES		Aerial			
1	HAND LIGHT		Over 35 ft.			
	DEODORIZER	2	Short ladders	38		

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. **20** min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 1 2 LADDER 1 RES. 2**.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GIULO

LT. DI GIULO

W. ROY

E. PELLAND

R. MARWELL

H. DARBY

F. BURSIE

G. KENNAWAY

R. IAFRATE

D. DI ORIO

T. RUSSO

T. PERNA

C. MARWELL

F. ROTELLA

REMARKS: CALL FOR RUBBISH FIRE REAR 1903 MIN. SPR. FIRE WAS AGAINST
REAR DOOR OF L&K KNITS AND 275 GAL. OIL TANK OUTSIDE. FIRE ATE THROUGH
JET, BUT WAS STOPPED BEFORE ENTERING BUILDING OVER CEILING. CALLED
FOR LADDER CO. AND ENG. CO. UPON ARRIVAL.

CHIEF DI GIULO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. **220**

Report No. **1063**

District **CENTERDALE**

Date **7/29** 19**72**

Time alarm was received **12.33P** M.

Alarm from: Box No. **133** Headquarters by phone **XX** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **3.22** M. Miles traveled **12**

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck 75
---	--	--	--

Location of fire, or origin of alarm (street and number) **1903 MINERAL SPRING AVE**

Cause of fire

General description of building or occupancy **PET SHOP, BARBER SHOP, WIG MART, LK KNITS CEPARNO**

Owner of building **ANTHONY CEPARNO**

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch		1	PIKE POLE
	Foam	1	1½-inch	150		CORD
	Loaded Stream	1	2½-inch or larger	200		
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
2	SMOKE EJECTORS	No.	Type	Total Feet		
1	SCOTT PACK		Aerial			
2	HANDLIGHTS	3	Over 35 ft.			
1	AXE	3	Short ladders	42		

Hose lines laid **200** ft. **1** line, **21** in hose.

..... ft. line, in hose.

Working time of pumper **1** hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 1 2 6 LADDER 1 RES. 1 2**

Estimated loss **3,000** **STRUCTURAL DAMAGE**

(over)

MEN RESPONDING TO ALARM: CHIEF DI GIULO
CAPT. SALISBURY
LT. DI GIULO

J. MOLLO

W. ROY

E. PELLAND

C. HARRINGTON

R. MARWELL

H. DARBY

G. KENNAWAY

P. BURSIE

J. BOREK

J. LANE

J. MURPHY SR.

T. RUSSO

T. PERNA

C. MARWELL

P. ROTELLA

W. DRAPER

A. IEMMA

W. MURPHY

REMARKS: STARTED IN CEILING IN TOILET OF WIG MART. BROKE THROUGH
WALL TO BARBER SHOP. SOME STRUCTURAL DAMAGE TO ROOFERS. WATER
AND SMOKE DAMAGE TO BARBER SHOP AND WIG MART. SMOKE THROUGHTOUT
ENTIRE SHOPPING CENTER. UNDER INVESTGATION BY DET.VOAS OF STATE
FIRE MARSHALLS OFFICE.

CHIEF DI GIULO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 221

Report No. 1066

District GENEVA

Date 7/ 30 1972

Time alarm was received 10.55A M.

Alarm from: Box No. 5835 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11.11A M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) DOUGLAS AVE

Cause of fire

General description of building or occupancy GENEVA MILLS

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1 3 4 5 LADDER 1 2 RES. 2 3

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DI GIULO

CAPT. MURPHY

LT. DI GIULO

LT. SALISBURY

J. MOLLO

W. ROY

C. HARRINGTON

R. CRANSHAW

E. PELLAND

F. BURSIE

J. BOREK

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS: CODE BLUE

CHIEF DIGIULO

Officer in Charge

Company Run Report

MEN RESPONDING TO ALARM: LT. DIGUILLO

J. MOLLO

B. DI GULIO

P. RUGGIANO

D. BURHOE

REMARKS: RECEIVED CALL FROM MR. CEPRANO THAT ELECTRIC
AND TELEPHONE MEN WERE WORKING AND THOUGHT THEY SMELLED
SMOKE. FOUND NOTHING.

LT. DI GUILLO

Officer in Charge