

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *160*

Report No. *760*

District *Lymansville*
Date *6/3* 19*72*

Time alarm was received *9:20 P.M.*

Alarm from: Box No. *6541* Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *9:35 P.M.* Miles traveled *3*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>475</i>
---	---	--	---

Location of fire, or origin of alarm (street and number) *Laurel St. Lymansville School*

Cause of fire

General description of building or occupancy

Owner of building *Town of North Providence*

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-2-6 Ladder 1-2 Resc 1-2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. M. Giulio
Capt. C. Salisbury

J. Mollo

W. Roy

P. Ruggiano

J. Lane

W. Liskowski

T. Renna

REMARKS:

Chief E. M. Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *161*

Report No. *771*

District *Lynnville*

Date *6/5* 19*72*

Time alarm was received *10:52 P*.M.

Alarm from: Box No. *522* Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *11:02 P*.M. Miles traveled *3*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <i>#75'</i>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☒ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) *Humbert + Raymond*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 6-2 Ladder 1 Resc 2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief C. Di Giulio
Capt. C. Salisbury
Lt. R. Salisbury

C. Harrington

F. Bursai

B. Di Giulio

F. Rotella

T. Perna

REMARKS: Code Blue

Capt C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *162*

Report No. *785*

District *Marionville*

Date *6/8* 19*72*

Time alarm was received *4:15 P* M.

Alarm from: Box No. *319* Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *4:25 P* M. Miles traveled *2*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <i>475'</i>
---	---	---	---

Location of fire, or origin of alarm (street and number) *Obel + Dodge St.*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 5-3-4* *Ladder 1* *Resc. 3*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt C Salisbury
Lt. E. Di Giulio

J. Mello

E. Pelland

P. Ruggiano

T. Russo

B. Di Giulio

REMARKS:

Ladder 2 out of service.

B. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 163

Report No. 787

District Centredale

Date 6/8 1972

Time alarm was received 11:35 A M.

Alarm from: Box No. 143 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 1:35 A M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) Smith + Steere Ave.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-2-6 Ladder 1 Rescue 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury

J. Mello
W. Rong
R. Paquet
F. Blussie
K. Middleton
T. Russo
T. Perna
F. Rotella

REMARKS: Box 143 pulled for fire at Crown Lumber Co.
of Town of Johnston.
Went to Station #2 on standby.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Contradale Company No. 164

Report No. 790

District General

Date 6/9 1972

Time alarm was received 12:35 P.M.

Alarm from: Box No. 6213 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 12:50 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75'</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) Douglas Ave

Cause of fire

General description of building or occupancy

Owner of building Stephen Olney School Town of North Providence

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-344-5 Ladder 1 Resc 3 Car 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt C Salisbury
Lt E Di Giulio

J. Mollo,
B. Di Giulio
F. Rotella
O. Charpentier

REMARKS: Code Blue

J. Mollo
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *165*

Report No. *793*

District *Centredale*

Date *6/9* 19*72*

Time alarm was received *9:56 P*.M.

Alarm from: Box No. *6122* Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at *10:05 P*.M. Miles traveled *1*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) *Morgan Ave*

Cause of fire

General description of building or occupancy *Greystone School*

Owner of building *Town of North Providence*

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-2* *Ladder 2* *Rescue 2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury

W. Roy

F. Bursie

F. Inbrate

F. Pittella

REMARKS: Code Blue

Ladder 1 didn't leave station

Chief E. Di Giulio
(Officer in Charge)

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 166

Report No. 795

District Symonville

Date 6/10 1972

Time alarm was received 12:35 A.M.

Alarm from: Box No. 522 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 12:37 M. Miles traveled 0

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) Humbert + Raymond

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 2-8- Res. 2-1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt J. Murphy
Capt C. Salisbury
Lt. R. Salisbury

W. Rong
K. Middleton
G. Bulipitt
F. Burrice
P. Ruggiano
J. Lane
T. Russo

REMARKS:

Code Blue
Eng-6 called code blue before left station

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. 167

Report No. 796

District Centredale

Date 6/10 1972

Time alarm was received 6:55 A M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 7:10 A M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) Mineral Spring Ave

Cause of fire Fuel Pump

General description of building or occupancy

Owner of building Anthony Albanian

Owner's address 15 Wade Dr. Greenville R.I

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
<u>1</u>	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. De Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. De Giulio
Lt. R. Salisbury

J. Mallo
F. Burrie
J. Lane
J. Russo
T. Perna
F. Rotella
W. Draper

REMARKS: 1966 Chev. impala. R.I. Reg. H.N 107
Owner: Anthony Alexanian, 15 Wade Ave
Greenville, R.I.

Fire under hood, Damage to fuel line,
heater hose, some wiring.

Capt C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 168

Report No. 800

District Centredale

Date 6-11 1972

Time alarm was received 6:02 P M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 6:15 P M. Miles traveled 1

CLASSI- FICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75'</u>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) 60 Brown Ave

Cause of fire Refrigerator

General description of building or occupancy

Owner of building Emmett Atkinson

Owner's address SAME

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
<u>/</u>	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1-2 Ladder 1 Rescue 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Lt. E. Di Giulio
Lt. R. Salisbury

12. Ray
P. Ruggiano
T. Russo
T. Perna
F. Rotella
W. Draper

REMARKS:

Refrigerator compressor motor.
No damage to bldg. Minor smoke in house

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 169

Report No. 805

District GENEVA

Date 6/12/19 72

Time alarm was received 12:30 P M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 2:00 P M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) 1479 MINERAL SPRING AVE

Cause of fire

General description of building or occupancy BUCKEY'S RESTAURANT

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam	<u>1</u>	<u>1 1/2</u> -inch	<u>150'</u>		
	Loaded Stream	<u>1</u>	<u>2 1/2</u> -inch or larger	<u>200'</u>		
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>2</u>	<u>SCOTT PAKS.</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid 150' ft. 1 line, 1 1/2 in hose,

200' ft. 1 line, 2 1/2 in hose,

Working time of pumper hrs. 30 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-3-4-5 LADDER 1-2 RES 2-3

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY
LT. D. GIULIO

J. MOHRO

W. ROY

R. CRANSHAW

H. MIDDLETON

B. D. GIULIO

R. MARWELL

J. LANE

G. HENNAWAY

J. MURPHY SR.

F. ROTELLA

REMARKS:

CAPT. SALISBURY
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 120

Report No. 806

District CENTERDALE

Date 6/12/1972

Time alarm was received 3:08 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 3:23 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1200</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) 27 WOODHAVEN BLVD

Cause of fire SET BY Two Boys

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>2</u>	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY
LT. DiGiulio

J. MOLLO

B. DiGiulio

G. KENNAWAY

REMARKS: SMALL AREA BURNING. TWO BOY'S ADMITTED
SETTING FIRE.

CAPT. SALISBURY
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTENNIAL Company No. 121

Report No. 810

District LYNDENHILL

Date 6/13/1972

Time alarm was received 1:46 A M.

Alarm from: Box No. 522 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 1:55 A M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck
---	---	---	---

Location of fire, or origin of alarm (street and number) HUMBERT & RAYMOND

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 2-6 LADDER 1 P.S. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DIGIULIO

CAPT MURPHY

CAPT SALISBURY

J. MOLLO

W. ROY

E. POLLARD

H. MIDDLETON

G. HENNINGWAY

F. BURSIE

D. BURHOE

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS:

CAPT. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 172

Report No. 814

District Centredale

Date 6/14 19 72

Time alarm was received 5:00 P M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 5:36 P M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>500</u> GPM Booster tank <u>1250</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) 29 Woodhaven Blvd.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>4</u>	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
No.	Type	No.	Type	Total Feet		
<u>3</u>	<u>Brooms</u>		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 5 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Lt. E. Di Giulio
Lt. R. Salisbury
Capt. C. Salisbury

J. Mollo
W. Ray
E. Pelland
B. Di Giulio
G. Kenneway
F. Byrse
F. Rotella

REMARKS: Fire in 3 different Areas.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 173

Report No. 818

District LYMAN.

Date 6/15/1972

Time alarm was received 10:07 P. M.

Alarm from: Box No. 522 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:20 P. M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <u>25'</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) HUMBERT & RAYMOND

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 2-6 LADDER 1 RES 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DIGIUKIO

CAPT. MURPHY

CAPT. SALISBURY

LT. SALISBURY

J. MOHIO

W. ROY

D. MARCIANO

P. RUGGIANO

F. BURSIE

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS:

CAPT SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *174*

Report No. *819*

District *General*

Date *6/16* 19*72*

Time alarm was received *9:55 A*.M.

Alarm from: Box No. *6214* Headquarters by phone Other (described)

Reported to cover Company No. at .M., on authority of

Ordered Home by at .M. In quarters at *10:10 A*.M. Miles traveled *3*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#75</i>
---	---	---	---

Location of fire, or origin of alarm (street and number) *Birchwood School*

Cause of fire

General description of building or occupancy

Owner of building *Town of North Providence*

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-3-4-5 Ladder 1-2 Resc 2-1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. J. Murphy
Lt. R. Salisbury
Capt. C. Salisbury
Lt. E. Di Giulio

C. Harrington

W. Ray

J. Mollo

T. Perna

B. Beanland

B. Di Giulio

F. Pitella

REMARKS:

Lt. R. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 175

Report No. 821

District CENT.

Date 6/16/1972

Time alarm was received 12:46 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 1:20 P.M. Miles traveled 9

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) WATERMAN & SAVOY

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>2</u>	1-inch	<u>300'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>BROOM</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. 1.5 min.

Equipment lost or found

Equipment damaged or destroyed ENG 1 & 2

Companies responding ENG 1 & 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT SALISBURY

LT. DiGiulio

LT SALISBURY

J. Moolo

W. ROY

B. DiGiulio

B. BEANLAND

G. HENNAWAY

F. ROTELLA

REMARKS:

CAPT SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 176

Report No. 822

District CENT.

Date 6/16/1977

Time alarm was received 1:20 P.M.

Alarm from: Box No. Headquarters by phone RADIO Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 1:32 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	---	--

Location of fire, or origin of alarm (street and number) 81 CROMWELL WAY

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT - Sahisouay

LT. Di Giukio

LT. Sahisouay

J. Mohko

W. Roy

B. Di Giukio

B. Beanland

G. Kennaway

F. Rotehka

REMARKS:

CALL REC. FOR BRUSH FIRE AT FOOT
OF RESERVATION NEAR B. CENTENNIAL WAY.

LT. Sahisouay

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 177

Report No. 827

District Centredale

Date 6/17 1972

Time alarm was received 4:25 A.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:45 A.M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) municipal parking lot.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	/	1-inch	<u>50'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>light</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 10 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury

J. Mollo
E. Belland
R. Paguet
B. M. Giulio
F. Bursie
J. Lane
T. Russo
T. Perna
F. Rotella
W. Kraper

REMARKS: abandoned car. interior gutted
1953 Chev. 4 dr. No Plates

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 178

Report No. 829

District F. H.

Date 6/17 1972

Time alarm was received 10:41 P.M.

Alarm from: Box No. 431 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:58 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75'</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) Taylor + W. Kippale

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1-2 Ladder 1 Rescue 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. De Giulio
Capt J. Murphy
Capt C. Salisbury
Lt R. Salisbury

J. Mollo
W. Ray
C. Harrington
E. Pelland
K. Middleton
J. Kane
E. Rotella

REMARKS:

Capt J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERTDALE Company No. 179

Report No. 831

District F.H.

Date 6/18/1972

Time alarm was received 5:33 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 5:44 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>251</u>
---	--	--	---

Location of fire, or origin of alarm (street and number) DUNKIN DONUTS SMITH ST.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-2-6 LADDER 1 RES 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DiGiulio

CAPT MURPHY

LT DiGiulio

LT SALISBURY

J. MOHIO

W. ROY

C. HARRINGTON

K. MIDDERTON

H. DARBY

B. DiGiulio

J. LANE

G. HENNAWAY

T. RUSSO

T. PRANA

C. MARWALL

F. ROTELLA

REMARKS:

CALL FOR GREASE FIRE, NO FIRE

CHIEF DiGiulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 180

Report No. 832

District CENT.

Date 6/18/1972

Time alarm was received 6:50 P.M.

Alarm from: Box No. 6122 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 7:20 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) MORGAN AVE

Cause of fire

General description of building or occupancy GARYSTONE School

Owner of building Town of N.P.

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-2-6 LADDER 1-2 RES 1-2 CAR 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DiGiulio

CAPT MURPHY

CAPT SAHISBURY

LT DiGiulio

LT SAHISBURY

J. MOAKO

W. ROY

C. HARRINGTON

E. PERHAND

G. HENNAWAY

H. DABBY

F. BURSIE

J. MURPHY SR.

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS:

SCHOOL BROKEN INTO, PULL STATION
FOUND PULLED,

CHIEF D. Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 181

Report No. 834

District Center Geneva

Date 6/18 1972

Time alarm was received 9:03 P M.

Alarm from: Box No. 3218 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 9:25 P M. Miles traveled 4

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>Stone</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#751</u>
---	--	--	--

Location of fire, or origin of alarm (street and number) Smithfield Rd.

Cause of fire

General description of building or occupancy

Owner of building Villa Versailles Apts.

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 2-3-4-5 Ladder 1-2 Resc. 2-3

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio

J. Mollo
W. Ray
C. Harrington
P. Pequet
K. Middleton
F. Burrise
J. Barek
G. Kennaway
J. Kane
T. Russo
F. Rotella
T. Perna

REMARKS:

Stone Fire

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 182

Report No. 836

District Centredale

Date 6/19 1972

Time alarm was received 10:30 A.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:36 A.M. Miles traveled

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) Graystone School

Cause of fire

General description of building or occupancy

Owner of building Town of North Providence

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1 Car 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

Capt C Salisbury
Lt. E. Di Giulio

J. Mello
C. Harrington
W. Roy
B. Di Giulio
J. Lane

J. Silva }
J. D'Amico } Haverhill
F. Rotella

REMARKS: Phone calls to Chief's Office. That there was a fire in boiler room. Voice of a young person.

B. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 183

Report No. 837

District GENEVA

Date 6/19/ 1972

Time alarm was received 12:05 P.M.

Alarm from: Box No. 7212 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 12:17 M. Miles traveled

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☒ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) SMITHFIELD R.D.

Cause of fire

General description of building or occupancy GOLDEN CREST NURSING HOME

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-2-3-4-5-6 LADDER 1-2 PFS 1-2-3
CAR 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: Capt. Salisbury
LT. D. G. G. G. G.

J. Mohlo

B. D. G. G. G.

W. Roy

J. Lane

F. P. T. E. L. L. A

REMARKS:

B. D. G. G. G.

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 184

Report No. 854

District Centredale

Date 6/22 1972

Time alarm was received 12:52 P.M.

Alarm from: Box No. 6122 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 12:54 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>12500</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	--	--

Location of fire, or origin of alarm (street and number) Greystone School

Cause of fire

General description of building or occupancy

Owner of building Town of North Providence

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1-2-6 Ladder 1-2 Rescue 2

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

Capt J. Murphy
Capt C. Salisbury
Lt C. Di Giulio

J. Wells
K. Middleton
B. Di Giulio
J. Borek

REMARKS: Code Blue

Capt J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 185

Report No. 860

District Centredale

Date 6/24 1972

Time alarm was received 4:45 P.M.

Alarm from: Box No. 181 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 5:00 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75'</u>
---	---	--

Location of fire, or origin of alarm (street and number) Mineral Spring + Thomas

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-2-6 Ladder 1 Resc 1-2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury
Lt. E. Di Giulio

W. Roy
D. Marciano
F. Bursie
J. Borek
F. Rotella
T. Russo
T. Perna

REMARKS: Car Fire.

Ken Nanni

92 Iron Ave.

Johnston, R.I.

No Ins.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Citrusdale Company No. 186

Report No. 864

District F. H.

Date 6/25 1972

Time alarm was received 4:45 P. M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 4:50 P. M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1850</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) 139 Ferncrest Blvd.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-2-6 Ladder 1 Rescue 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt J. Murphy

J. Mollo

W. Roy

D. Marcano

B. Di Giulio

F. Burrell

J. Borek

F. Rotella

W. Kraper

T. Russo

T. Perna

REMARKS:

No such address - Hoard Call

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredula Company No. 187

Report No. 865

District F H.

Date 6/25 1972

Time alarm was received 5 00 P.M.

Alarm from: Box No. 6413 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 5 20 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>475</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) Central Ave.

Cause of fire

General description of building or occupancy James S. McGuire School

Owner of building Town of North Providence

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1-2-6 Ladder 1-2 Resc. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief P. Di Giulio
Capt. J. Murphy
Lt. E. Di Giulio

J. Mollo

W. Ray

B. Di Giulio

J. Barek

F. Bursa

F. Rotella

W. Draper

T. Russo

REMARKS:

Code Blue

Chief P. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 188 Report No. 867
 District F.H.
 Date 6/25 1972 Time alarm was received 9:18 P.M.
 Alarm from: Box No. _____ Headquarters by phone ☒ Other (described) _____
 Reported to cover Company No. _____ at _____M., on authority of _____
 Ordered Home by _____ at _____M. In quarters at 9:30 P.M. Miles traveled 4

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>475'</u>
--	---	--	--

Location of fire, or origin of alarm (street and number) 12 Oak Grove Blvd.
 Cause of fire _____
 General description of building or occupancy _____
 Owner of building _____
 Owner's address _____

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid _____ ft. _____ line, _____ in hose, _____
 _____ ft. _____ line, _____ in hose, _____
 Working time of pumper _____ hrs. _____ min.
 Equipment lost or found _____
 Equipment damaged or destroyed _____
 Companies responding Eng 1-2-6 Ladder 1 Resc 2

Estimated loss _____

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mallo
W. Ray
D. Burhoe
F. Bursie
J. Borek
J. Lane
G. Kenneway
T. Russo

REMARKS: No such address Hook call

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centerville Company No. *189* Report No. *870*
 District *6-26* Date *72* Time alarm was received *12:55 P*.M.
 Alarm from: Box No. Headquarters by phone Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at *1:35 P*.M. Miles traveled *3*

CLASSIFICATION OF ALARM Check the proper square	☒	Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>1</i>	
	☐	Fire in brush or grass	☐		Rescue or emergency
	☐	Fire in rubbish near building	☐		Needless call
	☐	Fire in rubbish in vacant lot	☐		Accidental alarm
	☐	Fire in a dump	☐		False alarm
	☐	Other fire outdoors			
	☐	Fire in vehicle in street			

Location of fire, or origin of alarm (street and number) *120 Homewood Ave.*
 Cause of fire *Chemical liquid in bottles for pool*
 General description of building or occupancy
 Owner of building *Mr. & Mrs. D. M. M. M.*
 Owner's address *120 Homewood Ave. N. Prov.*

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<i>2</i>	<i>SMOKE EXTRACTORS</i>	No.	Type	Total Feet		
	<i>DEODORIZER</i>		Aerial			
			Over 35 ft.			
		<i>1</i>	Short ladders	<i>14'</i>		

Hose lines laid ft. line, in hose.
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding *Eng 1, 2, 6, Ladders 1 Res 2 Car 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT. SALISBURY
LT. DIGULLIO

J. MOLLO

R. GUERTIN

G. KENNAWAY

D. DIGULLIO

C. HARRINGTON

F. ROTELLA

REMARKS:

Cells full of smoke

Lt. Emilio Lencio
Officer in Charge