

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *120* Report No. *585*
 District *Centredale*
 Date *5/3* 19*72* Time alarm was received *4:27 P*.M.
 Alarm from: Box No. *6122* Headquarters by phone Other (described)
 Reported to cover Company No. atM., on authority of
 Ordered Home by atM. In quarters at *4:40 P*.M. Miles traveled *2*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>475'</i>
--	---	---	---

Location of fire, or origin of alarm (street and number) *Greystone School*
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding *Eng 1-2-6 Ladder 1-2 Resc 2*

Estimated loss

MEN RESPONDING TO ALARM:

Capt J. Murphy
Capt C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Moles
W. Roney
C. Harrington
E. Pelland
G. Sparader
K. Middleton
D. Marciano
B. Di Giulio
P. Ruggiano
J. Borek
J. Lane
T. Russo
J. Marwell

REMARKS:

B. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. *121* Report No. *588*
 District *F. H.*
 Date *5/14* 19*72* Time alarm was received *11:45* A.M.
 Alarm from: Box No. Headquarters by phone ☒ Other (described) _____
 Reported to cover Company No. _____ at _____ M., on authority of _____
 Ordered Home by _____ at _____ M. In quarters at *12:00* M. Miles traveled *2*

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <i>Clothes Dryer</i>	EQUIPMENT RESPONDED WITH Pumper <i>1850</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#75'</i>
--	--	--	---

Location of fire, or origin of alarm (street and number) *21 Merchant St.*
 Cause of fire _____
 General description of building or occupancy _____
 Owner of building _____
 Owner's address _____

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid _____ ft. _____ line, _____ in hose. _____
 _____ ft. _____ line, _____ in hose. _____
 Working time of pumper _____ hrs. _____ min.
 Equipment lost or found _____
 Equipment damaged or destroyed _____
 Companies responding *Eng 1-2-6 Ladder 1 Resc 2*

Estimated loss _____

(over)

MEN RESPONDING TO ALARM:

Capt C. Salisbury

Lt E. Ali Giulio

Lt R. Salisbury

J. Mollen

B. Ali Giulio

E. Peckard

REMARKS: overheated clothes dryer.

B. Ali Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 122

Report No. 592

District Centredale

Date 5/4 1972

Time alarm was received 8:25 P M.

Alarm from: Box No. 1132 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 8:30 P M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>Sprinkler</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) Mineral Spring Ave Almasi Store

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-2-3 Ladder 1 Resc 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo

W. Roy

C. Harrington

E. Pelland

F. Burriss

J. Burek

T. Perna

C. Marwell

REMARKS: Surge on sprinkler line.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Cent. Company No. 123 Report No. 597
 District Cent.
 Date 5-5 19 72 Time alarm was received 11:33 P.M.
 Alarm from: Box No. 6132 Headquarters by phone Other (described) HALLS
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at 11:45 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#1</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) Morgan Ave
 Cause of fire
 General description of building or occupancy Graystone School
 Owner of building Town of N.P.
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1, 2, 6 Ladder 1, 2 Res 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief DiStasio
Capt. Murphy
K. Middleton
D. Marciano
R. Ingrate
P. Ruggiano
J. Bursie
J. Borek
H. Russo
T. Perna
H. Rotella

REMARKS:

Chief DiStasio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Cent. Company No. 124 Report No. 599
 District F.H.
 Date 5-6 19 72 Time alarm was received 10:30 A.M.
 Alarm from: Box No. 425 Headquarters by phone Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at 10:25 A.M. Miles traveled 4

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#1</u>
---	---	--	--

Location of fire, or origin of alarm (street and number) Sylvia & Belvidere
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 2, 3 Ladder 1 Res 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief Di Giulio

St. Salisbury

J. Inalls

J.W. Roy

C. Harrington

E. Pelland

H. Darby

J. Maione

F. Bursie

P. Ruggiano

T. Russo

T. Perna

F. Rotella

REMARKS:

Chief Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 125

Report No. 607

District Centredale

Date 5/1 1972

Time alarm was received 8:55 P.M.

Alarm from: Box No. 6122 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 9:04 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75'</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) Morgan Ave. Graystone School

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-2-6 Ladder 1-2 Resc 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. R. Salisbury

J. Mollo
W. Long
R. Paquet
R. Maxwell
D. Marciano
R. Safrate
P. Ruggiano
J. Borek
F. Rotella
T. Russo
T. Perna
P. Parenteau

REMARKS:

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 126

Report No. 608

District Centredale

Date 5/7 19 72

Time alarm was received 9:20 P M.

Alarm from: Box No. 123 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 9:25 A M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) Waterman - Graystone Ave

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1-2-6 Ladder 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. R. Salisbury

J. Mallo
W. Roy
C. Harrington
R. Paquet
R. Marwell
D. Marciano
R. DiFrato
P. Ruggiano
F. Bursia
F. Rotella
T. Perna

REMARKS:

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 127

Report No. 610

District Centredale

Date 5/8 1972

Time alarm was received 2:05 P.M.

Alarm from: Box No. 6122 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 2:25 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75'</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) Morgan Ave Graystone School

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1-2 Ladder 1-2 Resc. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. C. Salisbury
Lt. E. Di Giulio

J. Mollo

J. Murphy Sr.

N. Middleton

J. Borek

F. Rotella

REMARKS: inside heat detector, possible heat surge.

B. Di Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 128

Report No. 614

District Centredale

Date 5/8 1972

Time alarm was received 10:35 P M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:45 P M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	--	--

Location of fire, or origin of alarm (street and number) Capron St.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Capt. Chille

H. Marciano
B. Di Giulio
J. Murphy Sr.
J. Lane
R. Parenteau

REMARKS: Call for brush fire on Capron St. Checked
area from Morgan Ave. to Locust Ave. Nothing showing.
(Fire was on Capron Rd. in Town of Smithfield)

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *109* Report No. *617*
 District *F.H.*
 Date *5/9* 19*72* Time alarm was received *8:00 P.*M.
 Alarm from: Box No. *442* Headquarters by phone Other (described)
 Reported to cover Company No. atM., on authority of
 Ordered Home by atM. In quarters at *8:09 P.*M. Miles traveled *2*

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>475'</i>
--	---	--	--

Location of fire, or origin of alarm (street and number) *Washakie + Towanda*
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1 - 2 Ladder 1 Resc 2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury
Lt. E. Di Giulio

J. Mollo

W. Ray

E. Pelland

K. Middleton

N. Marciano

B. Di Giulio

F. Bursie

J. Borek

J. Lane

F. Rotella

T. Russo

R. Parenteau

REMARKS:

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *130*

Report No. *623*

District *Centredale*

Date *5/10* *1972*

Time alarm was received *4:25 P.M.*

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at *4:45 P.M.* Miles traveled *1*

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1,250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>475'</i>
---	---	---	---

Location of fire, or origin of alarm (street and number) *33 George St.*

Cause of fire *Grease*

General description of building or occupancy

Owner of building *John Kazarian*

Owner's address *Same*

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
<i>2</i>	<i>Smoke Eject.</i>	No.	Type	Total Feet		
	<i>1 way Sol Cords</i>		Aerial			
<i>1</i>	<i>ladders</i>		Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-6* *Ladder 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mollo
W. Ray
J. Borek
J. Lane
J. Murphy Sr.
T. Russo
F. Rotella

REMARKS: Women cooking bacon in elec. portable oven. Grease caught fire. Out on arrival. Smoke through out house.

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 131

Report No. 630

District Centredale

Date 5/12 1972

Time alarm was received 1:03 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 1:40P M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>Work down</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	--	--

Location of fire, or origin of alarm (street and number) Centredale Bypass

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>2</u>	1-inch	<u>200'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 15 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. C. Salisbury
Lt. C. Di Giulio

J. Mello

B. Di Giulio

Art. Beasland

J. Maxwell

REMARKS: Call for gasoline washdown. Found
soapy solution on bypass.

B. Di Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 132

Report No. 632

District CENTERDALE

Date 5/12/1972

Time alarm was received 3:40 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:00 P.M. Miles traveled 6

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) 63 EDDY ST.

Cause of fire SET

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>200'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
<u>1</u>	<u>BROOM</u>		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 10 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. Salisbury

LT. Di Girolio

LT. Salisbury

J. Mohlo

B. Di Girolio

J. MARWEH

REMARKS:

SMALL AREA IN WOODS

B. Di Girolio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 133

Report No. 634

District JOHNSTON

Date 5/12/19 72

Time alarm was received 4:15 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:25 P.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) 30 TEAKWOOD DR. JOHNSTON

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CAPT. SALISBURY
LT. Di Giulio
LT. SALISBURY

J. MOHLO

B. Di Giulio

J. BOREN

J. MARWEHL

REMARKS:

CALL FOR ASSIST. FROM JOHNSTON. NOT
NEEDED FALSE ALARM

B. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 134

Report No. ~~134~~ 637

District General

Date 5/13 1972

Time alarm was received 11:25 A.M.

Alarm from: Box No. 6235 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 11:25 A.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper ... <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75'</u>
---	---	---	--

Location of fire, or origin of alarm (street and number) Marblehead Ave.

Cause of fire

General description of building or occupancy

Owner of building Green Acres School

Owner's address Same

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1-3-4-5 Ladder 1-2 - Res. 3

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury

J. Mollo
W. Roy
C. Harrington
E. Pelland
H. Marby
J. Maione
F. Bursie
J. Borek
T. Russo
T. Perna
W. Kraper
A. Lemma

REMARKS: Joints set off alarm by mistake.

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 135

Report No. 645

District LYMAN.

Date 5/14/ 1972

Time alarm was received 2:10 A. M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 2:58 A. M. Miles traveled 2

CLASSI- FICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>25'</u>
	☐ Fire in brush or grass		
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☐ False alarm	
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) 1 Syms ST

Cause of fire ELECTRICAL

General description of building or occupancy

Owner of building MRS ESTELLE HENDRICKS

Owner's address SAME

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
<u>2</u>	<u>SMOKE EXTRACTOR</u>	No.	Type	Total Feet		
<u>1</u>	<u>FLOODLIGHT</u>		Aerial			
<u>1</u>	<u>HANDLIGHT</u>		Over 35 ft.			
<u>1</u>	<u>HYDRANT CORD</u>		Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-6 LADDER 1 RES 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DiGiulio

CAPT MURPHY

CAPT Salisbury

LT. Salisbury

J. MORRO

W ROY

C HARRINGTON

E. PEHLANID

R. PAQUET

P. RUGGIANO

F. BURSIE

T. RUSSO

J. PRANA

REMARKS:

CHIEF

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 136

Report No. 651

District Symonsville

Date 5/15 1972

Time alarm was received 10:00 P.M.

Alarm from: Box No. 522 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:10 P.M. Miles traveled 3

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <u>#25'</u>
---	---	---

Location of fire, or origin of alarm (street and number) Lumbert + Raymond

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 2-6 Ladder 1 Resc 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury

J. Mollo
W. Rony
E. Pelland
C. Harrington
D. Marciano
P. Ruggiano
J. Lane
F. Rotella
T. Russo
T. Perna

REMARKS:

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *137*

Report No. *656*

District *F.H.*

Date *5/17* 19*72*

Time alarm was received *3:40 P*.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at *4:50* M. Miles traveled *4*

CLASSIFICATION OF ALARM	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#25</i>
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
Check the proper square	☐ Fire in vehicle in street	<i>Garage</i>	

Location of fire, or origin of alarm (street and number) *24 Oakley Ave.*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-2-6 Ladder 1 Resc 2*

2 Engines + 2 Ladders Co. from Prov.

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

J. Mallo
W. Roy
C. Harrington
K. Middleton
B. Di Giulio
F. Rotella
A. Imma

REMARKS:

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 138

Report No. 664

District Centredale

Date 5/18 1972

Time alarm was received 7:35 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8:00 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☒ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>Mini-Bike</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) Sunset Ave.

Cause of fire Short circuit

General description of building or occupancy

Owner of building Mike Vacca

Owner's address 13 Justice St. No. Prov.

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. J. Murphy
Lt. C. DiGiulio

W. Roy

E. Gelland

R. Paquet

K. Middleton

D. Marciano

F. Bursie

J. Barek

J. Lane

F. Rotella

T. Perna

REMARKS: Call came in for woods on Woodlawn Ave.
Then was sent to Central Ave. - Police told us it was
a mini bike. Completely burnt.

owner Mike Vacca (13 years old)
30 Justice St
North Prov. R.I

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 199 Report No. 666
 District Dymansville
 Date 5/18 1972 Time alarm was received 9:05 A.M.
 Alarm from: Box No. 6541 Headquarters by phone Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at 9:25 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck #75
---	---	---	--

Location of fire, or origin of alarm (street and number) Dymansville School
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding Eng 1-3-6 Ladder 1-2 Rec 1-2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Lt. E. Di Giulio
Lt. R. Salisbury
Capt. C. Salisbury

W. Roy
C. Harrington
E. Pelland
R. Paquet
D. Marciano
B. Di Giulio
F. Bursie
P. Palombo
F. Potella
A. Imma
T. Russo
T. Perna

REMARKS:

Lt. E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 140

Report No. 668

District Centredale

Date 5/19 1971

Time alarm was received 3:50 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:11 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) End of Brown Ave.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>3</u>	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>1</u>	<u>Broom</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury
Lt. E. Di Giulio

J. Mello
B. Di Giulio
C. Harrington
K. Middleton
D. Marciano
J. Borek
J. Marwell
F. Rotella
A. Imma

REMARKS: 2 separate areas between Brown +
Joelin Lt.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *141*

Report No. *687*

District *Centredale*

Date *5/23* 19*72*

Time alarm was received *4:00 P* M.

Alarm from: Box No. *6122* Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *4:15 P* M. Miles traveled *2*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1850</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>75'</i>
---	---	---	---

Location of fire, or origin of alarm (street and number) *Morgan Ave*

Cause of fire

General description of building or occupancy *Greystones School*

Owner of building *Town of North Providence*

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng. 1-2-6* *Ladder 1-2* *Pess. 1-2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt C. Salisbury
Lt. E. Di Giulio

J. Mullen

B. Di Giulio

R. Beauland

J. Borske

V. Marciano

F. Rotella

REMARKS:

B. Di Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. 142

Report No. 699

District Centredale

Date 5/24 1972

Time alarm was received 10:50 P.M.

Alarm from: Box No. Headquarters by phone ✓ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:20 P.M. Miles traveled 6

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper ... 1250 GPM Booster tank ... 500 gals. Ladder truck
	☒ Fire in brush or grass		
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☐ False alarm	
	☐ Fire in vehicle in street	Shack + Brush	

Location of fire, or origin of alarm (street and number) Pandet St.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	1	1-inch	200'		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	Total Feet				
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. 10 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1 - 2 Car 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief C. Di Giulio
Capt. C. Salisbury

J. Mollo
E. Pelland
K. Middleton
D. Mariano
P. Ruggino
J. Borek
J. Lane
F. Rotella
T. Russo

REMARKS: Small Shack + small area of Brush.

Chief C. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Cent. Cent. Company No. 143

Report No. No file #

District Cent

Date 5-25 19 77

Time alarm was received 11:30 A. M.

Alarm from: Box No. Headquarters by phone Other (described) company phone

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:45 A. M. Miles traveled 1

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☒ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank gals. Ladder truck
--	---	--	---

Location of fire, or origin of alarm (street and number) 83 Angellane

Cause of fire

General description of building or occupancy

Owner of building P. Ruggiano

Owner's address 83 Angellane

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. Salihung
Lt. DiStasio

J. Mello

B. DiStasio

J. Borek

V. DiStasio (hym.)

REMARKS: Investigation of heat from cellar.
downdraft from attic opening.
needless run.

B. DiStasio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *144*

Report No. *704*

District *Centredale*
5/25

Date *5/25* 19*72*

Time alarm was received *3:10 P* M.

Alarm from: Box No. Headquarters by phone *✓* Other (described)

Reported to cover Company No. at M., on authority of *1:10 P*

Ordered Home by at M. In quarters at *13* M. Miles traveled

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☒ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED <i>WITH 50</i> Pumper <i>500</i> GPM Booster tank gals. Ladder truck
--	--	---	---

Location of fire, or origin of alarm (street and number) *Smithfield Rd*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<i>1</i>	1-inch	<i>150'</i>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. *30* min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-3-4 Car 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. C. Salisbury
Lt. E. Di Giulio

J. Mollo

B. Di Giulio

K. Middleton

D. Marciano

F. Rotella

REMARKS:

B. Di Giulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 145

Report No. 707

District Centredale

Date 5/26/1972

Time alarm was received 10:30 A. M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:50 A. M. Miles traveled

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm <u>Bomb scare</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) Town Hall - Smith St

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1 Ladder 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt J. Murphy
Capt C. Salisbury
Lt C. Di Giulio

J. Mollo
B. Di Giulio
F. Rotella

REMARKS:

Capt. J. Murphy
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 146

Report No. 709

District General

Date 5/26 1972

Time alarm was received 12:00 P.M.

Alarm from: Box No. 6212 Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 12:28 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>75'</u>
	☐ Fire in brush or grass		
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☐ False alarm	
	☐ Fire in vehicle in street	<u>Waste Basket</u>	

Location of fire, or origin of alarm (street and number) High School Main Spr. Ave.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1-2-3-4-5 Ladder 1-2 Res. 2-3

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. C. Salisbury
Lt. E. Di Giulio

J. Mello
B. Di Giulio
W. Ray
F. Rotella
J. Marwell

REMARKS:

B. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *147* Report No. *711*
 District *Symmesville*
 Date *5/26* 19*72* Time alarm was received *5:17 P.*M.
 Alarm from: Box No. Headquarters by phone ☒ Other (described)
 Reported to cover Company No. atM., on authority of
 Ordered Home by atM. In quarters at *5:30 P.*M. Miles traveled *5*

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck
	☒ Fire in brush or grass		
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☐ False alarm	
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) *Frank Hill Ave R.I. College*
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,
 ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng. 1-2-6*

Estimated loss

(over)

MEN RESPONDING TO ALARM: Chief & Di Giulio

W. Roy

F. Burrise

B. Di Giulio

R. Pagani

K. Middleton

J. Borek

P. Ruggiero

F. Rotella

T. Russo

REMARKS: Code Yellow

Chief & Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 148

Report No. 712

District F.H.

Date 5/26 1972

Time alarm was received 9:43^P M.

Alarm from: Box No. 442 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 9:45^P M. Miles traveled 0

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) Washakie + Towanda

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng. 1-2 Ladder 1 Resc. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury

C. Harrington

W. Roy

F. Bursie

P. Ruggiano

R. Daprato

F. Rotella

T. Russo

REMARKS:

Code Blue

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 149

Report No. 714

District Centredale

Date 5/87 1972

Time alarm was received 11:10 A M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:40 A M. Miles traveled 4

CLASSIFICATION OF ALARM	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH		
	☒ Fire in brush or grass				
	☐ Fire in rubbish near building			☐ Rescue or emergency	Pumper <u>1250</u> GPM
	☐ Fire in rubbish in vacant lot			☐ Needless call	Booster tank <u>500</u> gals.
	☐ Fire in a dump			☐ Accidental alarm	Ladder truck
	☐ Other fire outdoors			☐ False alarm	
Check the proper square	☐ Fire in vehicle in street				

Location of fire, or origin of alarm (street and number) Greystone + Larchmont Aves

Cause of fire unknown

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>4</u>	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
<u>3</u>	<u>Brooms</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1 Special Signal Eng 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt C. Salisbury
Lt. R. Salisbury

W. Roy

E. Pelland

J. Borek

J. Lane

P. Ruggiano

F. Burrise

F. Cley (Gyman.)

J. Marwell

T. Russo

F. Rotella

A. Imma

REMARKS: Area in woods off Larchmont
1 acre of land

Capt C. Salisbury

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 150

Report No. 715

District Centredale

Date 5/27 1972

Time alarm was received 12:50 P M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 1:32 P M. Miles traveled 8

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) Larchmont Ave.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>2</u>	Pump Tanks	<u>2</u>	1-inch	<u>300</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 20 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. C. Salisbury

W. Roy

E. Pelland

F. Burrie

J. Borek

J. Lane

B. Di Giulio

K. Di Giulio

F. Rotella

T. Russo

T. Perna

REMARKS: Area adjacent to previous fire (File - 714)

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 151

Report No. 717

District CENT.

Date 5/22/1972

Time alarm was received 4:57 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 5:10 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☒ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) REAR UNCLE TONY'S PIZZA

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>50'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 10 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF DiGiulio

LT. DiGiulio

LT. Salisbury

W. ROY

C. HARRINGTON

E. PELLAND

F. BURSIE

J. BOREN

P. RUGGIANO

H. DiGiulio

J. MARWEH JR

T. PERNA

R. PARENTIAU

F. ROTELLA

REMARKS:

CHIEF DiGiulio

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *152* Report No. *719*
 District *F. H.*
 Date *5/27* 19*72* Time alarm was received *9:42 P*.M.
 Alarm from: Box No. *6413* Headquarters by phone Other (described)
 Reported to cover Company No. atM., on authority of
 Ordered Home by atM. In quarters at *9:52 P*.M. Miles traveled *3*

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>475'</i>
---	---	--	--

Location of fire, or origin of alarm (street and number) *Central Ave.*
 Cause of fire
 General description of building or occupancy *James L. McGuire School*
 Owner of building *Town of North Providence*
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,
 ft. line, in hose,
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding *Eng. 1-2-6* *Ladder 1-2* *Resc. 2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Lt. R. Salisbury

W. Roy

P. Ruggiano

J. Lane

REMARKS:

Code Blue

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTERDALE Company No. 153

Report No. 720

District CENT

Date 5/22/19 22

Time alarm was received 10:50 P. M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 2:30 A. M. Miles traveled 28

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☒ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) TOWN DUMP SMITHFIELD RD.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper 3 hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1-3-4

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF DIGIUKHO
LT. SALISBURY

W. ROY

W. LUKOWSKI

R. MARWEH

P. RUGGIANO

J. HANE

REMARKS: WATER SHUTTLE FROM HYD. FRONT OF
SMITHFIELD DUMP

CHIEF D. G. H. O.
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Centredale Company No. 154

Report No. 785

District Centredale

Date 5/28 1972

Time alarm was received 3:45 A M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 3:52 P M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) Hobson + Howard

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: _____

J. Molls

W. Ray

E. Pelland

P. Ruggiano

F. Burdick

J. Borek

T. Perna

T. Russo

REMARKS: Call for brush fire. No fire

W. Ray.
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

CENTRA DALE Company No. 155

Report No. 726

District CENT

Date 5/28 1972

Time alarm was received 3:52 P.M.

Alarm from: Box No. Headquarters by phone STILL Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:28 P.M. Miles traveled 2

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
--	--	---	--

Location of fire, or origin of alarm (street and number) BOURNE & HOWARD

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>3</u>	Pump Tanks	<u>1</u>	1-inch	<u>25'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>2</u>	<u>BA0045</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. 5 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: _____

J. MOHLO

W. ROY

E. PERLAND

F. BURSIE

J. BOREK

P. RUBBIANO

J. LANE

D. MARCIANO

T. RUSSO

T. PERNA

REMARKS: _____

W. Roy

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *156*

Report No. *727*

District *Centredale*

Date *5/12/88* 19 *72*

Time alarm was received *6:00 P* M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at *6:27 P* M. Miles traveled *1*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck
---	---	--

Location of fire, or origin of alarm (street and number) *Graystone School (Rear)*

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt. C. Salisbury
St. R. Salisbury
Chief E. De Giulio

J. Mollo
W. Roy
R. Paquet
F. Bursia
J. Borek
J. Lane
F. Rotella
A. Imma
T. Berna

REMARKS: Code Blue. Call came in for rear of
school walked woods. No sign of fire.

Capt. C. Salisbury
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 157 Report No. 732
 District Centredale
 Date 5/29 1972 Time alarm was received 1:20 P.M.
 Alarm from: Box No. _____ Headquarters by phone ☒ Other (described) _____
 Reported to cover Company No. _____ at _____ M., on authority of _____
 Ordered Home by _____ at _____ M. In quarters at 1:35 P.M. Miles traveled 1

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck _____ _____ _____
	☐ Fire in brush or grass		
	☐ Fire in rubbish near building	☐ Rescue or emergency	
	☐ Fire in rubbish in vacant lot	☐ Needless call	
	☐ Fire in a dump	☐ Accidental alarm	
	☐ Other fire outdoors	☒ False alarm	
	☐ Fire in vehicle in street		

Location of fire, or origin of alarm (street and number) Morgan Ave. Near Greystone School
 Cause of fire _____
 General description of building or occupancy _____
 Owner of building _____
 Owner's address _____

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid _____ ft. _____ line, _____ in hose, _____
 _____ ft. _____ line, _____ in hose, _____
 Working time of pumper _____ hrs. _____ min.
 Equipment lost or found _____
 Equipment damaged or destroyed _____
 Companies responding Eng 1

 Estimated loss _____

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt. J. Murphy
Capt. C. Salisbury
Lt. E. Di Giulio
Lt. R. Salisbury

W. Roy
C. Harrington
E. Pelland
R. Paquet
K. Middleton
B. Di Giulio
P. Ruggiano
P. Palumbo
J. Borek
J. Lane
A. Imma
T. Perna

REMARKS: Code Blue

Call for brush fire.

no fire.

Chief E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. 158

Report No. 793

District Centredale

Date 5/29 1972

Time alarm was received 3:45 P.M.

Alarm from: Box No. Headquarters by phone ☒ Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:25P.M. Miles traveled 6

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
--	--	---	--

Location of fire, or origin of alarm (street and number) 14 South Larchmont

Cause of fire Set

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<u>4</u>	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
<u>2</u>	<u>Brooms</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 20 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding Eng 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Chief E. Di Giulio
Capt J. Murphy
Capt C. Salisbury
Lt. E. Di Giulio

W. Ray
H. Harby Jr.
B. Di Giulio
R. Papert
K. Middleton
J. Lane
J. Borek
F. Rotella
T. Perna
T. Russo

REMARKS:

Lt. E. Di Giulio
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Centredale Company No. *159*

Report No. *746*

District *Centredale*

Date *5/31* 19*72*

Time alarm was received *3:45 P.M.*

Alarm from: Box No. *6122* Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at *4:05 P.M.* Miles traveled *1*

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <i>1250</i> GPM Booster tank <i>500</i> gals. Ladder truck <i>#75</i>
---	--	---	---

Location of fire, or origin of alarm (street and number) *Graystone School*

Cause of fire *set*

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
<i>2</i>	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding *Eng 1-3-6 Ladder 1-2 Res. 2*

Estimated loss

(over)

MEN RESPONDING TO ALARM:

Capt J. Murphy
Capt C. Salisbury
Lt. E. Di Giulio

J. Mollo
W. Roy
K. Middleton
B. Di Giulio
J. Lane
D. Charpentier

REMARKS:

Box pulled for brush in woods
Code yellow

Lt. E. Di Giulio

Officer in Charge