

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

Company No. **#92**
 District **CENTREDALE**

Report No. **#396**

Date **3/1** 19**73**

Time alarm was received **10:32 A.M.**

Alarm from: Box No. Headquarters by phone **XX** **STILL ALARM** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **10:45 A.M.** Miles traveled **2**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm GRASS	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
--	--	--	---

Location of fire, or origin of alarm (street and number) **50 ALLEN AVE.**

Cause of fire **SET**

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
No.	Type	Total Feet				
	Aerial					
	Over 35 ft.					
	Short ladders					

Hose lines laid ft. line, in hose.
 ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE #1**

Estimated loss

(over)

MEN RESPONDING TO ALARM: _____ LT. E. DI GIULIO

J. MOLLO

P. PHILLIPS

B. DI GIULIO

T. RUSSO

W. DRAPER

REMARKS: ~~2~~BOYS 8 TO 9 YEARS OLD. PLAYING WITH MATCHES.

~~SET FIRE TO GRASS UNDER SAND BOX. OUT ON ARRIVAL.~~

~~SENT ON STILL ALARM. FOR SMOKE INVESTIGATION.~~

B. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #93

Report No. #403

District LYMANSVILLE

Date 3/1 1973

Time alarm was received 5:20 P.M.

Alarm from: Box No. 5541 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 5:21 P.M. Miles traveled 4

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm ..CODE..YELLOW	EQUIPMENT RESPONDED WITH Pumper ..1250..... GPM Booster tank ..500... gals. Ladder truck ..#75.....
---	--	---	---

Location of fire, or origin of alarm (street and number) GREENVILLE & PACKARD

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,
 ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #1, 6. LADDER #1. RESCUE #1, 2.

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT. C. SALISBURY

LT. E. DI GIULIO

LT. R. PAQUET

W. ROY

E. PELLAND

J. BOREK

T. RUSSO

F. BURSIE

D. BAZZLE

J. LANE

C. ZAHN

G. KENNAWAY

F. ROTELLA

W. DRAPER

REMARKS: CODE YELLOW BRUSH

CHIEF EI DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

~~CENTREDALE~~ Company No. #94

Report No. #405

District LYMANSVILLE

Date 3/1 1973

Time alarm was received 5:30 P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 6:45 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
	☒ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☐ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street	<u>CODE YELLOW</u>	

Location of fire, or origin of alarm (street and number) WARREN & MAPLE

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>100'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
<u>2</u>	<u>BROOMS</u>	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 1.0 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #1

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT. C. SALISBURY

LT. E. DI GIULIO

J. MOLLO

W. ROY

E. PELLAND

J. BOREK

R. PARENTEAU

C. ZAHN

D. FORTIN

D. CLEMENTE

F. ROTELLA

W. DRAPER

REMARKS: VACANT LOT CORNER OF WARREN & MAPLE.

COVERED FOR ENGINE #6. OUT TO ANOTHER FIRE.

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #95

Report No. #407

District GENEVA

Date 3/1 19 73

Time alarm was received 9:20 P.M.

Alarm from: Box No. 7212 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 9:45 P.M. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1121250PM Booster tank 500 gals. Ladder truck #75
CODE RED			

Location of fire, or origin of alarm (street and number) SMITHFIELD RD.

Cause of fire

General description of building or occupancy GOLDEN CREST

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #1,2,3,5,6. LADDER #1,2. RESCUE 1,2,3.

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO
CAPT. C. SALISBURY

J. MOLLO
W. ROY
T. RUSSO
T. TERNA
R. PARENTEAU
K. MIDDLETON
G. ZAHN
D. FORTIN
R. RATHIER
CLEMENTE
F. ROTELLA

REMARKS:

J. MOLLO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #96

Report No. #412

District FRUIT HILL

Date 3/2 1973

Time alarm was received 4:10p M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 4:28 PM. Miles traveled 5

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) SMITH ST. REAR OF STOP & SHOP

Cause of fire SET

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	1	1-inch	100'		
	Foam		1 1/2-inch			
	Loaded Stream		2 1/2-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
1	BROOM	No.	Type	Total Feet		
1	PIKE POLE		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. 5 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. +

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

LT. E. DI GIULIO

J. MOLL

W. ROY

D. BAZZLE

D. FORTIN

P. PHILLIPS

F. ROTELLA

W. DRAPER

REMARKS:

COVERED FOR FRUIT HILL ENG. 2

B. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #97

Report No. #413

District CENTREDALE

Date 32/2 1973

Time alarm was received 4:41 p.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:50 p.M. Miles traveled 1

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☒ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
--	--	---	--

Location of fire, or origin of alarm (street and number) STEVENS & CENTREDALE ST.

Cause of fire RUBBISH BARREL

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	<u>1</u>	1-inch	<u>20'</u>		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 5 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

CAPT C. SALISBURY

J. MOLLO

W. ROY

J. BOREK

F. BURSIE

B. DI GIULIO

D. FORTIN

D. BAZZLE

P. PHILLIPS

R. SALISBURY

F. ROTELLA

W. DRAPER

REMARKS: RUBBISH BARREL

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENT. Company No. # 98 Report No. # 415
 District FRUIT HILL
 Date 3/2 1973 Time alarm was received 8:29 p.M.
 Alarm from: Box No. 426 Headquarters by phone Other (described)
 Reported to cover Company No. at M., on authority of
 Ordered Home by at M. In quarters at 8:35 p.M. Miles traveled 3

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck # 75
	☐ Fire in brush or grass	☐ Rescue or emergency	
	☐ Fire in rubbish near building	☐ Needless call	
	☐ Fire in rubbish in vacant lot	☐ Accidental alarm	
	☐ Fire in a dump	☒ False alarm	
	☐ Other fire outdoors		
	☐ Fire in vehicle in street	CODE BLUE	

Location of fire, or origin of alarm (street and number) FRUIT HILL & HIGHLAND
 Cause of fire
 General description of building or occupancy
 Owner of building
 Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
 ft. line, in hose.
 Working time of pumper hrs. min.
 Equipment lost or found
 Equipment damaged or destroyed
 Companies responding ENG. 2, 1 LADDER 1 RES. X 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO
LT. E. DI GIULIO

LT. R. PAQUET

J. BOREK

R. IAFRATE

G. KENNAWAY

W. LUKOWSKI

R. SALISBURY

D. BAZZLE

D. FORTIN

T. RUSSO

W. DRAPER

REMARKS: NONE

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #99

Report No. #431

District FRUIT HILL

Date 3/5 1973

Time alarm was received 12:15 P.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 4:10 PM. Miles traveled 52

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE RED	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck #75
--	--	--	---

Location of fire, or origin of alarm (street and number) 15 HOWE STREET

Cause of fire

General description of building or occupancy 2 2 STORY WOOD

Owner of building HARRY BEDRICK

Owner's address SAME

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	2	1-inch	200'		
	Foam	2	1 1/2-inch	350'		
	Loaded Stream	1	2 1/2-inch or larger	500'		
	Carbon Dioxide					
	Dry Chemical					
200' WIRE CORD		LADDERS USED			GENERATOR USED	
		No.	Type	Total Feet		
1	PRY AXE 4 SCOTTS.		Aerial		1 HOUR	
5	AXES. 1 PIKE POLE	2	Over 35 ft.	70'		
	CELLAR PIPE. 1 HANDLIGHT	2	Short ladders	38'		
1	SLEDEGE HAMMER.					

Hose lines laid 590 ft. 1 line, 2 1/2 in hose.

350' ft. 2 lines 1 1/2 in hose.

Working time of pumper 3 hrs. 15 min.

Equipment lost or found

Equipment damaged or destroyed 1 SLEDEGE HAMMER HANDLE BROKEN. 1 1/2" HOSE BROKEN.

Companies responding ENGINE #1, 2, 6, 4. LADDER #1 RESCUE #2. CAR #1

Estimated loss

(over)

MEN RESPONDING TO ALARM: LT. E. DI GIULIO

J. MOLLO

W. ROY

E. PELLAND

J. BOREK

B. DI GIULIO

J. LANE

JEFF MURPHY

J. MURPHY SR.

P. PHILLIPS

D.FORTIN

R. RATHIER

R. IAFRATE

F. ROTTELA

W. DRAPER

REMARKS: FIRE IN CELLAR. STARTED IN BOILER ROOM.HEAVY FIRE, WATER,
SNOKE DAMAGE .

LT. E. DI GIULIO

Officer in Charge

Fire Department Company Run Report

Report No.#433.....

Time alarm was received 4.38 P.M.

Reported to cover Company No. atM., on authority of

Ordered Home by at M. In quarters at 4.45 P.M. Miles traveled 3.....

Location of fire, or origin of alarm (street and number) BIRCHWOOD SCH 00L

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

Hose lines laid ft. line, in hose,

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #1 3 4 LADDER#1

Estimated loss

(over)

MEN RESPONDING TO ALARM: LT. E. DI GIULIO
CAPT. C. SAISBURY

J. MOLLO

W. ROY

E. PELLAND

J. BOREK

J. LANE

JEFF MURPHY

F. BURSIE

P. PHILLIPS

B. DI GIULIO

F. ROTELLA

W. DRAPER

REMARKS: CODE YELLOW FOR ENGINE #3.

LT. E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

CENTREDALE... Company No. #101.....

Report No.#439.....

District CENTREDALE....

Date3/6..... 1973.....

Time alarm was received 9:54 A.M.

Alarm from: Box No. Headquarters by phone XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:10AM. Miles traveled1.....

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper ..1250..... GPM Booster tank ..500..... gals. Ladder truck #75.....
SMOKE INVESTIGATION		

Location of fire, or origin of alarm (street and number) 67 WATERMAN AVE.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
		1	Short ladders	140		

Hose lines laid ft. line, in hose,

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #1. LADDER #1.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. J. MURPHY
LT. E. DI GIULIO

J. MOLLO

E. PELLAND

B. DI GIULIO

P. RUGGIANO

P. PILLIPS

JEFF MURPHY

F. ROTELLA

W. DRAPER

REMARKS: CHECKING LEAKS IN SEWER WITH SMOKE BOMBS.
SMOKE COMING FROM VENT ON ROOF. NO FIRE.

LT. E. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #102

Report No. #440

District CENTREDALE

Date 3/6 1973

Time alarm was received 10:59 A.M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:15 A.M. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☒ Needless call ☐ Accidental alarm ☐ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	---	---	--

Location of fire, or origin of alarm (street and number) 20 LARCHMONT AVE.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #1.

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. J. MURPHY

LT. E. DI GIULIO

J. MOLLO

E. PELLAND

C. HARRINGTON

JEFF MURPHY

P. RUGGIANO

P. PHILLIPS

B. DI GIULIO

W. DRAPER

REMARKS: MEN TESTING SEWER LINES WITH SMOKE.

CAPT. J. MURPHY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. **#103**

Report No. **#446**

District **GENEVA**

Date **3/6** 19**73**

Time alarm was received **4:47** P.M.

Alarm from: Box No. **6214** Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **5:02** P.M. Miles traveled **4**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck #75
---	--	--	--

Location of fire, or origin of alarm (street and number) **OFF BROOK FARM FRAM RD.**

Cause of fire

General description of building or occupancy

Owner of building **TOWN OF NORTH PROVIDENCE**

Owner's address **BERCHWOOD SCHOOL**

EXTINGUISHERS USED			HOSE LINES USED			SALVAGE COVERS USED	
No.	Type		No.	Size	Total Feet	No.	Floor
	Pump Tanks			1-inch			
	Foam			1½-inch			
	Loaded Stream			2½-inch or larger			
	Carbon Dioxide						
	Dry Chemical		LADDERS USED				
			No.	Type	Total Feet		
				Aerial			
				Over 35 ft.			
				Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE #3,5. LADDER#1,2. RESCUE#3.**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT. C. SALISBURY

W. ROY

J. BOREK

E. PELLAND

F. BURSIE

D. BAZZILLE

D. FORTIN

C. ZAHN

W. DRAPER

F. ROTELLA

REMARKS: CODE YELLOW. ENGINE#3.

E. PELLAND

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. **#104**

Report No. **#450**

District **CENTREDALE**

Date **3/6** 19**73**

Time alarm was received **8:23 P.M.**

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **9:25 PM**. Miles traveled **4**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☒ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) **TOWN DUMP**

Cause of fire

General description of building or occupancy

Owner of building **TOWN OF NORTH PROVIDENCE**

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream	1	2½-inch or larger	400'		
	Carbon Dioxide					
	Dry Chemical					
1 HANDLIGHT						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid **400'** ft. **1** line, **2½** in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE#1.**

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

J. MOLLO

W. ROY

E. PELLAND

D. MARCIANO

J. BOREK

T. RUSSO

T. PERNA

R. PARENTEAU

C. ZAHN

G. KENNAWAY

H. DARBY

D. BAZZLE

D. FORTIN

F. ROTELLA

REMARKS: RAN ONE 2 $\frac{1}{2}$ " HANDLINE FROM HYDRANT AT GATE.
DUMP BURNING IN 3PLACES. CALLED FOR BULLDOZER.

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. **#105**

Report No. **#455**

District **CENTREDALE**

Date **3/7** 19**73**

Time alarm was received **8:55 A.M.**

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **9:14 A.M.** Miles traveled **4**

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm SHACK CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck #75
---	---	---	---

Location of fire, or origin of alarm (street and number) **64 ~~XXX~~ EDDY ST.**

Cause of fire **SET**

General description of building or occupancy **WOOD**

Owner of building **GEORGIANA CARANCI**

Owner's address **SAME**

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	1	1-inch	200'		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid **200'** ft. **1"** line, **1'** in hose.

..... ft. line, in hose.

Working time of pumper hrs. **10** min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE#1,2. LADDER#1.**

Estimated loss

(over)

MEN RESPONDING TO ALARM: LT. E. DI GIULIO

J. MOLLO

E. PELLAND

J. BOREK

B. DI GIULIO

M. CLEMENTE

R. CRANSHAW

C. HARRINGTON

P. PHILLIPS

F. ROTELLA

W. DRAPER

REMARKS: SMALL SHACK. LITTLE DAMAGE. HAD BEEN BURNT ONCE BEFORE.
OWNER SAW KIDS RUNNING. FIRE GEPT. CALLED POLICE.
USED FOR STORAGE. SHACK IS KEPT UNLOCKED.

LT. E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #106

Report No. #459

District LYMANSVILLE

Date 3/7 1973

Time alarm was received 10:40 P.M.

Alarm from: Box No. 514 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:49 Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☒ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck <u>#75</u>
ACCIDENT		

Location of fire, or origin of alarm (street and number) LYMAN & GREENVILLE AVE.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 6, 2 LADDER 1 RES. 1, 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

CAPT. J. MURPHY

LT. R. PAUQUET

J. MOLLO

W. ROY

E. PELLAND

R. IAFRATE

C. ZAHN

D. BAZZLE

D. FORTIN

P. PALUMBO

R. RATHIER

M. CLEMENTE

T. RUSSO

T. PERNA

R. PARENTEAU

REMARKS: AUTO ACCIDENT

LT. R. PAQUET

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #107

Report No. # 470

District FRUIT HILL

Date 3/9 19 73

Time alarm was received 11:45a.m.

Alarm from: Box No. Headquarters by phone xx Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:50a.m. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☒ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck # 75
---	--	--	---

Location of fire, or origin of alarm (street and number) 14 SAMPSON AVE.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1, 2, 6 LADDER 1 RES. 2 CAR 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT. J. MURPHY

LT. E. DI GIULIO

J. MOLLO

E. PELLAND

G. KENNAWAY

K. MIDDLETON

P. PHILLIPS

B. DI GIULIO

F. ROTELLA

W. DRAPER

REMARKS: SMOKE INVESTIGATION

LT. E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE..... Company No. **#108**.....

Report No. **#472**.....

District **CENTREDALE**

Date **3/9**..... 19 **73**.....

Time alarm was received **2:00** p.m.

Alarm from: Box No. Headquarters by phone **XX**..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **2:20** p. Miles traveled **1**.....

CLASSIFICATION OF ALARM Check the proper square	☒ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck #75
--	--	--	--

Location of fire, or origin of alarm (street and number) **11 ALLEN AVE.**.....

Cause of fire **SMOKE BOMB NO FIRE**.....

General description of building or occupancy **APT. HOUSE**.....

Owner of building **DONATELLI**.....

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical		LADDERS USED			
2	SMOKE EJECTORS	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG 1 LADDER 1**.....

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT J. MURPHY

LT. E. DI GIULIO

J. MOLLO

G. KENNAWAY

C. HARRINGTON

P. RUGGIANO

P. PHILLIPS

B. DI GIULIO

W. DRAPER

REMARKS: FOUND HALLWAY & LAUNDRY ROOM FULL OF SMOKE CAUSED BY
SMOKE THERE WAS NO FIRE CHECK WASHING MACHINE TO BE SURE
BOMB

CAPT J. MURPHY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #109

Report No. #475

District CENTREDALE

Date 3/9 1973

Time alarm was received 6:07 p.m.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 6:30 p.m. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm POLE FIRE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) SMITH & ALLEN

Cause of fire WIRES

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical		LADDERS USED			
	NONE	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

CAPT J. MURPHY

CAPT C. SALISBURY

LT. R. PAQUET

W. ROY

E. PELLAND

C. ZAHN

D. FORTIN

F. BURSIE

K. MIDLETON

J. BOREK

D. BAZZLE

M. CLEMENTE

T. RUSSO

W. DRAPER

F. ROTELLA

REMARKS:

STAND BY UNTIL ELEC. CO. ARRIVED

CHIEF E. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #110

Report No. #476

District FRUIT HILL

Date 3/9 1973

Time alarm was received 10:10p M.

Alarm from: Box No. 413 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:18p M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
CODE BLUE			

Location of fire, or origin of alarm (street and number) SMITH & FRUIT HILL

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1,3,6 LADDER 1 RES 1&1a

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

CAPT J. MURPHY

LT. E. DI GIULIO

LT. R. PAQUET

C. ZAUN

D. FORTIN

F. BURSIE

D. BAZZLE

M. CLEMENTE

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS: CODE BLUE

CHIEF E. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

.....CENTREDALE Company No. #111.....

Report No# 477.....

District CENTREDALE.....

Date 3/9..... 19 73.....

Time alarm was received 10:22p.M.

Alarm from: Box No. Headquarters by phone XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:30p.M. Miles traveled 2.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250..... GPM Booster tank 500 gals. Ladder truck # 75.....
---	--	---

Location of fire, or origin of alarm (street and number) UNCLE TONYS PIZZA.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1,3,6 LADDER1 RES. 1& 1a.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO
CAPT J. MURPHY
LT. E. DI GIULIO
LT. R. PAQUET

C. ZAHN

D. FORTIN

F. BURAIÉ

D. BAZZLE

M. CLEMENTE

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS: CODE BLUE

CHIEF E. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

...CENTREDALE Company No. **#112**.....

Report No.**#478**.....

District **lyman**.....

Date **3/9**..... 19**73**.....

Time alarm was received **10:38p**...M.

Alarm from: Box No. **516**..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **10:45p** M. Miles traveled **3**.....

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck #75
---	---	--	---

Location of fire, or origin of alarm (street and number)**VICTORIA HUMBERT**.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding**ENG. 1, 3, 6**.... **LADDER 1**.... **RES. 1 & 1a**....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT J. MURPHY

LT. E. DI GIULIO

C. ZAHN

D. FORTIN

F. BURSIE

R. IAFRATE

D. BAZZLE

M. CLEMENTE

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS: CODE BLUE

CHIEF E. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

CENTREDALE Company No. #113

Report No. #482

District LYMAN

Date 3/10 19 73

Time alarm was received 11:16A M.

Alarm from: Box No. 515 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:19a M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) LYMAN & FRUIT HILL

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 6, 2 LADDER 1 RES. 1, 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO
CAPT J. MURPHY

LT. E. DI GIULIO

LT. R. PAQUET

J. MOLLO

B. ROY

E. PELLAND

C. ZAHN

D. BAZZLE

P. RUGGIANO

D. MARCIANO

C. CLEMENTE

T. RUSSO

T. PERNA

R. PARENTEAU

REMARKS: CODE BLUE

CHIEF E. DI GIULIO
Officer in Charge

Fire Department Company Run Report

Ordered Home by atM. In quarters at **9:15** p.M. Miles traveled**3**.....

(over)

MEN RESPONDING TO ALARM: _____

CAPT J. MURPHY

LIEUT E. DI GIULIO

LIEUT R. PAQUET

E. PELLAND

C. ZAHN

D. FORTIN

F. BURSIE

J. BOREK

R. IAFRATE

D. BAZZLE

R. RATHIER

M. CLEMENTE

T. RUSSO

T. PERNA

F. ROTELLA

REMARKS: CODE BLUE

CAPT J. MURPHY JR.

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

Company No. **#114**
District **CENTREDALE**

Report No. **#486**

Date **3/10** 19**73**

Time alarm was received **3:50 p** M.

Alarm from: Box No. Headquarters by phone **STILL** Other (described)

Reported to cover Company No. at **PASSERBY** M., on authority of

Ordered Home by at M. In quarters at **4:00 p** M. Miles traveled **3**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☒ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm TREE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	---	--	--

Location of fire, or origin of alarm (street and number) **MUNICIPLE PARKING LOT OFF SMITH ST.**

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	1	1-inch	50'		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
1	AXE	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. **10** min.

Equipment lost or found

Equipment damaged or destroyed **YES, 1**

Companies responding

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

J. MOLLO

W. ROY

E. PELLAND

C. ZAHN

D. FORTIN

D. MARGIANO

R. IAFRATE

D. BAZZLE

H. DARBY

M. CLEMNETTE

T. RUSSO

F. ROTELLA

REMARKS: DEAD, HOLLOW TREE BURNING ALONG RIVER BANK

CHIEF E. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE.. Company No. **#115**.....

Report No. **#487**.....

District **FRUIT HILL**...

Date **3/10**..... 19 **73**...

Time alarm was received **8:27** p...M.

Alarm from: Box No. Headquarters by phone **XX**..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **8:35** p...M. Miles traveled **2**.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250..... GPM Booster tank 500.. gals. Ladder truck #75.....
---	--	---

Location of fire, or origin of alarm (street and number) **1701 SMITH ST.**.....

Cause of fire

General description of building or occupancy **GRANADA APTS.**.....

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
	NONE		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENG. 1, 2, 6 LADDER 1 RES. 1 & 2**.....

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. J. MURPHY

J. MOLLO

W. ROY

E. PELLAND

C. ZAHN

G. KENNAWAY

D. FORTIN

J. BOREK

D. BAZZLE

R. RATHER

H. DARBY

M. CLEMENTE

T. RUSSO

T. PERNA

REMARKS: CODE BLUE

CAPT J. MURPHY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #116

Report No. # 491

District CENTREDALE

Date 3/10 1973

Time alarm was received 10:52p M.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:00p Miles traveled 1

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
INVESTIGATION			

Location of fire, or origin of alarm (street and number) 23 BROWN AVE.

Cause of fire

General description of building or occupancy

Owner of building MARY RIVERS

Owner's address SAME

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
	NONE					
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose,

..... ft. line, in hose,

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT. J. MURPHY

LT. R. PAQUET

J. MOLLO

W. ROY

E. PELLAND

C. ZAHN

D. FORTIN

J. BOREK

D. BAZZLE

R. RATHIER

M. CLEMENTE

T. RUSSO

T. PERNA

REMARKS: WOMEN CALLED & SAID SHE SMELLED GAS CHECKED HOUSE &
FOUND NOTHING NOTIFIED HDQ. THEY SAID THEY HAD CONTACTED GAS CO.

CAPT J. MURPHY

Officer in Charge

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI DIULIO

CAPT. J. MURPHY

CAPT. C. SALISBURY

W. ROY

E. PELLAND

C. ZAHN

D. FORTIN

T. RUSSO

T. PERNA

R. SALISBURY

J. BOREK

D. BAZZLE

R. RATHIER

P. PALOMBO

M. CLEMENTE

W. DRAPER

REMARKS: WOOD PILE BEING BURNT.

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #118

Report No. #499

District LYMANSVILLE

Date 3/11 1973

Time alarm was received 5:36 P.M.

Alarm from: Box No. 6541 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 5:45 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	---	---

Location of fire, or origin of alarm (street and number) LAUREL ST.

Cause of fire

General description of building or occupancy LYMANSVILLE SCHOOL

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #1,2,6. LADDER #1,2. RESCUE #1,2.

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT. J. MURPHY

CAPT. C. SALISBURY

W ROY

E. PELLAND

C. ZAHN

D. FORTIN

T. RUSSO

T. PERNA

R. SALISBURY

J. LANE

D. BAZZLE

P. PALOMBO

R. CRANSHAW

W. DRAPER

REMARKS: CODE BLUE

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #119

Report No. #507

District FRUIT HILL

Date 3/12 1973

Time alarm was received 1:00 P.M.

Alarm from: Box No. 425 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 1:10 P.M. Miles traveled 3

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm code yellow	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck #75
---	--	---	---

Location of fire, or origin of alarm (street and number) SYLVIA & BELVIDERE BLVD.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #2,3,4 . LADDER #1. RESCUE #2.

Estimated loss

(over)

MEN RESPONDING TO ALARM: lt. e. di giulio

J. MOLLO

E. PELLAND

G. KENNAWAY

D. MARCIANO

P. PHILLIPS

W. DRAPER

REMARKS: BOX PULLED FOR BRUSH FIRE.

B. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. **#120**
District **CENTREDALE**

Report No. **#520**

Date **3/13** 19**73**

Time alarm was received **9:00 A.M.**

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **9:20 A.M.** Miles traveled **3**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) **PEACH HILL AVE.**

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	2	1-inch	150'		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. **10** min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE #1.**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. J. MURPHY
LT. E. DI GIULIO

J. MOLLO

B. DI GIULIO

P. PHILLIPS

C. HARRINGTON

J. BOREK

M. CLEMENTE

F. ROTELLA

W. DRAPER

A. IMMEA

REMARKS: GRASS FIRE IN EMPTY LOT.

B. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. **#121**

Report No. **#521**

District **CENTREDALE**

Date **3/13** 19**73**

Time alarm was received **12.40 P.M.**

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **1.15PM** Miles traveled **2**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	--	--	--

Location of fire, or origin of alarm (street and number) **JACKSONIA DRIVE**

Cause of fire **SET**

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
2	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
XXXXPUMP		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE #1.**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. J. MURPHY
LT. E. DI GIULIO

J. MOLLO
E. PELLAND
B. DI GIULIO
P. PHILLIPS
C. HARRINGTON
F. ROTELLA
W. DRAPER
A. IMMA

REMARKS: SMALL AREA IN REAR OF GREYSTON SCHOOL.

B. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE.. Company No. # 122.....

Report No. #531.....

District FRUIT HILL.....

Date 3/14..... 19.73.....

Time alarm was received 2:10 p...M.

Alarm from: Box No. Headquarters by phone XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 2:20p...M. Miles traveled 2.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarmCODE YELLOW.....	EQUIPMENT RESPONDED WITH Pumper1250..... GPM Booster tank 500 gals. Ladder truck
--	--	--	--

Location of fire, or origin of alarm (street and number) 11 OLYMPIA AVE.....

Cause of fire OPEN BURNING.....

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	1	1-inch	100'		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. 5.....min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: LT. E. DI GIULIO

J. MOLLO

E. PELLAND

JEFF MURPHY

D. FORTIN

C. HARRINGTON

D. BAZZLE

P. PHILLIPS

E. DI GIULIO

W. DRAPER

REMARKS: FILL IN FOR ENG 2 RUBBISH BURNER

B. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

.....CENTREDALE Company No. # 123.....

Report No. # 532.....

District FRUITHILL.....

Date 3/14..... 19 73.....

Time alarm was received 2:25 p.....M.

Alarm from: Box No. Headquarters by phone XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 2:55p.....M. Miles traveled 5.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank 500 gals. Ladder truck
.....CODE YELLOW.....			

Location of fire, or origin of alarm (street and number) HIGH SERVICE AVE.....

Cause of fire SET.....

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
4	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1.....

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: LT. E. DI GIULIO

J. MOLLO

E. PELLAND

JEFF. MURPHY

D. FORTIN

C. HARRINGTON

D. BAZZLE

P. PHILLIPS

B. DI GIULIO

W. DRAPER

REMARKS: COVERED FOR ENG 2 BRUSH FIRE IN STEPHEN OLNEY PARK

B. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. # 124

Report No. #537

District CENTREDALE

Date 3/15 19 73

Time alarm was received 9:40 a.m.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 9:55 a.m. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
CODE YELLOW			

Location of fire, or origin of alarm (street and number) WATERMAN AVE & BYPASS

Cause of fire SET

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks	1	1-inch	50'		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. 5 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 1

Estimated loss

(over)

MEN RESPONDING TO ALARM: LT. E. DI GIULIO

J. MOLLO

W. ROY

E. PELLAND

P. PHILLIPS

R. RUGGIANO

R. CRANSHAW

B. DI GIULIO

F. ROTELLA

W. DRAPER

REMARKS: SMALL BRUSH FIRE

B. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE..... Company No.#125.....

Report No.#543.....

District CENTREDALE

Date 3/15 1973

Time alarm was received 11:02p.M.

Alarm from: Box No. Headquarters by phone XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 11:10PM. Miles traveled 1

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck
---	---	--

Location of fire, or origin of alarm (street and number) 37 BROWN AVE.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
	NONE	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1, 2, LADDER 1 RES. 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

LT. R. PAQUET

J. MOLLO

B. ROY

D. FORTIN

F. BURSIE

K. MIDDLETON

J. BOREK

R. IAFRATE

D. BAZZLE

R. RATHIER

M. CLEMENTE

T. RUSSO

T. PERNA

REMARKS: CODE BLUE

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

..CENTREDALE Company No.#126.....

Report No. #544.....

DistrictFRUIT HILL.....

Date3/16..... 19.....73.....

Time alarm was received 10:18a..M.

Alarm from: Box No. Headquarters by phone ..XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:25aM. Miles traveled3.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☒ Accidental alarm ☒ False alarm CODE BLUE.....	EQUIPMENT RESPONDED WITH Pumper1250..... GPM Booster tank ...500... gals. Ladder truck #75.....
--	---	--	---

Location of fire, or origin of alarm (street and number)36 SUPERIOR BLVD.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
	NONE		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1, 2, 6 LADDER 1 RES 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT J. MURPHY

LIEUT E. DI GIULIO

J. MOLLO

G. KENNAWAY

P. PHILLIOS

C. HARRINGTON

B. DI GIULIO

F. ROTELLA

W. DRAPER

I. IEMMA

REMARKS: _____

CAPT J. MURPHY
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE... Company No. # 127...

Report No. # 549

District CENTREDALE

Date 3/ 16 19 73

Time alarm was received 10:16 P.M.

Alarm from: Box No. 122 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 10:21 P.M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck # 75
---	--	--	---

Location of fire, or origin of alarm (street and number) WATERMAN & SAWIN

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical		LADDERS USED			
	NONE	No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1, 2 LADDER 1 RES 1, 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

CAPT J. MURPHY

W. ROY

D. FORTIN

R. IAFRATE

D. BAZZLE

R. RATHIER

M. CLEMENTE

T. RUSSO

T. PERNA

B. DI GIULIO

REMARKS:

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. # 128

Report No. # 550

District LYMAN

Date 3/16 1973

Time alarm was received 11:28p M.

Alarm from: Box No. 511 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 11:35p M. Miles traveled 2

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper GPM Booster tank gals. Ladder truck # 75
---	---	---	--

Location of fire, or origin of alarm (street and number) MANNING & WHIPPLE

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
	NONE		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG 2, 6, LADDER 1 RES. 1, 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT J. MURPHY

LT. R. PAQUET

B. ROY

E. PELLAND

D. FORTIN

F. BURSIE

J. BOREK

R. IAFRATE

M. CLEMENTE

P. RUGGIANO

T. RUSSO

T. PERNA

REMARKS:

LIEUT. R. PAQUET

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

CENTREDALE Company No. #129 Report No. # 555

District LYMAN

Date 3/ 17 19 73 Time alarm was received 8:35 p. M.

Alarm from: Box No. 516 Headquarters by phone Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 8:40 p. M. Miles traveled 1

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
---	---	--	---

Location of fire, or origin of alarm (street and number) VICTOR & HUMBERT

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
	NONE		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1, 2, 6 LADDER 1 RES 1

.....

.....

Estimated loss

.....

.....

MEN RESPONDING TO ALARM: CAPT J. MURPHY

J. MOLLO

C. HARRINGTON

R. IAFRATE

T. RUSSO

R. SALISBURY

REMARKS: CODE BLUE

CAPT J. MURPHY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

~~CENTREDALE~~ Company No. #130

Report No. # 556

District fruit hill

Date 3/17 1973

Time alarm was received 8:55 p.M.

Alarm from: Box No. Headquarters by phone xx Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 8:56 p.M. Miles traveled 2

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>	EQUIPMENT RESPONDED WITH Pumper <u>1250</u> GPM Booster tank <u>500</u> gals. Ladder truck <u>#75</u>
--	---	--	---

Location of fire, or origin of alarm (street and number) 9 MYLES ST.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
	NONE		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1, 2, 6 LADDER 1 RES. 1 7& 2

Estimated loss

(over)

MEN RESPONDING TO ALARM: CAPT. J. MURPHY

J. MOLLO

G. KENNAWAY

C. HARRINGTON

R. BATHIER

T. RUSSO

F. ROTELLA

REMARKS: CALL WAS MADE TO THIS STATION BY PHONE

CAPT. J. MURPHY
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

CENTREDALE Company No. **#131**

Report No. **#560**

District **FRUIT HILL**

Date **3/18** 19 **73**

Time alarm was received **7:24 P.M.**

Alarm from: Box No. Headquarters by phone **XX** Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at **7:33 P.M.** Miles traveled **3**

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck #75
---	--	--	---

Location of fire, or origin of alarm (street and number) **659 FRUIT HILL AVE.**

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED			HOSE LINES USED			SALVAGE COVERS USED	
No.	Type		No.	Size	Total Feet	No.	Floor
	Pump Tanks			1-inch			
	Foam			1½-inch			
	Loaded Stream			2½-inch or larger			
	Carbon Dioxide						
	Dry Chemical		LADDERS USED				
			No.	Type	Total Feet		
				Aerial			
				Over 35 ft.			
				Short ladders			

Hose lines laid ft. line, in hose. ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE #1, 2, 6. LADDER #1. RESCUE #1, 2.**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO
CAPT. J. MURPHY
CAPT. C. SALISBURY
LT. R. PAQUET

J. MOLLO

E. PELLAND

T. RUSSO

T. BERNA

F. BURSIE

D. MARCIANO

M. CLEMENTE

S. BISHOP (FRUIT HILL)

F. ROTELLA

W. DRAPER

REMARKS: CODE BLUE

CHIEF E. DI GIULIO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE.. Company No.#132.....

Report No.#568.....

District ..CENTREDALE...

Date3/19..... 19...73...

Time alarm was received 4:39 P.M.

Alarm from: Box No. Headquarters by phone ..XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 4:50 PM. Miles traveled1.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☒ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper ...1250..... GPM Booster tank 500..... gals. Ladder truck
---	--	---

Location of fire, or origin of alarm (street and number)652 WOONASQUATUCKET AVE.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
1	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
		LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #1.

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CAPT. C. SALISBURY
CAPT. J. MURPHY

D. J. MOLLO

E. PELLAND

JEFF MURPHY

B. DI GIULIO

F. BURSIE

J. BOREK

F. ROTELLA

REMARKS: 20 GALLON RUBBISH BARREL NEAR GARAGE.
OWNER DID NOT CALL.

CAPT. C. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department

Company Run Report

CENTREDALE.. Company No. **#133**.....

Report No. **#572**.....

District **LYMANSVILLE**

Date **3/19**..... 19**73**...

Time alarm was received **7.30 P.M.**

Alarm from: Box No. **525**..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at **7.40 P.M.** Miles traveled **2**.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250..... GPM Booster tank 500..... gals. Ladder truck #75.....
---	---	--

Location of fire, or origin of alarm (street and number) **WOONASQUATUCKET & EMMAUEL AVE.**.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding **ENGINE #1, 2, 6. LADDER #1. RESCUE #1.**

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT. J. MURPHY

CAPT. C. SALISBURY

LT. E. DI GIULIO

J. MOLLO

E. PELLAND

C. ZAHN

D. FORTIN

J. BOREK

T. RUSSO

T. PERNA

R. SALISBURY

F. BURSIE

D. MARCIANO

R. IAFRATE

R. RATHIER

D. BAZZLE

F. ROTELLA

W. DRAPER

REMARKS: CODE BLUE

CAPT. C. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE. Company No. #134.....

Report No. #575.....

District LYMANSVILLE..

Date 3/19..... 1973.....

Time alarm was received 10:40 P.M.

Alarm from: Box No. 522..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 10:45 M Miles traveled 3.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm <u>CODE BLUE</u>.....	EQUIPMENT RESPONDED WITH Pumper<u>1250</u>..... GPM Booster tank<u>500</u>.. gals. Ladder truck <u>#75</u>.....
---	--	---	---

Location of fire, or origin of alarm (street and number) HUMBERT & VICTOR.....

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs.min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE #6,2. LADDER#1. RESCUE#1,1a,2......

.....

.....

Estimated loss

.....

.....

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO
CAPT. J. MURPHY
CAPT. C. SALISBURY
LT. R. PAQUET

D. FORTIN
D. MARCIANO

J. BOREK
D. BAZZLE

R. RATHIER

M. CLEMENTE
F. ROTELLA

REMARKS: CODE BLUE

CAPT. C. SALISBURY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE..... Company No. #135.....

Report No. #576.....

District fruit hill.....

Date 3/19..... 19 73.....

Time alarm was received 11:35 P.M.

Alarm from: Box No. Headquarters by phone XX..... Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at 11:39PM. Miles traveled 1.....

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper XXXX GPM Booster tank XXXX <u>XX</u> gals. Ladder truck <u>#75</u>
---	---	--	--

Location of fire, or origin of alarm (street and number) 16 FERNCREST AVE......

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical	LADDERS USED				
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENGINE#2,6. LADDER#1. RESCUE#2......

Estimated loss

(over)

MEN RESPONDING TO ALARM: CHIEF E. DI GIULIO

CAPT. J. MURPHY

LT. R. PAQUET

C. ZAHN

D. FORTIN

F. BURSIE

D. MARCIANO

J. BOREK

R. IAFRATE

D. BAZZLE

R. RATHIER

M. CLEMENTE

REMARKS: CODE BLUE

LT. R. PAQUET

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. #136

Report No. # 586

District centredale

Date 3/ 21 19.73

Time alarm was received 1:15 p.m.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 1:52 p.m. Miles traveled 6

CLASSIFICATION OF ALARM Check the proper square	☐ Fire in building ☒ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street	Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☐ False alarm CODE YELLOW	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	--	---	--

Location of fire, or origin of alarm (street and number) JOSLIN ST.

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
2	Pump Tanks	1	1-inch	200'		
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
LADDERS USED						
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

ft. line, in hose.

Working time of pumper hrs. 15 min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 1, 2

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CAPT J MURPHY

LT E. DI GIULIO

J. MOLLO

K. MIDDLETON

P. PHILLIPS

B. DI GIULIO

W. DRAPER

REMARKS:

AREA AROUND MURPHY'S JUNK YARD & WOODS BURNING

CAPT J. MURPHY

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE Company No. # 137

Report No. #587

District ~~X3X2XXX~~ FRUIT HILL

Date 3/21 19 73

Time alarm was received 4:55 p.m.

Alarm from: Box No. Headquarters by phone XX Other (described)

Reported to cover Company No. at M., on authority of

Ordered Home by at M. In quarters at 4:57 PM. Miles traveled 0

CLASSI- FICATION OF ALARM Check the proper square	☐ Fire in building ☐ Fire in brush or grass ☐ Fire in rubbish near building ☐ Fire in rubbish in vacant lot ☐ Fire in a dump ☐ Other fire outdoors ☐ Fire in vehicle in street Alarm Where There Was No Fire ☐ Rescue or emergency ☐ Needless call ☐ Accidental alarm ☒ False alarm CODE BLUE	EQUIPMENT RESPONDED WITH Pumper 1250 GPM Booster tank 500 gals. Ladder truck
---	---	--

Location of fire, or origin of alarm (street and number) 52 GREENFIELD AVE

Cause of fire

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
	NONE		Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.
ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies responding ENG. 2 & 1

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

CAPT. J. MURPHY

LIEUT E. DI GIULIO

E. PELLAND

C. ZAHN

F. BURSIE

J. BOREK

P. RUGGIANO

REMARKS:

ENG 2 CALLED FOR ASSISTANCE THEY COULD NOT FIND THE
ST. CALLED FOR ANOTHER ENG. THEN THEY CALLED A CODE BLUE

CHIEF E. DI GIULIO
Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Fire Department Company Run Report

CENTREDALE... Company No.#139.....

Report No.#598.....

District ...CENTREDALE..

Date3/23..... 19..73.....

Time alarm was received4:14 p.m.

Alarm from: Box No.6122..... Headquarters by phone Other (described)

Reported to cover Company No. atM., on authority of

Ordered Home by atM. In quarters at4:45 p.m. Miles traveled3.....

CLASSI- FICATION OF ALARM Check the proper square	☐	Fire in building	Alarm Where There Was No Fire	EQUIPMENT RESPONDED WITH Pumper 1250..... GPM Booster tank 500 gals. Ladder truck #75.....
	☒	Fire in brush or grass		
	☐	Fire in rubbish near building	☐ Rescue or emergency	
	☐	Fire in rubbish in vacant lot	☐ Needless call	
	☐	Fire in a dump	☐ Accidental alarm	
	☐	Other fire outdoors	☐ False alarm	
	☐	Fire in vehicle in street		
	CODE BELOW			

Location of fire, or origin of alarm (street and number)MORGAN AVE.....

Cause of fireSET.....

General description of building or occupancy

Owner of building

Owner's address

EXTINGUISHERS USED		HOSE LINES USED			SALVAGE COVERS USED	
No.	Type	No.	Size	Total Feet	No.	Floor
2	Pump Tanks		1-inch			
	Foam		1½-inch			
	Loaded Stream		2½-inch or larger			
	Carbon Dioxide					
	Dry Chemical					
			LADDERS USED			
		No.	Type	Total Feet		
			Aerial			
			Over 35 ft.			
			Short ladders			

Hose lines laid ft. line, in hose.

..... ft. line, in hose.

Working time of pumper hrs. min.

Equipment lost or found

Equipment damaged or destroyed

Companies respondingENG 1, 2, 6 LADDER 1 & 2 RES. 1 & 2.....

Estimated loss

(over)

MEN RESPONDING TO ALARM:

CHIEF E. DI GIULIO

LIEUT E. DI GIULIO

J. MOLLO

D. FORTIN

P. PHILLIPS

D. BAZZLE

R. IAFRATE

R. SALISBURY

B. DI GIULIO

F. ROTELLA

REMARKS: BRUSH FIRE REAR OF GREYSTONE SCHOOL BOX PULLED
HAD ENG 2 & 6 HELP ON OTHER END OF WOODS

JOHN MOLLO

Officer in Charge

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 140 N. P. File # 607

Date: 3-24-73
MONTH DAY YEAR

Time alarm received 10:00 a.M Number of miles traveled 3

Time back in service 10:09 a.M

Time back at station 10:15 a.M

Alarm received by: Box # _____ Phone X Other _____ (Describe)

Location of alarm: (Street and Number) Peach Hill Ave.

Cause of fire unknown

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED	
Carbon Dioxide	200' Booster	Aerial	
Dry Chemical	1½ Inch Hose	Over 35 Feet	
Foam	2½ Inch Hose	Under 35 Feet	
Pump Cans	3 Inch Hose	SALVAGE COVERS	
1 Brooms	Other (Describe)	Number Used	
Other (Describe)		Other Equipment	

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 10

Defects on apparatus after alarm (if any): _____

Companies responding: Eng. 1

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
C. ZAHN		
G. KENNEWAY		
D. BAZZLE		
R. RATHIER		
T. RUSSO		
T. PERNA		
VEHICLE	STATION	ON SCENE
M. CLEMENTE	F. ROTELLA	CHIEF DI GIULIO
	W. DRAPER	

REMARKS: Small area rear of Allendale Baptist Church

Chief Di Giulio

 SIGNED BY:

C. Zahn

 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company Centredale Company Alarm # 141 N. P. File # 613

Date: 3-24-73
MONTH DAY YEAR

Time alarm received 1:42 p.M Number of miles traveled 11

Time back in service 2:09 p.M

Time back at station 2:15 p.M

Alarm received by: Box # _____ Phone X Other _____ (Describe)

Location of alarm: (Street and Number) Barbara Ann Dr.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	200'	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
4	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 15

Defects on apparatus after alarm (if any): _____

Companies responding: Eng. 1

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
Chief DiGiulio		
D. Fortin		
J. Mollo		
E. Pelland		
H. Darby		
D. Bazzle		
M. Clemente		
C. Harrington		
T. Russo		
VEHICLE	STATION	ON SCENE
	F. Bursie	
	R. Rathier	
	T. Perna	

REMARKS: 1/4 acre of woodland burned at end of Barbara Ann Dr.


 SIGNED BY:
 Chief DiGiulio
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company Centredale Company Alarm # 142 N. P. File # 622

Date: 3-24-73
MONTH DAY YEAR

Time alarm received 7:34 P.M. Number of miles traveled 2

Time back in service 7:41 P.M.

Time back at station 7:45 P.M.

Alarm received by: Box # _____ Phone X Other _____ (Describe)

Location of alarm: (Street and Number) Oregon Ave.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) _____ Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
Capt. Salisbury		
J. Mollo		
C. Zahn		
D. Fortin		
J. Lane		
D. Bazzle		
R. Rathier		
S. Labutti (Lym.)		
R. Salisbury		
VEHICLE	STATION	ON SCENE
	Capt. Murphy	
	E. Pelland	
	D. Marciano	
	F. Rotella	
	W. Draper	

REMARKS: Call for brush fire ; none found. Covered for Eng. 2 (out
at another call)

Chief Dist. 10

 SIGNED BY:

Capt. Salisbury
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 143 N. P. File # 624

Date: 3 24 73
MONTH DAY YEAR

Time alarm received 8:54 P M Number of miles traveled 3

Time back in service 9:11 P M

Time back at station 9:11 P M

Alarm received by: Box # 522 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) HUMBERT & RAYMOND

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☒ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 2,6. Ladder(s) 1 Rescue(s) 1,2. Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	C. ZAHN	
	D. BAZZLE	
	R. SALISBURY	
	R. RATHIER	
VEHICLE	STATION	ON SCENE

REMARKS: FIRE IN LYMAN APTS.

ENGINE #1 RESPONDED TO GARDENER AVE. AT SAME TIME AS THIS CALL.

Bernard W. Zehn
 SIGNED BY: _____

C. ZAHN
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 144 N. P. File # 625
 Date: 3/24/73
MONTH DAY YEAR

Time alarm received 8:54 P M Number of miles traveled 7
 Time back in service 9:15 P M
 Time back at station 9:15 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) GARDENER AVE.

Cause of fire SET

Description of building or occupancy: _____

Owner of building or occupancy: STATE OF RHODE ISLAND

Owner's address: R. I. JR. COLLEGE

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	150'	Booster 12		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
2	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 10

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1. Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT. J. MURPHY		
CAPT. C. SALISBURY		
J. MOLLO		
D. FORTIN		
C. HARRINGTON		
D. MARACINO		
H. DARBY		
G. KENNAWAY		
F. ROTELLA		
VEHICLE	STATION	ON SCENE

REMARKS: 2 SMALL FIRES AT END OF STREET ON COLLEGE GROUNDS.

ENGINE #2 AT BOX ALARM #522

Bernard M. Gaudio
SIGNED BY:

CAPT. J. MURPHY
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 145 N. P. File # 636

Date: 3/25/73
MONTH DAY YEAR

Time alarm received 2:09 PM Number of miles traveled 0
 Time back in service 2:11 PM
 Time back at station 2:11 PM

Alarm received by: Box # 513 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) WOONASQUATUCET & WATER

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☒ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1, 2, 6. Ladder(s) #1. Rescue(s) #1, 2. Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
VEHICLE	STATION	ON SCENE
	CHIEF E. DI GIULIO	
	CAPT. J. MURPHY	
	LT. R. PAQUET	
	J. MOLLO	
	G. KENNAWAY	
	T. PERNA	
	R. SALISBURY	
	J. BOREK	
	J. LANE	
	D. BAZZLE	

P. RUGGIANO W.DRAPER
F. ROTELLA

REMARKS:

DUMP FIRE REAR OF LYMANSVILLE MILL.

CODE YELLOW FOR ENGINE #6.

ENGINE #1. LADDER#1, DID NOT LEAVE STATON.

Bernard E. Di Giulio
SIGNED BY: _____

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 146 N. P. File # 637

Date: 3/25/73
MONTH DAY YEAR

Time alarm received 2:50 P M Number of miles traveled 3

Time back in service 3:00 P M

Time back at station 3:00 P M

Alarm received by: Box # 441 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) CHEERY & STANLEY

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1, 2. Ladder(s) #1. Rescue(s) #2. Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT. J. MURPHY	LT. R. PAQUET	
C. ZAHN	J. BOREK	
D. FORTIN	D. BAZZLE	
T. PERNA	R. SALISBURY	
C. HARINGTON	P. RUGGIANO	
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	G. KENNAWAY	
T. RUSSO	D. MARCIANO	
	W. DRAPER	

REMARKS: CODE YELLOW.

Bernard E. Giulio
 SIGNED BY:

CAPT. J. MURPHY
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 147 N. P. File # 639

Date: 3/25/73
MONTH DAY YEAR

Time alarm received 4:27 P^M Number of miles traveled 2

Time back in service 4:32 P^M

Time back at station 4:40 P^M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 1986 MINERAL SPRING AVE.

Cause of fire OPEN BURNING

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☒ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED	
Carbon Dioxide	Booster	Aerial	
Dry Chemical	1½ Inch Hose	Over 35 Feet	
Foam	2½ Inch Hose	Under 35 Feet	
Pump Cans	3 Inch Hose	SALVAGE COVERS	
Brooms	Other (Describe)	Number Used	
Other (Describe)		Other Equipment	

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO		
C. ZAHN		
D. FORTIN		
T. PERNA		
F. BURSIE		
J. BOREK		
J. LANE		
D. BAZZLE		
P. RUGGIANO		
VEHICLE	STATION	ON SCENE
	G. KENNAWAY	
	T. RUSSO	
	C. HARRINGTON	
	D. MARCIANO	
	F. ROTELLA	
	W. DRAPER	
	CAPT. J. MURPHY	

REMARKS:

OPEN BURNING. AT 1986 MINERAL SPRING AVE.

OWNER PUT FIRE OUT BEFORE ENGINE #1 ARRIVED.

Bernard Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 148 N. P. File # 652

Date: 3/27/73
MONTH DAY YEAR

Time alarm received 10:31 PM Number of miles traveled 2

Time back in service 10:36 PM

Time back at station 10:40 PM

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 45 ALLEN AVE.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				Number Used
					Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1, 2. Ladder(s) #1. Rescue(s) #2. Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	LT. R. PAQUET	
CAPT. J. MURPHY	J. MOLLO	
E. PELLAND	JEFF MURPHY	
D. FORTIN	T. PERNA	
T. RUSSO	R. IAFRATE	
C. HARRINGTON	D. BAZZLE	
J. BOREK	M. CLEMENTE	
VEHICLE	STATION	ON SCENE
	F. ROTELLA	
	CAPT. C. SALISBURY	
	R. RATHIER	

REMARKS: CODE BLUE

Bernard E. Di Giulio
 SIGNED BY:

CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 149 N. P. File # 653

Date: 3/28/73
MONTH DAY YEAR

Time alarm received 3:23 A M Number of miles traveled 2

Time back in service 3:38 A M

Time back at station 3:38 A M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) X FOURTH ST.

Cause of fire UNKNOWN

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
1	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO		
CAPT C. SALISBURY		
J. MOLLO		
E. PELLAND		
C. ZAHN		
F. BURSIE		
T. RUSSO		
VEHICLE	STATION	ON SCENE
	CAPT J. MURPHY	
	LIEUT R. PAQUET	
	K. MIDDLETON	
	R. PARENTEAU	
	F. ROTELLA	

REMARKS: BRUSH ALONG ROADSIDE OF JOSLIN ST.

E. Di Giulio

 SIGNED BY:

CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 150 N. P. File # 657

Date: 3 28 73
MONTH DAY YEAR

Time alarm received 10:52 A M Number of miles traveled 5

Time back in service 11:07 A M

Time back at station 11:10 A M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) CRAIGIE ST.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment
NONE		

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LIEUT E. DI GIULIO		
J. MOLLO		
P. PHILLIPS		
W. DRAPER		
VEHICLE	STATION	ON SCENE
	CAPT J. MURPHY	
	C. HARRINGTON	
	B. DI GIULIO	

REMARKS: CALL FOR BRUSH FIRE CHECKED AREA CODE BLUE

Lieut E. Di Giulio
 SIGNED BY:

LIEUT E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 151 N. P. File # 664

Date: 3 28 73
MONTH DAY YEAR

Time alarm received 3:13 P M Number of miles traveled 1

Time back in service 3:15 P M

Time back at station 3:20 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 99 JACKSONIA DR.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED	
Carbon Dioxide	Booster	Aerial	
Dry Chemical	1½ Inch Hose	Over 35 Feet	
Foam	2½ Inch Hose	Under 35 Feet	
Pump Cans	3 Inch Hose	SALVAGE COVERS	
Brooms	Other (Describe)	Number Used	
Other (Describe)		Other Equipment	
NONE			

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MURPHY		
J. MOLLO		
P. PHILLIPS		
B. DI GIULIO		
D. FORTIN		
VEHICLE	STATION	ON SCENE
	LIEUT E. DI GIULIO	
	D. BAZZLE	

REMARKS: CALL FOR INVESTAGATION CODE BLUE

Lieut. E. Di Giulio

 SIGNED BY:

 CAPT J. MURPHY
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 152 N. P. File # 666

Date: 3/28/73
MONTH DAY YEAR

Time alarm received 4:07 P M Number of miles traveled 1

Time back in service 4:23 P M

Time back at station 4:25 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) MINERAL SPRING AVE.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: WESLEY G. WARREN

Owner's address: 6 WASHAKI AVE. NO. PROV. R. I. UT 317 R. I.
INS. YES

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☒ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment
X				1	WRENCH

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1 Ladder(s) _____ Rescue(s) _____ Car: 1

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
J. MOLLO		
B. DI GIULIO		
D. BAZZLE		
P. PHILLIPS		
VEHICLE	STATION	ON SCENE
R. SALISBURY	CAPT. J. MURPHY	
W. DRAPER	LT. E. DI GIULIO	

REMARKS: OUT ON ARRIVAL. DISCONNECTED BATTERY.

Bernard H. Giulio
 SIGNED BY: _____

B. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTRALDALE Company Alarm # 153 N. P. File # 667

Date: 3/28/73
MONTH DAY YEAR

Time alarm received 4:10 P M Number of miles traveled 3

Time back in service 4:12 P M

Time back at station 4:24 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 38 BEVERLY ANN DR.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☒ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #2,6 Ladder(s) #1 Rescue(s) #1,2 Car: #1

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
J. MOLIO	CAPT. J. MURPHY	
B. DI GIULIO	LT. E. DI GIULIO	
P. PHILLIPS	G. KENNAWAY	
D. BAZZLE	R. SALISBURY	
VEHICLE	STATION	ON SCENE
D. FORTIN	D. MARCIANO	
C. HARRINGTON		
P. RUGGIANO		
R. MARWELL		
F. ROTELLA		
W. DRAPER		
A. IEMMA		

REMARKS: ENGINE #1. AT CAR FIRE. #666

Bernard Di Giulio
 SIGNED BY:

CAPT. J. MURPHY
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 154 N. P. File # 671

Date: 3/28/73
MONTH DAY YEAR

Time alarm received 8:15 P M Number of miles traveled 2

Time back in service _____ M

Time back at station 8:20 P M

Alarm received by: Box # 124 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) WATERMAN & ADAMS

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #2,5. Ladder(s) #1 Rescue(s) #1 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT. J. MURPHY	LT. R. PAQUET	
E. PELLAND	D. FORTIN	
C. ZAHN	T. PERNA	
W. LUKOWSKI	R. SALISBURY	
T. RUSSO	D. BAZZLE	
C. HARRINGTON	M. CLEMENTE	
D. MARCIANO		
H. DABRY		
J. BOREK		
VEHICLE	STATION	ON SCENE
#78 CHIEF E. DI GIULIO		
r. lafrate		
W. DRAPER		

REMARKS: ENGINE #1 OUT OF SERVICE ON BURNING DETAIL.

Bernard Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 155 N. P. File # 675

Date: 3/29/73
MONTH DAY YEAR

Time alarm received 7:07 A M Number of miles traveled 17

Time back in service _____ M

Time back at station 9:15 A M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 2089 MINERAL SPRING AVE.

Cause of fire UNDER INVESTIGATION

Description of building or occupancy: 1 STORY WOOD FRAME DWELLING.

Owner of building or occupancy: RAYMOND BERUBE

Owner's address: 208 9 MINERAL SPRING AVE.

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☒ Code Red	☐ Rescue or emergency
☒ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	100' Booster 1"	Aerial
Dry Chemical	300 1½ Inch Hose	Over 35 Feet
Foam	600' 2½ Inch Hose	52' 52' Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment
		2 SMOKE EJECTORS
	GENERATOR USED	1 PIKE POLE
	1HR.	1PRY AXE 2 AXES

APPARATUS REPORT

"2 HANDLIGHTS
PORTABLE PUMP 2 AIR PACS

Working time of pump: Hours: 1 hr minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1, 2. Ladder(s) 1 Rescue(s) #2 Car: #1

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	CAPT. C. SALISBURY	
J. MOLLO	LT. PAQUET	
G. KENNAWAY	F. BURSTE	
R. SALISBURY	C. HARRINGTON	
J. BOREK	D. BAZZLE	
VEHICLE	STATION	ON SCENE
CAPT. J. MURPHY	F. ROTELLA	
LT. DI GIULIO		
E. PELLAND		
W. LUKOWSKI		
P. PHILLIPS		
R. PARENTEAU		
B. DI GIULIO		
J. LANE		
J. MURPHY SR.		
W. DRAPER		

A. IEMMA

REMARKS: INTERIOR COMPLETELY INVOLVED. HEAVY FIRE, SMOKE, WATER
DAMAGE THROUGHOUT.

C. SALISBURY HURT AT FIRE. TRANSPORTED TO R. I. HOSPT. BY CAR #1
BACK INJURY

Bernard Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO

PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 156 N. P. File # 678

Date: 3 29 73
MONTH DAY YEAR

Time alarm received 10:50 A M Number of miles traveled 4

Time back in service 11:45 A M

Time back at station 11:50 A M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) MINERAL SPRING AVE

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: BARGAMIAN

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☒ Fire in building ☐ Fire in dwelling ☐ Fire in brush or grass ☐ Fire in rubbish ☐ Fire in dump ☐ Fire in vehicle ☐ Miscellaneous fires (describe) _____	☒ Code Red ☐ Code Yellow ☐ Code Blue	☐ Rescue or emergency ☐ Water emergency ☐ Lockout ☐ Accidental alarms ☐ False alarm ☐ Miscellaneous alarm (describe) _____ _____ _____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
2	Pump Cans		3 Inch Hose	SALVAGE COVERS	
1	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1,2,3,4,5 Ladder(s) _____ Rescue(s) _____ Car: 1

Other companies responding: SMITHFIELD TANKER #2 STANDBY IN OUR STATION

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
J. MOLLO		
E. PELLAND		
G. KENNAWAY		
P. PHILLIES		
C. HARRINGTON		
D. BAZZLE		
B. DI GIULIO		
VEHICLE	STATION	ON SCENE
R. RATHIER	LT. E. DI GIULIO	
	P. RUGGIANO	
	W. DRAPER	

REMARKS: CALLED ON A SPECIAL SIGNAL PUT OUT SMALL BRUSH FIRES
 REAR OF JUNK YARD KEPT CHECKING AREA FOR BRUSH BURNING
 SMITHFIELD SENT ONE TRUCK TO OUR STATION FOR STANDBY

Lieut. B. Di Giulio
 SIGNED BY: _____

B. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 157 N. P. File # 679
 Date: 3 29 73
MONTH DAY YEAR

Time alarm received 4:10 P M Number of miles traveled 5
 Time back in service _____ M
 Time back at station 4:35 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 98 ANGELL AVE.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building ☐ Fire in dwelling ☐ Fire in brush or grass ☐ Fire in rubbish ☐ Fire in dump ☐ Fire in vehicle ☐ Miscellaneous fires (describe) _____	☐ Code Red ☐ Code Yellow ☐ Code Blue	☐ Rescue or emergency ☐ Water emergency ☐ Lockout ☐ Accidental alarms ☐ False alarm ☒ Miscellaneous alarm (describe) <u>LADY FELL OUT CHAIR</u> <u>HELPED PUT HER IN WHEEL CHAIR</u>

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				Number Used
					Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
J. MOLLO		
D. FORTIN		
C. HARRINGTON		
P. PHILLIPS		
D. BAZZLE		
B. DI GIULIO		
VEHICLE	STATION	ON SCENE
	LT E. DI GIULIO	

REMARKS: INVALID LADY FELL OUT OF A CHAIR. HELPED HER INTO HER
WHEELCHAIR.

Lieut Emilio Di Giulio
SIGNED BY:

B. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 158 N. P. File # 680

Date: 3 29 73
MONTH DAY YEAR

Time alarm received 4:17 P M Number of miles traveled 5

Time back in service 4:31 P M

Time back at station 4:35 P M

Alarm received by: Box # _____ Phone _____ Other RADIO (Describe)

Location of alarm: (Street and Number) JOSLIN ST. & DI GIULIO DR.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	50'	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
1	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 5 min.

Defects on apparatus after alarm (if any): 1 BULB ON BEACON LIGHT OUT

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
I. MOLIO		
D. FORTIN		
C. HARRINGTON		
P. PHILLIPS		
D. BAZZLE		
B. DI GIULIO		
VEHICLE	STATION	ON SCENE
	LT. E. DI GIULIO	

REMARKS: WAS AT 98 ANGELL AVE WHEN CALL FOR BRUSH FIRE
 CAME IN BY RADIO. SMALL AREA CORNER OF DI GIULIO DR. &
 JOSLIN ST.

B. Di Giulio
 SIGNED BY:

B. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 159 N. P. File # 681

Date: 3/29/73
MONTH DAY YEAR

Time alarm received 9:04 P M Number of miles traveled 2

Time back in service _____ M

Time back at station 9:26 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) WATERMAN & NELSON

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building ☐ Fire in dwelling ☒ Fire in brush or grass ☐ Fire in rubbish ☐ Fire in dump ☐ Fire in vehicle ☐ Miscellaneous fires (describe) _____	☐ Code Red ☒ Code Yellow ☐ Code Blue	☐ Rescue or emergency ☐ Water emergency ☐ Lockout ☐ Accidental alarms ☐ False alarm ☐ Miscellaneous alarm (describe) _____ _____ _____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
2	Pump Cans		3 Inch Hose	SALVAGE COVERS	
2	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment
2	HANDLIGHTS				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	T. PERNA	
E. PELLAND		
G. KENNAWAY		
D. FORTIN		
T. RUSSO		
D. MARCIANO		
D. BAZZLE		
R. RATHIER		
H. DARBY		
M. CLEMENTE		
VEHICLE	STATION	ON SCENE
C. ZAHN	J. MOLLOE.	
R. PARENTEAU	LT. E. DI GIULIO	
F. HELEY (Lym.)	LT. R. Paquet	
	C. HARRINGTON	
	J. MURPHY SR.	
	F. ROTTELLA	

REMARKS: SMALL AREA IN WOODS AT END OF NELSON st.

Bernard E. Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 160 N. P. File # 685

Date: 3/29/73
MONTH DAY YEAR

Time alarm received 11:38 P M Number of miles traveled _____

Time back in service _____ M

Time back at station 11:42 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) RONCE MANUFACTURING CO.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #1,2,6. Ladder(s) #1 Rescue(s) #1,2. Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	LT. PAQUET	
E. PELLAND	J. MOLLO	
G. KENNAWAY	W. LUKOWSKI	
D. FORTIN	R. RATHIER	
T. RUSSO	M. CLEMENTE	
C. HARRINGTON		
J. BOREK		
VEHICLE	STATION	ON SCENE
	CAPT. J. MURPHY	
	F. ROTELLA	
	A. IEMMA	

REMARKS: CODE YELLOW REPORTED BY ENGINE #6.

Bernard H. Di Giulio
 SIGNED BY: *Di Giulio*

CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 161 N. P. File # 686

Date: 3 30 73
MONTH DAY YEAR

Time alarm received 7:00 A M Number of miles traveled 7

Time back in service 7:00 A M

Time back at station 8:56 A M

Alarm received by: Box # 143 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) 2008 SMITH ST. TOWN HALL BLDG.

Cause of fire UNDER INVESTIGATION

Description of building or occupancy: TWO STORY BRICK BLDG.

Owner of building or occupancy: TOWN

Owner's address: SAME

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☒ Fire in building ☐ Fire in dwelling ☐ Fire in brush or grass ☐ Fire in rubbish ☐ Fire in dump ☐ Fire in vehicle ☐ Miscellaneous fires (describe) _____	☒ Code Red ☐ Code Yellow ☐ Code Blue	☐ Rescue or emergency ☐ Water emergency ☐ Lockout ☐ Accidental alarms ☐ False alarm ☐ Miscellaneous alarm (describe) _____ _____ _____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster	<u>75'</u>	Aerial
	Dry Chemical	<u>150'</u>	1½ Inch Hose	<u>26</u> <u>1</u> <u>35'</u>	Over 35 Feet
	Foam	<u>400'</u>	2½ Inch Hose	<u>1</u> <u>14'</u>	Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)	<u>3</u>	Number Used
	Other (Describe)	<u>2</u>	BUCKETS		Other Equipment
<u>2</u>	SCOTTS		AXES		
	HAND LIGHTS	<u>1</u>	SHOVEL		
	PIKE POLE				

APPARATUS REPORT

Working time of pump: Hours: 1 HR. minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1,2,3,4,6 Ladder(s) 1 & 2 Rescue(s) 1A 1 & 2 Car: 1

Other companies responding: SMITHFIELD & JOHNSTON ON STANDBY IN TOWN STATIONS N.P.

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LIEUT E. DI GIULIO	CHIEF E. DI GIULIO	
	CAPT J. MURPHY	
VEHICLE	STATION	ON SCENE
P. RUGGIANO		J. MOLLO
H. DARBY		E. PELLAND
J. MURPHY SR.		W. LUKOWSKI
M. CLEMENTE		P. PHILLIPS
R. PARENTEAU		F. BURSIE
B. DI GIULIO		C. HARRINGTON
F. ROTELLA		J. BOREK
W. DRAPER		J. LANE
		D. BAZZLE
		R. RATHIER

REMARKS: HEAVY FIRE DAMAGE THRU TREASURERS OFFICE & SMOKE & WATER DAMAGE ON REST OF FLOORS BELOW

Lieut E. Di Giulio

 SIGNED BY:

CHIEF ED. DI GIULIO

 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 162 N. P. File # 688

Date: 3/ 30 73
MONTH DAY YEAR

Time alarm received 9:34 A M Number of miles traveled 4

Time back in service _____ M

Time back at station 9:41 A M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) HUMBERT ST.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ XX Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED	
Carbon Dioxide	Booster	Aerial	
Dry Chemical	1½ Inch Hose	Over 35 Feet	
Foam	2½ Inch Hose	Under 35 Feet	
Pump Cans	3 Inch Hose	SALVAGE COVERS	
Brooms	Other (Describe)	Number Used	
Other (Describe)		Other Equipment	

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1, 2, 6 Ladder(s) 1 Rescue(s) 1 & 2 Car: 1

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MURPHY	LIEUT E. DI GIULIO	
J. MOLLO	LIEUT R. PAQUET	
E. PELLAND	F. BURSIE	
C. HARRINGTON	J. LANE	
B. DI GIULIO	D. BAZZLE	
P. PHILLIPS	P. RUGGIANO	
	R. RATHIER	
VEHICLE	STATION	ON SCENE
	F. ROTELLA	
	W. DRAPER	

REMARKS:

Lt. Ernest Di Giulio
 SIGNED BY:

CAPTAIN J. MURPHY JR.
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 163 N. P. File # 689

Date: 3 30 73
MONTH DAY YEAR

Time alarm received 12:16 P M Number of miles traveled 3

Time back in service 12:22 P M

Time back at station 12:30 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) OAK GROVE BLVD.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				Number Used
					Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 2 & 6 Ladder(s) 1 Rescue(s) _____ Car: 1

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	LT. E. DI GIULIO	
	E. PELLAND	
	P. PHILLIPS	
	D. BAZZLE	
	R. RATHIER	
	B. DI GIULIO	
VEHICLE	STATION	ON SCENE
	J. MOLLO	P. RUGGIANO
	W. DRAPER	

REMARKS:

B. Di Giulio
 SIGNED BY: _____

B. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 164 N. P. File # 692

Date: 3 30 73
MONTH DAY YEAR

Time alarm received 3:03 P M Number of miles traveled 1

Time back in service 3:07 P M

Time back at station 3:19 P M

Alarm received by: Box # 6122 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) MORGAN AVE GREYSTONE SCHOOL

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1, 2, 6 Ladder(s) 1 & 2 Rescue(s) 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
J. MOLLO	LT E. DI GIULIO	
P. PHILLIPS	E. PELLAND	
C. HARRINGTON	D. DAZZLE	
B. DI GIULIO		
VEHICLE	STATION	ON SCENE
J. BOREK	W. BRAPER	

REMARKS:

Lt. Emilio Di Giulio
 SIGNED BY:

B. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 165 N. P. File # 693

Date: 3 30 73
MONTH DAY YEAR

Time alarm received 3:35 P M Number of miles traveled 2

Time back in service 3:40 P M

Time back at station 3:50 P M

Alarm received by: Box # 523 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) VICTOR & KING

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow ✓	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1, 6 Ladder(s) 1 Rescue(s) 1 & 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
J. MOLLO	LT. E. DI GIULIO	
P. PHILLIPS	E. PELLAND	
J. BOREK	D. BAZZLE	
B. DI GIULIO		
VEHICLE	STATION	ON SCENE
	LT R. PAQUET	
	C. HARRINGTON	
	F. ROTELLA	
	W. DRAPER	

REMARKS: CODE YELLOW BY ENG 6


 SIGNED BY:

B. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 166 N. P. File # 694

Date: 3 30 73
MONTH DAY YEAR

Time alarm received 3:55 P M Number of miles traveled 4

Time back in service 4:00 P M

Time back at station 4:07 P M

Alarm received by: Box # 6541 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) LYMAN. SCHOOL

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED	
Carbon Dioxide	Booster	Aerial	
Dry Chemical	1½ Inch Hose	Over 35 Feet	
Foam	2½ Inch Hose	Under 35 Feet	
Pump Cans	3 Inch Hose	SALVAGE COVERS	
Brooms	Other (Describe)	Number Used	
Other (Describe)		Other Equipment	

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1, 2, 6 Ladder(s) 1 Rescue(s) 1 & 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
J. MOLLO	LT E. DI GIULIO	
P. PHILLIPS	E. PELLAND	
J. BOREK		
D. BAZZLE		
B. DI GIULIO		
VEHICLE	STATION	ON SCENE
	LT. R. PAQUET	
	C. HARRINGTON	
	D. MARCIANO	
	F. ROTELLA	
	W. DRAPER	
	D. FORTIN	

REMARKS: YELLOW BY ENG 6

LT. E. Di Giulio
SIGNED BY:

b. di giulio
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 167 N. P. File # 697

Date: 3 30 73
MONTH DAY YEAR

Time alarm received 5:39 P M Number of miles traveled 2

Time back in service _____ M

Time back at station 6:13 P M

Alarm received by: Box # _____ Phone X1 Other _____ (Describe)

Location of alarm: (Street and Number) ST JOHNS CIRCLE

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
<u>2</u>	Pump Cans		3 Inch Hose	SALVAGE COVERS	
<u>2</u>	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO		
E. PELLAND		
D. FORTIN		
D. BAZZLE		
J. BOREK		
T. RUSSO		
VEHICLE	STATION	ON SCENE
	LT R. PAQUET	
	F. BURSIE	
	D. MARCIANO	
	G. HARRINGTON	
	F. ROTELLA	
	W. DRAPER	

REMARKS:

$\frac{1}{4}$ ACRE OF WOODLAND

E. Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 168 N. P. File # 698

Date: 3 30 73
MONTH DAY YEAR

Time alarm received 6:18 P M Number of miles traveled 3

Time back in service _____ M

Time back at station 6:21 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) BALSTON ST.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED	
Carbon Dioxide	Booster	Aerial	
Dry Chemical	1½ Inch Hose	Over 35 Feet	
Foam	2½ Inch Hose	Under 35 Feet	
Pump Cans	3 Inch Hose	SALVAGE COVERS	
Brooms	Other (Describe)	Number Used	
Other (Describe)		Other Equipment	

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1, 2, 6 Ladder(s) 1 Rescue(s) 1 & 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	LT R. PAQUET	
E. PELLAND	C. ZAHN	
R. GUERTIN	F. BURSIE	
D. FORTIN	D. MARCIANO	
C. HARRINGTON	D. BAZZLE	
J. BOREK		
T. RUSSO		
VEHICLE	STATION	ON SCENE
	CAPT J. MURPHY	
	G. KENNAWAY	
	JEFF MURPHY	
	P. RUGGIANO	
	H. DARBY	
	F. ROTELLA	
	W. DRAPER	
	T. PERNA	

REMARKS:

YELLOW BY ENG 2

Lt. E. Di Giulio
 SIGNED BY:

CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 169 N. P. File # 700

Date: 3 30 73
MONTH DAY YEAR

Time alarm received 8:57 P M

Number of miles traveled 3

Time back in service 9:06 P M

Time back at station 9:10 P M

Alarm received by: Box # 426 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) FRUIT HILL & HIGHLAND

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: 2 1 2

Engines(s) 2 & 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	LT E. DI GIULIO	
CAPT J. MURPHY	D. FORTIN	
E. PELLAND	R. RATHIER	
D. MARCIANO	M. CLEMENTE	
H. DARBY	T. PERNA	
T. RUSSO		
B. DI GIULIO		
VEHICLE	STATION	ON SCENE
C. HARRINGTON	R. GUERTIN	
	J. BOREK	
	D. BAZZLE	
	R. SALISBURY	
	F. ROTELLA	

REMARKS: BLUE

LT. E. Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 170 N. P. File # 705

Date: 3 31 73
MONTH DAY YEAR

Time alarm received 4:30 P M Number of miles traveled 5

Time back in service 4:48 P M

Time back at station 4:50 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) CROSS ST.

Cause of fire SET

Description of building or occupancy: SHED

Owner of building or occupancy: RAINBOW HOMES

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building ☐ Fire in dwelling ☐ Fire in brush or grass ☐ Fire in rubbish ☐ Fire in dump ☐ Fire in vehicle ☐ Miscellaneous fires (describe) <u>SHED</u>	☐ Code Red ☒ Code Yellow ☐ Code Blue	☐ Rescue or emergency ☐ Water emergency ☐ Lockout ☐ Accidental alarms ☐ False alarm ☐ Miscellaneous alarm (describe)

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	100'	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment
2	AXES				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 10

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1 & 2 Ladder(s) 1 Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	LT E. DI GIULIO	
J. MOLLO	LT R. PAQUET	
E. PELLAND	F. BURSIE	
R. GUERTIN	K. MIDDLETON	
D. FORTIN	D. MARCIANO	
H. DARBY	D. BAZZLE	
T. RUSSO	T. PERNA	
	R. PARENTEAU	
VEHICLE	STATION	ON SCENE
W. DRAPER	F. ROTELLA	

REMARKS: SHED IN VACANT LOT

E. Di Giulio
 SIGNED BY:

CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 171 N. P. File # 707

Date: 3 31 73
MONTH DAY YEAR

Time alarm received 8:06 P M Number of miles traveled 4

Time back in service 8:10 P M

Time back at station 8:14 P M

Alarm received by: Box # 124 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) WATERMAN & ADAMS

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) 1 & 6 Ladder(s) 1 Rescue(s) 1 & 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	E. PELLAND	
C. ZAHN	D. BAZZLE	
D. FORTIN	R. RATHIER	
C. HARRINGTON	M. CLEMENTE	
D. MARCIANO	R. SALISBURY	
J. BOREK		
T. RUSSO		
VEHICLE	STATION	ON SCENE
	F. ROTELLA	

REMARKS:

E. Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 172 N. P. File # 708

Date: 3 31 73
MONTH DAY YEAR

Time alarm received 8:16 P M Number of miles traveled 4

Time back in service 8:19 P M

Time back at station 8:21 P M

Alarm received by: Box # _____ Phone _____ Other RADIO (Describe)

Location of alarm: (Street and Number) ALLEN & WOON AVE.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: 1

Engines(s) _____ Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	D. BAZZLE	
C. ZAHN	R. RATHIER	
D. FORTIN	M. CLEMENTE	
C. HARRINGTON		
D. MARCIANO		
J. BOREK		
T. PERNA		
VEHICLE	STATION	ON SCENE
	J. MOLLO	
	E. PELLAND	
	R. GUERTIN	
	E. SALISBURY	
	F. ROTELLA	

REMARKS: RETURNING FROM BOX 124 & GOT CALL BY RADIO FOR BRUSH
FIRE

E. Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 173 N. P. File # 710

Date: 3 31 73
MONTH DAY YEAR

Time alarm received 9:00 P M Number of miles traveled 2
Time back in service 9:05 P M
Time back at station 9:09 P M

Alarm received by: Box # 5212 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) WARREN AVE

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: CURTMAN MFG.

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____ 1 _____ 1, 1A 2

Engines(s) 6 & 1 & 2 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	E. PELLAND	
J. MOLLO	D. MARCIANO	
C. ZAHN	D. BAZZLE	
D. FORTIN	R. RATHIER	
C. HARRINGTON	M. CLEMENTE	
T. PERNA	R. SA LISBURY	
VEHICLE	STATION	ON SCENE
	F. ROTELLA	

REMARKS: BLUE ENG 6


SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.