

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 113 N. P. File # 297

Date: 4/2/74
MONTH DAY YEAR

Time alarm received 9:15 P M Number of miles traveled 3

Time back in service 9:19 P M

Time back at station 9:30 P M

Alarm received by: Box # 522 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) HUMBERT & RAYMOND

Cause of fire BLUE

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____

Engines(s) #6, 2. Ladder(s) #1. Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	D. FORTIN	
	R. BATHIER	
	T. PERNA	
	C. ZAHN	
	D. BAZZLE	
VEHICLE	STATION	ON SCENE
	CHIEF E. DI GIULIO	
	XXXXXXXXXXXXXXXXXX	
	CAPT. J. MURPHY	
	D. MARCIANO	
	T. RUSSO	
	J. BOREK	
	P. RUGGIANO	
	W. DRAPER JR.	
	F. ROTELLA	

REMARKS: CODE BLUE FROM ENG. #6.

B. Di Giulio

 SIGNED BY:

C. ZAHN

PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 114 N. P. File # 302

Date: 4/3/79

MONTH DAY YEAR

Time alarm received 6:42 P M Number of miles traveled 2

Time back in service 6:49 P M

Time back at station 6:52 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) WATERMAN AVE.

Cause of fire UNKNOWN

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): PANEL SPEAKER, DYNALUX

Companies responding: _____

Engines(s) #1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO		
D. FORTIN		
R. RATHIER		
T. RUSSO		
C. ZAHN		
D. HOUDE		
N. PHELAND		
W. DAPER JR.		
VEHICLE	STATION	ON SCENE
CAPT. J. MURPHY	CAPT. C. SALISBURY	
	LT. F. BURSIE	
	W. ROY	
	E. PELLAND	
	D. MARCIANO	
	S. COPPA	
	T. PERNA	
	R. PAQUET	
	F. ROTELLA	
	W. DRAEER	

REMARKS: CODE BLUE.

Bernard Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO

PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 115 N. P. File # 303

Date: 4/3/74
MONTH DAY YEAR

Time alarm received 6:52 P M Number of miles traveled 1

Time back in service 7:00 P M

Time back at station 7:05 P M

Alarm received by: Box # _____ Phone _____ Other RADIO (Describe)

Location of alarm: (Street and Number) END OF GREYSTONE AVE.

Cause of fire UNKNOWN

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
1	Pump Cans		3 Inch Hose	SALVAGE COVERS	
1	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): PANEL SPEAKER, DMNALUX

Companies responding: _____

Engines(s) #1. Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO		
D. FORTIN		
R. RATHIER		
S. CDPPE		
T. RUSSO		
C. ZAHN		
D. HOUE		
N. PHELAND		
W. DRAPER JR.		
VEHICLE	STATION	ON SCENE
	CAPT. J. MURPHY	
	CAPT. C. SALISBURY	
	LT. F. BURSIE	
	W. ROY	
	E. PELLAND	
	D. MARCIANO	
	T. PERNA	
	R. PARENTEAU	
	R. PAQUET	F. ROTELLA
	H. DARBY	W. DRAPER

REMARKS: SMALL AREA IN WOODS.

Bernard Di Giulio
SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 116 N. P. File # 311

Date: 4 5 74
MONTH DAY YEAR

Time alarm received 9:40 P M Number of miles traveled 2

Time back in service _____ M

Time back at station 9:43 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 10 MILES AVE

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): PANEL SPEAKER FIXED 4/4/74 BY LUK

Companies responding: _____

Engines(s) 7, 1 Ladder(s) 1 Rescue(s) 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MURPHY	LT F. BURSIE	
D. FORTIN	C. ZAHN	
R. RATHIER	J. BOREK	
T. RUSSO	N. PIRLAND	
	R. PAQUET	
	W. DRAPER JR	
	T. PERNA	
VEHICLE	STATION	ON SCENE
C. HARRINGTON	CHIEF E. DI GIULIO	
	R. IAFRATE	
	D. HOUDE	
	J. MOLLO	
	E. ROTELLA	

REMARKS: CODE BLUE

[Signature]
SIGNED BY:

CAPT J. MURPHY
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 117 N. P. File # 312

Date: 4 6 74
MONTH DAY YEAR

Time alarm received 1:56 A M Number of miles traveled 2

Time back in service _____ M

Time back at station 2:06 A M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 86 STELLA DR

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): DYNALUX, ENG.#1.

Companies responding: _____

Engines(s) 7, 1 Ladder(s) 1 Rescue(s) 2 Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MURPHY	LT F. BURSIE	
CAPT C. SALISBURY	D. FORTIN	
W. ROY	C. ZAHN	
K. MIDDLETON	J. LANE	
W. DRAPER JR	J. MOLLO	
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	F. ROTELLA	

REMARKS: CODE BLUE


SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 118 N. P. File # 313

Date: 4 6 74
MONTH DAY YEAR

Time alarm received 11:58 A M Number of miles traveled 3

Time back in service _____ M

Time back at station 12:05 A M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) FERNCREST BLVD

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				Number Used
					Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): _____

Companies responding: _____


Engines(s) 7, 6 Ladder(s) 1 Rescue(s) 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	CAPT C. SALISBURY	
	LT F. BURSIE	
	H. DARBY	
	B. DI GIULIO	
VEHICLE	STATION	ON SCENE
	CHIEF E. DI GIULIO	
	D. HOUDE	
	T. RUSSO	
	R. PARENTAAU	
	W. DRAPER SR	

REMARKS: CODE BLUE

 _____

SIGNED BY:

CAPT C. SALISBURY

PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 119 N. P. File # 318

Date: 4 7 74
MONTH DAY YEAR

Time alarm received 4:41 P M Number of miles traveled 6

Time back in service 5:15 P M

Time back at station 5:20 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) SMITH ST (METRO ATLANTIC)

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☒ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	250'	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment
1	PIKE POLE				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 30

Defects on apparatus after alarm (if any): DYNALUX

Companies responding: _____


Engines(s) 1, SS 6 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO		
CAPT J. MURPHY		
C. ZAHN		
D. HOUDE		
N. PHELAND		
W. DRAPER JR		
T. RUSSO		
VEHICLE	STATION	ON SCENE
H. DARBY	D. FORTIN	
W. DRAPER SR	R. RATHIER	
	F. ROTELLA	

REMARKS: LARGE PILE OF WOOD, LOGS & RUBBISH, SPECIAL SIG. ENG 6


SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 120 N. P. File # 1. T 319

Date: 4 7 74
MONTH DAY YEAR

Time alarm received 6:40 P M Number of miles traveled 1

Time back in service 6:53 P M

Time back at station 7:00 P M

Alarm received by: Box # 6122 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) _____

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				Number Used
					Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): DYNALUX. ENG. #1.

Companies responding: _____

Engines(s) 1 Ladder(s) 1 Rescue(s) _____ Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MURPHY	D. FORTIN	
C. ZAHN	D. HOUDE	
D. BAZZLE	N. PHELAND	
T. RUSSO	T. PERNA	
	J. MOLLO	
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	D. MARCIANO	
	F. ROTELLA	
	W. DRAPER SR	

REMARKS: CODE BLUE


SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 121 N. P. File # 321

Date: 4 7 74
MONTH DAY YEAR

Time alarm received 7:23 P M Number of miles traveled 3

Time back in service _____ M

Time back at station 7:29 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 81 BICENTENNIAL WAY

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): DYNALUX, ENG.#1.

Companies responding: _____

Engines(s) 1, 7 Ladder(s) 1 Rescue(s) _____ Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MIRPHY	D. MARCIANO	
R. RATHIER	S. COPPA	
T. RUSSO	D. HOUDE	
C. ZAHN	P. RUGGIANO	
D. BAZZLE	T. PERNA	
W. DRAPER JR	J. MOLLO	
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	F. ROTELLA	
D. FORTIN	W. DRAPER SR	

REMARKS: CODE BLUE , NO SUCH ADDRESS


SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTERDALE Company Alarm # 122 N. P. File # 323

Date: 4 7 74
MONTH DAY YEAR

Time alarm received 8:05 P M Number of miles traveled 1

Time back in service 8:12 P M

Time back at station 8:15 P M

Alarm received by: Box # 145 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) CHILDS MFG

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): DYNALUX, ENG.#1.

Companies responding: _____

Engines(s) 1, 6 Ladder(s) 1 Rescue(s) _____ Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
R. RATHIER	D. FORTIN	
J. MOLLO	S. COPPA	
C. ZAHN	N. PHELAND	
W. DRAPER JR	H. DARBY	
P. RUGGIANO	T. RUSSO	
	T. PERNA	
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	CAPT J. MURPHY	
LT F. BURSIE	F. ROTELLA	

REMARKS: CODE BLUE


SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 123 N. P. File # 326

Date: 4 8 74
MONTH DAY YEAR

Time alarm received 2:55 P M Number of miles traveled 9

Time back in service _____ M

Time back at station 3:30 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) REAR OF GREYSTONE SCHOOL

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	250' Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
2 Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 15

Defects on apparatus after alarm (if any): DYNALUX

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LT E. DI GIULIO		
P. PHILLIPS		
W. DRAPER SR		
VEHICLE	STATION	ON SCENE
N. PHELAND		
S. COPPA		

REMARKS: TWO AREAS BURNING


 SIGNED BY: _____
 P. PHILLIPS
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 124 N. P. File # 334

Date: 4 12 74
MONTH DAY YEAR

Time alarm received 1:59 P M Number of miles traveled 13

Time back in service _____ M

Time back at station 3:42 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) SMITHFIELD RD (TOWN DUMP)

Cause of fire SET

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☒ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	100'	Booster		Aerial
	Dry Chemical	100'	1½ Inch Hose		Over 35 Feet
	Foam	300'	2½ Inch Hose		Under 35 Feet
1	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment
1	PIKE POLE				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 40

Defects on apparatus after alarm (if any): DYN DYNALUX

Companies responding: _____

Engines(s) 1, 38 7 Ladder(s) _____ Rescue(s) _____ Car: 1

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LT E. DI GIULIO		
B. DI GIULIO		
C. ZAHN		
E. PELLAND		
P. PHILLIPS		
VEHICLE	STATION	ON SCENE
P. RUGGIANO		

REMARKS: DUMP LEFT BURNING CALLED FOR DPW, ALSO CHIEF OF DEPT.

SPARKS GOT INTO BRUSH STARTED FIRE

B. Di Giulio
SIGNED BY:

B. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 125 N. P. File # 338

Date: 4 12 74
MONTH DAY YEAR

Time alarm received 5:15 P M Number of miles traveled 3

Time back in service _____ M

Time back at station 5:27 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) HAWKINS BLVD

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): DYNALUX

Companies responding: _____

Engines(s) 7, 6 Ladder(s) 1 Rescue(s) 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	W. ROY	
	E. PELLAND	
	D. BAZZLE	
	P. RUGGIANO	
VEHICLE	STATION	ON SCENE
	CHIEF E. DI GIULIO	
	CAPT G. SALISBURY	
	D. FORTIN	
	R. RATHIER	
	T. RUSSO	
	J. MOLLO	
	C. ZAHN	
	P. ROTELLA	

REMARKS: CODE BLUE NO SUCH ADDRESS

[Signature] SIGNED BY: _____

_____ PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 126 N. P. File # 340

Date: 4 13 74
MONTH DAY YEAR

Time alarm received 4:57 P M Number of miles traveled 2

Time back in service _____ M

Time back at station 5:02 P M

Alarm received by: Box # 6122 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) GREYSTONE SCHOOL

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____
 Defects on apparatus after alarm (if any): HEATER ROSE BROKE ON LADDER 1, TEMP. REPAIRS MAL
LOST ANTI FREEZE

Companies responding: _____

Engines(s) 1 Ladder(s) 1 Rescue(s) _____ Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MURPHY	CAPT C. SALISBURY	
LT F. BURSIE	R. RAHTIER	
W. ROY	K. MIDDLETON	
D. MARCIANO	D. HOUDE	
D. BAZZLE	N. PHELAND	
	W. DRAPER JR	
	T. PERNA	
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	D. FORTIN	
	T. RUSSO	
	P. RUGGIANO	
	F. ROTELLA	
	W. DRAPER SR	

REMARKS: CODE BLUE

H. Emerald Linko
SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTROVAL Company Alarm # 345 N. P. File # 127

Date: 4 15 74
MONTH DAY YEAR

Time alarm received 11:44 A M Number of miles traveled 2

Time back in service _____ M

Time back at station 11:50 A M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 50 FERNCREST BLVD

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☒ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				Number Used
					Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED HAD BROKEN, LADDER 1 DYNALUX ON ENG 1

Companies responding: _____

Engines(s) 7. SS 1 Ladder(s) 1 Rescue(s) 2 Car: 1

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	J. MOLLO	
	P. PHILLIPS	
VEHICLE	STATION	ON SCENE
CAPT J. MURPHY	LT E. DI GIULIO	
	C. ZAHN	
	S. COPPA	

REMARKS: CODE YELLOW FROM CAR 1. SPECIAL SIGNAL ENG 1, ENG 6
 COULDN'T GET OUT. ENG 1 DID NOT LEAVE STATION CODE YELLOW WAS
 CALLED


 SIGNED BY:

P. PHILLIPS
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 128 N. P. File # 349

Date: 4 15 74
MONTH DAY YEAR

Time alarm received 9:07 P M Number of miles traveled 1

Time back in service 9:11 P M

Time back at station 9:15 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 99 JACKSONIA DR

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP REPAIRED ON LADDER 1
DYNALUX ON ENG 1

Companies responding: _____

Engines(s) 1, 7 Ladder(s) 1 Rescue(s) 2 Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MURPHY		
LT E. DI GIULIO		
K. MIDDLETON		
D. BAZZLE		
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	D. HOUDE	
T. RUSSO	N. PHELAND	
	R. PAQUET	

REMARKS: CODE BLUE


 SIGNED BY:
 CAPT J. MURPHY
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 129 N. P. File # 355
 Date: 4 16 74
MONTH DAY YEAR

Time alarm received 3:33 P M Number of miles traveled 2
 Time back in service _____ M
 Time back at station 3:42 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 27 FERNCLIFF AVE

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	25'	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
1	Pump Cans		3 Inch Hose	SALVAGE COVERS	
1	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 5

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED ON LADDER 1
DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LT E. DI GIULIO		
P. PHILLIPS		
S. COPPA		
C. ZAHN		
N. PHELAND		
VEHICLE	STATION	ON SCENE
CAPT J. MURPHY	J. MOLLO	
T. PERNA	W. DRAPER SR	
W. ROY		

REMARKS: BRUSH ALONG SIDE OF ROAD


SIGNED BY:

CAPT J. MURPHY
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 130 N. P. File # 358

Date: 4 16 74
MONTH DAY YEAR

Time alarm received 9:32 P M Number of miles traveled 1

Time back in service _____ M

Time back at station 9:38 P M

Alarm received by: Box # 144 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) SMITH & WATERMAN

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED ON LADDER 1
DYNALUX ON ENG 1

Companies responding: _____

Engines(s) 1, 6, 3 Ladder(s) 1 Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LT P. RUGGIANO	R. PARENTEAU	
R. RATHIER	D. BAZZLE	
C. ZAHN		
J. BOREK		
N. PHELAND		
T. PERNA		
VEHICLE	STATION	ON SCENE
	D. FORTIN	

REMARKS: **CODE BLUE**


 SIGNED BY:

J. BOREK
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 131 N. P. File # 359

Date: 4 17 74
MONTH DAY YEAR

Time alarm received 3:59 P M Number of miles traveled 3

Time back in service 4:01 P M

Time back at station 4:14 P M

Alarm received by: Box # 212 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) ANDOVER & JACKSON

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				Number Used
					Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED ON LADDER 1
DYNALUX ENG 1

Companies responding: _____

Engines(s) 3, 4 Ladder(s) 1 Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	C. ZAHN	
	N. PHELAND	
	P. PHILLIPS	
	J. MOLLO	
VEHICLE	STATION	ON SCENE
	CAPT J. MURPHY	
	LT E. DI GIULIO	
	F. ROTELLA	

REMARKS: CODE BLUE

P. Phillips
SIGNED BY:

P. PHILLIPS
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 132 N. P. File # 361

Date: 4 17 74
MONTH DAY YEAR

Time alarm received 4:57 P M Number of miles traveled 6

Time back in service 5:16 P M

Time back at station 5:20 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) WOON. DR

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	100'	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
3	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 10

Defects on apparatus after alarm (if any): HEATER HOSE TEMP REPAIRED LADDER 1
DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO		
E. PELLAND		
D. FORTIN		
K. MIDDLETON		
D. BAZZLE		
N. PHELAND		
W. DRAPER JR		
VEHICLE	STATION	ON SCENE
	CAPT J. MURPHY	
	R. WATHIER	
	C. ZAHN	
	J. BOREK	
	J. LANE	
	F. ROTELLA	

REMARKS: BRUSH FIRE PART IN JOHNSTON NEXT TO INDUSTUAL PLATING
 CALLED IN JOHNSTON

E. Di Giulio
 SIGNED BY:

CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTERADLE Company Alarm # 133 N. P. File # 362

Date: 4 17 74
MONTH DAY YEAR

Time alarm received 5:47 P M Number of miles traveled 3

Time back in service _____ M

Time back at station 5:57 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 86 STELLA DR

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	XXXXXXXXXX	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED	
Carbon Dioxide	<u>30'</u> Booster	Aerial	
Dry Chemical	1½ Inch Hose	Over 35 Feet	
Foam	2½ Inch Hose	Under 35 Feet	
Pump Cans	3 Inch Hose	SALVAGE COVERS	
Brooms	Other (Describe)	Number Used	
Other (Describe)		Other Equipment	

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 10

Defects on apparatus after alarm (if any): HEATER HOSE TEMP REPAIRED LADDER 1

DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
E. PELLAND		
J. LANE		
D. BAZZLE		
N. PHELAND		
W. DRAPER JR		
K. MIDDLETON		
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	W. ROY	
	CAPT J. MURPHY	
	D. FORTIN	
	C. ZAHN	
	T. RUSSO	
	T. PERNA	
	F. ROTELLA	
	W. DRAPER SR	

REMARKS: BRUSH IN BACK YARD

E. Di Giulio
 SIGNED BY:

CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 134 N. P. File # 363

Date: 4 17 74
MONTH DAY YEAR

Time alarm received 6:06 P M Number of miles traveled 6

Time back in service _____ M

Time back at station 6:33 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) WOON. DR

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	200'	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 20

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1
DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
K. MIDDLETON		
C. ZAHN		
J. LANE		
D. BAZZLE		
N. PHELAND		
W. DRAPER JR		
E. PELLAND		
VEHICLE	STATION	ON SCENE
	LT F. BURSIE	
	W. ROY	
	T. RUSSO	
	T. PERNA	
	R. PAQUET	
	W. DRAPER SR	
	F. ROTELLA	

REMARKS: BRUSH


 SIGNED BY: _____
 K. MIDDLETON
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 135 N. P. File # 368

Date: 4 18 74
MONTH DAY YEAR

Time alarm received 1:32 P M Number of miles traveled 29

Time back in service 3:25 P M

Time back at station 3:50 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) SMITH ST. (METRO ATLANTIC SITE)

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☒ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	350' Booster <u>400'</u>	Aerial
Dry Chemical	<u>350'</u> 1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
1 Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment
1 PIKE POLE		

APPARATUS REPORT

Working time of pump: Hours: 1 minutes: 30

Defects on apparatus after alarm (if any): HEATER HOSE TEMP REPAIRED LADDER 1
DYNALUX ENG 1

Companies responding: _____

Engines(s) 1, SS 3 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LT E. DI GIULIO		
C. ZAHN		
P. PHILLIPS		
VEHICLE	STATION	ON SCENE
CAPT J. MURPHY	J. MOLLO	
F. ROTELLA	R. SALISBURY	
	W. DRAPER SR	

REMARKS: ^{ENG.} LARGE DUMP FIRE SPECIAL FOR ~~ENG~~ 3 LAIED A FEEDER LINE
 AND DRAFTED

H. Emilio Giulio
 SIGNED BY:

CAPT J. MURPHY
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 136 N. P. File # 373

Date: 4 18 74
MONTH DAY YEAR

Time alarm received 6:08 P M Number of miles traveled 4

Time back in service _____ M

Time back at station 6:33 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) SMITH ST (METRO ATLANTIC SITE)

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☒ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	200'	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 10

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1
DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT C. SALISBURY		
W. ROY		
D. FORTIN		
C. ZAHN		
D. BAZZLE		
W. DRAPER JR		
T. PERNA		
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	CAPT J. MURPHY	
J. MOLLO	LT F. BURSIE	
	J. BOREK	
	T. RUSSO	
	F. ROTELLA	
	W. DRAPER SR	

REMARKS: RECALL TO SAME FIRE FILE # 135 CALLED FOR TOWN DPW
TO COVER THE AREA WITH SAND, USED TANK OF WATER


SIGNED BY:

CAPT C. SALISBURY
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 137 N. P. File # 375

Date: 4 18 74
MONTH DAY YEAR

Time alarm received 8:39 P M Number of miles traveled 2

Time back in service 8:51 P M

Time back at station 8:55 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) ALLEN AVE & PEACH HILL (CEMERTY)

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
2	Pump Cans		3 Inch Hose	SALVAGE COVERS	
2	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1
DYNALUX ENG 1

Companies responding: _____

Engines(s) _____ Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO		
W. ROY		
D. FORTIN		
R. RATHIER		
S. COPPA		
C. ZAHN		
D. BAZZLE		
W. DRAPER JR		
VEHICLE	STATION	ON SCENE
	CAPT J. MURPHY	
	CAPT C. SALISBURY	
	P. RUGGIANO	
	D. HOUDE	
	J. MOLLO	
	T. PERNA	
	T. RUSSO	
	F. ROTELLA	

REMARKS: SMALL BRUSH IN GRAVE YARD


SIGNED BY:

C. ZAHN
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 138 N. P. File # 382

Date: 4 20 74
MONTH DAY YEAR

Time alarm received 4:19 P M Number of miles traveled 3

Time back in service 4:50 P M

Time back at station 5:00 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 20 COVE CT.

Cause of fire LIMB ON WIRE

Description of building or occupancy: _____

Owner of building or occupancy: FRANK RIVERA

Owner's address: SAME

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building ☐ Fire in dwelling ☐ Fire in brush or grass ☐ Fire in rubbish ☐ Fire in dump ☐ Fire in vehicle ☒ Miscellaneous fires (describe) <u>TREE LIMB ON WIRE</u> <u>MAN IN TREE</u>	☐ Code Red ☒ Code Yellow ☐ Code Blue	☐ Rescue or emergency ☐ Water emergency ☐ Lockout ☐ Accidental alarms ☐ False alarm ☐ Miscellaneous alarm (describe)

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster	<u>75'</u>	Aerial
	Dry Chemical		1½ Inch Hose	<u>35'</u>	Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				
<u>1</u>	<u>BELT</u>				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): heater hose temp. repaired ladder 1

dynalux eng 1

Companies responding: _____

Engines(s) 1 Ladder(s) 1 Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	E. PELLAND	
W. ROY	K. MIDDLETON	
T. RUSSO	D. HOUDE	
D. BAZZLE	T. PERNA	
W. DRAPER JR		
VEHICLE	STATION	ON SCENE
CAPT C. SALISBURY	CAPT J. MURPHY	
LT E. DI GIULIO	D. FORTIN	
	F. ROTELLA	

REMARKS: CALL FOR TREE ON WIRES, ON ARRIVAL FOUND STEVE GAYDOS UP
 TREE WHO WAS CUTTING DOWN SAME. HAD TO RESCUE VICTIM FROM TREE
 OWNER OF HOUSE FRANK RIVERA
 VICTIM STEVE GAYDOS
 128 DE PASQUAL PROV. RI
 CAPT SALISBURY USED ELECTRIC LIGHT TRUCK TO TAKE LIMB FROM WIRES


 SIGNED BY:
 CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 139 N. P. File # 383

Date: 4 29 74
MONTH DAY YEAR

Time alarm received 5:57 P M Number of miles traveled 12

Time back in service 6:03 P M

Time back at station 6:44 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) WATERMAN AVE (OPP WHITE HALL BLDG.)

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	400'	Booster LAD. 200'		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
5	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment
1	PORTABLE RADIO				

APPARATUS REPORT

Working time of pump: Hours: ENG. 1 hr. minutes: LADDER 45 min.

Defects on apparatus after alarm (if any): heater hose temp repaired ladder 1
dynalux eng 1

Companies responding: _____

Engines(s) 1 SS 6 Ladder(s) SS 1 Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	CAPT J. MURPHY	
E. PELLAND	CAPT C. SALSIBURY	
K. MIDDLETON	LT F. BURSIE	
D. BAZZLE	T. RUSSO	
D. HOUDE		
W. DRAPER JR		
T. PERNA		
VEHICLE	STATION	ON SCENE
	F. ROTELLA	

REMARKS: LARGE AREA ON TOP OF HILL, SPECIAL SIG. ENG 6 & LADDER 1
 FIRE WAS MOVING FAST.


 SIGNED BY:
 CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 140 N. P. File # 387

Date: 4 21 74
MONTH DAY YEAR

Time alarm received 11:05 AM Number of miles traveled 2

Time back in service 11:28 AM

Time back at station 11:35 AM

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 79 LOCUST AVE

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
4	Pump Cans		3 Inch Hose	SALVAGE COVERS	
1	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment
1	PORTABLE RADIO				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: HEATER HOSE TEMP. REPAIRED LADDER 1

Defects on apparatus after alarm (if any): DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT C. SALISBURY		
W. ROM		
D. FORTIN		
D. BAZZLE		
N. PHELAND		
H. DARBY		
T. PERNA		
VEHICLE	STATION	ON SCENE
	CHIEF E. DI GIULIO	
	CAPT J. MURPHY	
	LT E. DI GIULIO	
	F. ROTELLA	
	W. DRAPER SR	

REMARKS: SMALL AREA PASS BALL FIELD IN WOODS


SIGNED BY:

CAPT C. SALISBURY
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 141 N. P. File # 390

Date: 4 21 74
MONTH DAY YEAR

Time alarm received 6:04 P M Number of miles traveled 9

Time back in service _____ M

Time back at station 6:41 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) METRO ATLANTIC SITE

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☒ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED	
Carbon Dioxide	<u>150'</u> Booster	Aerial	
Dry Chemical	1½ Inch Hose	Over 35 Feet	
Foam	2½ Inch Hose	Under 35 Feet	
Pump Cans	3 Inch Hose	SALVAGE COVERS	
Brooms	Other (Describe)	Number Used	
Other (Describe)		Other Equipment	
1 PIKE POLE			

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 45

Defects on apparatus after alarm (if any): heater hose temp. repaired ladder 1
dynalux eng 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
W. ROY		
E. PELLAND		
D. BAZZLE		
D. HOUDE		
N. PHELAND		
H. DARBY		
W. DRAPER JR		
T. RUSSO		
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	CAPT J. MURPHY	
	LT F. BURSIE	
	D. FORTIN	
	J. BOREK	
	R. PAQUET	
	J. MOLLO	
	R. PARENTEAU	
	F. ROTELLA	
	W. DRAPER SR	

REMARKS: PILE OF WOOD BURNING, EMPTIED TANK OF WATER ON FIRE


SIGNED BY:

W. ROY
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 142 N. P. File # 396
 Date: 4 22 74
MONTH DAY YEAR

Time alarm received 12:35 P M Number of miles traveled 1
 Time back in service 12:50 P M
 Time back at station 12:55 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)
 Location of alarm: (Street and Number) 2227 MINERAL SP. AVE
 Cause of fire _____
 Description of building or occupancy: _____
 Owner of building or occupancy: DONNA WHATMOUGH
 Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☒ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				
1	PHILLIP HEAD				
	SCREW DRIVER				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____
 Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1
DYNALUX ENG 1
 Companies responding: _____
 Engines(s) _____ Ladder(s) 1 Rescue(s) _____ Car: 1
 Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	J. MODLO	
	N. PHELAND	
	P. HPILLIPS	
VEHICLE	STATION	ON SCENE
	LT E. DI GIULIO	
	C. HARRINGTON	

REMARKS: FIRST FLOOR. REMOVED BOTTOM PANEL FROM STORM WINDOW


SIGNED BY:

P. PHILLIPS
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 143 N. P. File # 397

Date: 4 22 74
MONTH DAY YEAR

Time alarm received 3:16 P M Number of miles traveled 2

Time back in service _____ M

Time back at station 3:28 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) STELLA & SAVIN

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☒ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		<u>CHILD STRUCK BY CAR</u>

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment
1	BLANKET				
1	FIRST AID KIT				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1
DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) 1 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LT E. DI GIULIO		
W. ROY		
P. PHILLIPS		
VEHICLE	STATION	ON SCENE
C. ZAHN	J. MOLLO	
N. PHELAND	R. RATHIER	
W. DRAPER JR		

REMARKS: CHILD WAS STRUCK BY CAR CORNER OF STELLA & SAVIN

GREEN PLYMOUTH REG. R.I. I Z 36

CHILD JAMES DOORLEY 8 YRS. OLD

P. Phillips
SIGNED BY:

P. PHILLIPS
PERSON IN CHG.

NO. PROVIDENCE FIRE DEPARTMENT

- SECONDARY RESCUE REPORTS -

RESCUE FILE # 360

COMP. # 143

DATE: 4/ 22/ 74

TIME: ARRIVED 3:15 PM

RETURNED 3:35 PM

NAME: JAMES DOORLEY

AGE: 8

ADDRESS: _____

ALARM BY: POLICE

LOCATION OF RESCUE STELLA & SAVIN

EXAMINATION

SKULL * OK

EYES * LACERATION ON FOREHEAD BETWEEN EYES

EARS * OK

NOSE * OK

MOUTH * OK

CHEST * OK

ABDOMEN * OK

UPPER EXTREMITIES * OK

LOWER EXTREMITIES * POSSIBLE COMPOUND FRACTURE ON LEFT FEMUR

POSITION OF PATIENT WHEN FOUND: LYING ON GROUND

WAS PATIENT CONSCIOUS? YES

WAS PATIENT COOPERATIVE? (IF NOT EXPLAIN) YES

PATIENT TRANSPORTED TO: ROGER WILLIAMS HOSP: BY RES. 1

IF PATIENT WAS NOT TRANSPORTED EXPLAIN: _____

* NORMAL - No visible signs of lacerations, abrasions, discoloration, swelling, bleeding or fractures. No complaints of pain.

REMARKS -- (List First Aid Given, If Any)

applied gauge dressing & bandage to forehead. also did same to left leg and splinted same.

MEN ON SCENE

LT. E. DI GIULIO

W. ROY

P. PHILLIPS

N. PHELAND

C. ZAHN

W. DRAPER SR

SIGNED: _____

OFFICER IN CHARGE: _____

RESCUE CO. NO. _____



NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 144 N. P. File # 398

Date: 4 22 74
MONTH DAY YEAR

Time alarm received 7:28 P M Number of miles traveled 4

Time back in service 7:31 P M

Time back at station 7:40 P M

Alarm received by: Box # 211 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) MINERAL SP. & MARBLEHEAD

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1
dynalux eng 1

Companies responding: _____

Engines(s) 3, 4 Ladder(s) 1 Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	LT E. DI GIULIO	
	E. PELLAND	
	D. FORTIN	
	C. ZAHN	
	J. BOREK	
	D. BAZZLE	
	W. DRAPER JR	
	T. RUSSO	
VEHICLE	STATION	ON SCENE
	CHIEF E. DI GIULIO	
	CAPT C. SALISBURY	
	W. ROY	
	R. RATHIER	
	R. PAQUET	
	B. DI GIULIO	
	J. MOLLO	
	F. ROTELLA	
	W. DRAPER SR	

REMARKS: CODE BLUE


SIGNED BY:

LT E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTERADLE Company Alarm # 145 N. P. File # 400

Date: 4 22 74
MONTH DAY YEAR

Time alarm received 9:45 P M Number of miles traveled 3

Time back in service 9:50 P M

Time back at station 9:55 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 28 BRAE ST

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				Number Used
					Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any) HEATER HOSE TEMP. REPAIRED LADDER 1

DYNALUX ENG 1

Companies responding: _____

Engines(s) 7, 1 Ladder(s) 1 Rescue(s) 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
W. ROY	J. BOREK	
E. PELLAND	N. PHELAND	
C. ZAHN	W. DRAPER JR	
K. MIDDLETON	J. MOLLO	
T. PERNA	B. DI GIULIO	
VEHICLE	STATION	ON SCENE
	CAPT J. MURPHY	
	LT E. DI GIULIO	
	R. RATHIER	
	T. RUSSO	
	F. ROTELLA	

REMARKS: CODE BLUE


 SIGNED BY:
 W. ROY
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 146 N. P. File # 402

Date: 4 23 74
MONTH DAY YEAR

Time alarm received 3:50 P M Number of miles traveled 3
 Time back in service 4:02 P M
 Time back at station 4:05 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) ST. MARY'S RD.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
3	Pump Cans		3 Inch Hose	SALVAGE COVERS	
1	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): heater hose temp. repaired ladder 1
dynalux eng 1

Companies responding: 1

Engines(s) _____ Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LT E. DI GIULIO		
B. DI GIULIO		
C. ZAHN		
N. PHELAND		
P. PHILLIPS		
VEHICLE	STATION	ON SCENE
	J. MOLLO	
	W. DRAPER SR	

REMARKS: SMALL BRUSH END OF ST. MARY'S RD


SIGNED BY:

B. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 147 N. P. File # 406

Date: 4 23 74
MONTH DAY YEAR

Time alarm received 10:37 P M Number of miles traveled _____

Time back in service _____ M

Time back at station 10:44 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) MINERAL SP. AND BY - PASS

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☒ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		CAR ACCIDENT

EXTINGUISHMENT USED	TYPE & FEET HOSE LINES USED	LADDERS USED
Carbon Dioxide	Booster	Aerial
Dry Chemical	1½ Inch Hose	Over 35 Feet
Foam	2½ Inch Hose	Under 35 Feet
Pump Cans	3 Inch Hose	SALVAGE COVERS
Brooms	Other (Describe)	Number Used
Other (Describe)		Other Equipment
1 BLANKET		

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1
DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) 1 Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MURPHY		
D. BAZZLE		
N. PHELAND		
W. DRAPER JR		
T. PERNA		
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	F. ROTELLA	
LT F. BURSIE	R, PARENTEAU	

REMARKS: CAR ACCIDENT RI REG KU 713 AUSTIN AMERICAN

RI REG JD 759 CHEVOLET

ONE PERSON INJURED



SIGNED BY:

CHIEF E. DI GIULIO

PERSON IN CHG.

NO. PROVIDENCE FIRE DEPARTMENT
- SECONDARY RESCUE REPORTS -

Res file #368

DATE: ~~4~~ 4/ 23/ 74 TIME: ARRIVED 10:37 pm RETURNED 10:44 pm
NAME: ROBERT CHOINRE AGE: 18
ADDRESS: 28 LAKE DR. ALARM BY: POLICE
CHEPACHET R.I.

LOCATION OF RESCUE MINERAL SP. & BY- PASS

EXAMINATION

SKULL * ABRASION & LUMP LEFT SIDE OF HEAD (FRONT)

EYES *

EARS *

NOSE *

MOUTH *

CHEST *

ABDOMEN *

UPPER EXTREMITIES *

LOWER EXTREMITIES *

POSITION OF PATIENT WHEN FOUND:

WAS PATIENT CONSCIOUS?

WAS PATIENT COOPERATIVE? (IF NOT EXPLAIN)

PATIENT TRANSPORTED TO: BY RES. 1

IF PATIENT WAS NOT TRANSPORTED EXPLAIN:

* NORMAL — No visible signs of lacerations, abrasions, discoloration, swelling, bleeding or fractures. No complaints of pain.

REMARKS — (List First Aid Given, If Any)

ASSISTED RES. IN PREPARATION FOR TRANSPORTATION

MEN ON SCENE

CHIEF E. DI GIULIO

W. DRAPER

LT F. BURSIE

T. PERNA

CAPT J. MURPHY

D. BAZZLE

N. PHELAND

SIGNED:

Frank A Bursie

OFFICER IN CHARGE:

CHIEF E. DI GIULIO

RESCUE CO. NO. _____

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 148 N. P. File # 412

Date: 4 25 74
MONTH DAY YEAR

Time alarm received 8:15 P M Number of miles traveled 8

Time back in service _____ M

Time back at station 8:37 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) 125 BURNSIDE AVE

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building ☒ Fire in dwelling ☐ Fire in brush or grass ☐ Fire in rubbish ☐ Fire in dump ☐ Fire in vehicle ☐ Miscellaneous fires (describe) <u>GARAGE</u>	☐ Code Red ☒ Code Yellow ☐ Code Blue	☐ Rescue or emergency ☐ Water emergency ☐ Lockout ☐ Accidental alarms ☐ False alarm ☐ Miscellaneous alarm (describe) _____ _____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	100'	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				
1	SMOKE ELECTOR				
2	HAND LIGHTS				
2	SCOTT PACKS				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 10

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1
DYNALUX

Companies responding: _____

Engines(s) 1, 6 Ladder(s) 1 Rescue(s) 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO	LT F. BU RSIE	
D. FORTIN	J. BOREK	
C. ZAHN	P. RUGGIANO	
D. BAZZLE	T. PERNA	
T. RUSSO		
VEHICLE	STATION	ON SCENE
	CAPT J. MURPHY	
	R. RATHIER	
	B. DI GIULIO	
	F. ROTELLA	

REMARKS: FIBERGLASS FORMS CAUGHT ON FIRE IN ATTIC OF GARAGE, CAUSING
 ELECTRICAL SHORTS. HEAVY SMOKE FROM FIBERGLASS
 ENG 7 DID NOT GET OUT. ENG 1 IN CHARGE


 SIGNED BY:

CHIEF E. DI GIULIO
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 149 N. P. File # 413
 Date: 4 26 74
MONTH DAY YEAR

Time alarm received 12:58 P M Number of miles traveled 4
 Time back in service _____ M
 Time back at station 1:13 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)
 Location of alarm: (Street and Number) REAR OF GREYSTONE SCHOOL
 Cause of fire _____
 Description of building or occupancy: _____
 Owner of building or occupancy: _____
 Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide	<u>150'</u>	Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
1	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: 15
 Defects on apparatus after alarm (if any): HEATER HOSE TEMP REPAIRED LADDER1
FRONT BUMPER DAMAGE ON LADDER 1, DYNALUX ENG 1
 Companies responding: _____
 Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____
 Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LT E. DI GIULIO		
J. MOLLO		
B. DI GIULIO		
VEHICLE	STATION	ON SCENE
W. DRAPER SR		

REMARKS: SMALL BRUSH


SIGNED BY:

B. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 150 N. P. File # 414
 Date: 4 26 74
MONTH DAY YEAR

Time alarm received 4:15 P M Number of miles traveled 2
 Time back in service 4:32 P M
 Time back at station 4:40 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)
 Location of alarm: (Street and Number) 27 WOODHAVEN BLVD.
 Cause of fire _____
 Description of building or occupancy: _____
 Owner of building or occupancy: _____
 Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
3	Pump Cans		3 Inch Hose	SALVAGE COVERS	
1	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____
 Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1, FRONT BUMPER DAMAGED LADDER 1, DYNALUX ENG 1
 Companies responding: _____
 Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____
 Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
LT E. DI GIULIO		
D. BAZZLE		
B. DI GIULIO		
VEHICLE	STATION	ON SCENE
W. DRAPER SR	C. ZAHN	
	J. MOLLO	

REMARKS: SMALL BRUSH

LT. Emilio Giulio
SIGNED BY:

B. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 151 N. P. File # 415
 Date: 4 27 74
MONTH DAY YEAR

Time alarm received 12:30 P M Number of miles traveled 2
 Time back in service _____ M
 Time back at station 12:50 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) SUNSET & WOODLAWN

Gause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
3	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment
	PORTABLE RADIO				

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP, REPAIRED LADDER 1
FRONT BUMPER DAMAGED LADDER 1, DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CHIEF E. DI GIULIO		
LT E. DI GIULIO		
W. ROY		
C. ZAHN		
W. DRAPER JR		
T. PERNA		
VEHICLE	STATION	ON SCENE
	E. PELLAND	
	LT F. BURSIE	
	K. MIDDLETON	
	W. DRAPER SR	
	F. ROTELLA	

REMARKS: WOODS , SMALL AREA


SIGNED BY:

CHIEF E. DI GIULIO
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTREDALE Company Alarm # 152 N. P. File # 418

Date: 4 28 74
MONTH DAY YEAR

Time alarm received 11:22 A M Number of miles traveled 9

Time back in service _____ M

Time back at station 11:28 A M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)

Location of alarm: (Street and Number) JACKSONA DR

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building ☐ Fire in dwelling ☐ Fire in brush or grass ☐ Fire in rubbish ☐ Fire in dump ☐ Fire in vehicle ☐ Miscellaneous fires (describe) _____	☐ Code Red ☐ Code Yellow ☒ Code Blue	☐ Rescue or emergency ☐ Water emergency ☐ Lockout ☐ Accidental alarms ☐ False alarm ☐ Miscellaneous alarm (describe) _____ _____ _____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		
	Other (Describe)				Number Used
					Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any) HEATER HOSE TEMP REPAIRED LADDER 1
FRONT BUMPER DAMAGED LADDER 1, DYNALUX ENG 1

Companies responding: _____

Engines(s) 1, 7 Ladder(s) 1 Rescue(s) 2 Car: 78

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
CAPT J. MURPHY	CAPT C. SALISBURY	
R. RATHIER	E. PELLAND	
C. ZAHN	J. BOREK	
T. PERNA		
VEHICLE	STATION	ON SCENE
CHIEF E. DI GIULIO	D. FORTIN	
	D. BAZZLE	
	D. HOUDE	
	N. PHELAND	
	T. RUSSO	
	R. PARENTEAU	
	F. ROTELLA	
	W. DRAPER SR	

REMARKS: CODE BLUE


SIGNED BY:

CAPT J. MURPHY
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Primary Fire District Report

Company CENTERDALE Company Alarm # 153 N. P. File # 421
 Date: 4 28 74
MONTH DAY YEAR

Time alarm received 3:27 P M Number of miles traveled 6
 Time back in service 4:04 P M
 Time back at station 4:07 P M

Alarm received by: Box # _____ Phone XX Other _____ (Describe)
 Location of alarm: (Street and Number) CRAGIE ST

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☒ Code Yellow	☐ Water emergency
☒ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
4	Pump Cans		3 Inch Hose	SALVAGE COVERS	
3	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP. REPAIRED LADDER 1
FRONT BUMPER DAMAGED LADDER 1, DYNALUX ENG 1

Companies responding: _____

Engines(s) 1 Ladder(s) _____ Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
W. ROY		
E. PELLAND		
D. FORTIN		
W. DRAPER JR		
J. BOREK		
H. DARBY		
R. PARENTEAU		
VEHICLE	STATION	ON SCENE
	CAPT J. MURPHY	
	CAPT C. SALISBURY	
	T. PERNA	
	F. ROTELLA	
	W. DRAPER SR	

REMARKS: LARGE AREA, FILLED CANS TWICE


 SIGNED BY:

W. ROY
 PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 154 N. P. File # 423

Date: 4 28 74
MONTH DAY YEAR

Time alarm received 4:03 P M Number of miles traveled 0

Time back in service _____ M

Time back at station 4:05 P M

Alarm received by: Box # 423 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) CENTRAL & HIGHLAND

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☐ Code Blue	☐ Lockout
☐ Fire in rubbish	XX	☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP REPAIRED LADDER 1
FRONT BUMPER DAMAGED LADDER 1, DYNALUX ENG 1

Companies responding: _____

Engines(s) 6 Ladder(s) 1 Rescue(s) 2 Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
W. ROY	CAPT J. MURPHY	
E. PELLAND	CAPT C. SALISBURY	
D. FORTIN	T. PERNA	
W. DRAPER JR		
J. BOREK		
H. DRABY		
P. PARENTEAU		
VEHICLE	STATION	ON SCENE
LT F. BURSIE	F. ROTELLA	
	W. DRAPER SR	

REMARKS: DID NOT LEAVE STATION CODE BLUE FROM RES. 2


SIGNED BY:

CAPT J. MURPHY
PERSON IN CHG.

NORTH PROVIDENCE FIRE DEPARTMENT

Secondary Fire District Report

Company CENTREDALE Company Alarm # 155 N. P. File # 429

Date: 4 29 74
MONTH DAY YEAR

Time alarm received 8:17 P M Number of miles traveled 2

Time back in service 8:20 P M

Time back at station 8:26 P M

Alarm received by: Box # 221 Phone _____ Other _____ (Describe)

Location of alarm: (Street and Number) BROOK FARM RD & COUNTRY SIDE DR.

Cause of fire _____

Description of building or occupancy: _____

Owner of building or occupancy: _____

Owner's address: _____

CLASSIFICATION OF ALARM	FIRE CODE	ALARM WITH NO FIRE
☐ Fire in building	☐ Code Red	☐ Rescue or emergency
☐ Fire in dwelling	☐ Code Yellow	☐ Water emergency
☐ Fire in brush or grass	☒ Code Blue	☐ Lockout
☐ Fire in rubbish		☐ Accidental alarms
☐ Fire in dump		☐ False alarm
☐ Fire in vehicle		☐ Miscellaneous alarm (describe)
☐ Miscellaneous fires (describe)		_____
_____		_____

EXTINGUISHMENT USED		TYPE & FEET HOSE LINES USED		LADDERS USED	
	Carbon Dioxide		Booster		Aerial
	Dry Chemical		1½ Inch Hose		Over 35 Feet
	Foam		2½ Inch Hose		Under 35 Feet
	Pump Cans		3 Inch Hose	SALVAGE COVERS	
	Brooms		Other (Describe)		Number Used
	Other (Describe)				Other Equipment

APPARATUS REPORT

Working time of pump: Hours: _____ minutes: _____

Defects on apparatus after alarm (if any): HEATER HOSE TEMP? REPAIRED LADDERS 1
FRONT BUMPER DAMAGED ON LADDER 1, DYNALUX ENG 11

Companies responding: _____

Engines(s) 3, 4 Ladder(s) 1 Rescue(s) _____ Car: _____

Other companies responding: _____

MEN RESPONDING TO ALARM: (Put Names Under Proper Spaces Provided)

ENGINE(S) #	LADDER(S) #	RESCUE #
	LT F. BURSIE	
	W. ROY	
	D. FORTIN	
	R. RATHIER	
	C. ZAHN	
	H. DARBY	
	T. RUSSO	
VEHICLE	STATION	ON SCENE
	CHIEF E. DI GIULIO	
	CAPT CJ MURPHY	
	LT E. DI GIULIO	
	D. BAZZLE	
	D. HOUDE	
	R. MARWELL	
	W? DRAPER JR	
	J. MOLLO	
	R. PARENTEAU	
	W. DRAPER SR	
	F. ROTELLA	

REMARKS:

Code Blue

LT F. Bursie
SIGNED BY:

LT F. BURSIE
PERSON IN CHG.